1. Product and Company Identification				
Product Code: Product Name: Trade Name: Company Name: Emergency Contact:	130 Leather Cleaner SP #130 Servpro Professional Cleaning Products, LLC. 801 Industrial Blvd. Gallatin, TN 37066 (800)535-5053 Infotrac			
	2. Hazards Identification			
GHS Signal Word: GHS Hazard Phrases: GHS Precautionary Phrases: GHS Response Phrases: GHS Storage and Disposal Phrases:	None			
Potential Health Effects (Acute and Chronic): Inhalation:	Chronic: Exposure to large doses may cause central nervous system depression. Chronic ingestion may cause lactic acidosis and possible seizures. Low hazard for normal industrial handling. Inhalation of a mist of this material may cause respiratory tract irritation. Material has a low vapor pressure at room temperature, so exposure to vapor is not likely.			
Skin Contact:	May be absorbed through damaged or abraded skin in harmful amounts. Allergic reactions have been reported. A single prolonged skin exposure is not likely to result in the material being absorbed in harmful amounts. Prolonged contact is essentially non-irritating to skin. Repeated exposures may cause problems.			
Eye Contact: Ingestion:	May cause slight transient injury. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. Low hazard for usual industrial handling.			
3.	Composition/Information on Ingredients			
CAS # Hazardous Comp 57-55-6 Propylene glycol	nonents (Chemical Name) Concentration <=3.0 %			

	4. First Aid Measure	S			
Emergency and First Aid Procedures:					
n Case of Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If bre difficult, give oxygen. Get medical aid.				
In Case of Skin Contact:	In case of contact, flush skin with plenty of water. Remove contaminated cloth shoes. Get medical aid if irritation develops and persists. Wash clothing befor				
In Case of Eye Contact:	In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes Get medical aid.				
In Case of Ingestion:	If swallowed, do not induce vomiting unless directed to do so by medical personnel Never give anything by mouth to an unconscious person. Get medical aid.				
Note to Physician:	Persons with impaired kidney function may be more susceptible to the effects of this substance. Treat symptomatically and supportively.				
	5. Fire Fighting Measu	res			
Flash Pt:	99.00 C				
Explosive Limits:	LEL: UEL:				
Autoignition Pt:	371.00 C				
Suitable Extinguishing Media	:Use water spray, dry chemical, carbon diox	tide, or alcohol-resistant foam.			
Fire Fighting Instructions:	As in any fire, wear a self-contained breath MSHA/NIOSH (approved or equivalent), an and highly toxic gases may be generated b	d full protective gear. During a fire, irritating			
Flammable Properties and Hazards: Hazardous Combustion Products:					
	6. Accidental Release Me	asures			
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment Spills/Leaks: Absorb spill with inert materia in suitable container. Provide ventilation.	as indicated in Section 8. al (e.g. vermiculite, sand or earth), then place			
	7. Handling and Stora	age			
Precautions To Be Taken in Handling: Precautions To Be Taken in	Use with adequate ventilation. Avoid contain container tightly closed. Avoid ingestion and Store in a tightly closed container. Store in	d inhalation. a cool, dry, well-ventilated area away from			
Storing:	incompatible substances. Store protected f	rom moisture.			
8					
CAS # Partial Chemical	Name OSHA TWA	ACGIH TWA Other Limits			
57-55-6 Propylene glycol					

	Supersedes Revision: 08/27/2018		
Respiratory Equipment (Specify Type):	A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.		
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.		
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure.		
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.		
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.		
	9. Physical and Chemical Properties		
Physical States:	[]Gas [X]Liquid []Solid		
Appearance and Odor:	Opaque. No apparent odor.		
pH:			
Melting Point:	-60.00 C		
Boiling Point:	187.00 C		
Flash Pt:	99.00 C		
Evaporation Rate:			
Flammability (solid, gas):	LEL: UEL:		
Explosive Limits:	LEL: UEL:		
Vapor Pressure (vs. Air or mm Hg):			
Vapor Density (vs. Air = 1):			
Specific Gravity (Water = 1):			
Density:	1.030 G/ML		
Solubility in Water:			
Octanol/Water Partition Coefficient:			
Autoignition Pt:	371.00 C		
Decomposition Temperature:			
Viscosity:			
	10. Stability and Reactivity		
Stability:	Unstable [] Stable [X]		
Conditions To Avoid - Instability:	Excess heat, moist air.		
Incompatibility - Materials To Avoid:	Strong oxidizing agents.		
Hazardous Decomposition or Byproducts:	Carbon monoxide, Carbon dioxide.		
Possibility of Hazardous	Will occur [] Will not occur [X]		
Reactions:			
Conditions To Avoid - Hazardous Reactions:			
MIRS MSDS, (c) A V Systems, Inc.	GHS format		

	11. Toxicological Information					
Toxicologica	I Information:					
Carcinogenic	city/Other	CAS# 57-55-6: Not listed by ACGIH, IARC, NTP, or CA Prop 65.				
Carcinogenic	;ity:	NTP? No	IARC Monog	raphs? No	OSHA Regulated?	No
		12	. Ecologica	al Informa	ition	
General Ecol Information:	ogical	 Ecotoxicity: Water flea Daphnia: EC50 10000 mg/L; 48 HrUnspecified, Bacteria: Phytobacterium phosphoreum: EC50 = 710 mg/L; 30 min; Microtox testFish: Goldfish: LC50 5000 mg/L; 24 Hr; UnspecifiedFish: Guppy: LC50 1000 mg/L; 48 Hr; Unspecified If released to water, 1,2-propanediol is expected to degrade relatively rapidly via biodegradation. If released to soil, relatively rapid biodegradation should also occur. Significant leaching in soil can be predicted. Environmental: If released to the atmosphere, it is degraded rapidly by reaction with photochemically produced hydroxyl radicals (typical half-life of 32 hr). Physical removal from air by rainfall is possible. Physical: No information available. Other: No information available. 				
		13.	Disposal (Considera	tions	
Waste Dispo	sal Method:	as a hazardo in 40 CFR Pa hazardous w RCRA P-Ser	ous waste. US E arts 261. Additio	EPA guidelines onally, waste g s to ensure co I.		
		14	. Transpol	rt Informa	tion	
DOT Prop DOT Haza UN/NA Nu LAND TRANS		ne: Not Reg				
		15.	Regulato	ry Informa	ation	
EPA SARA (S	uperfund Amendr					
CAS # 57-55-6	Hazardous Con Propylene glycol	nponents (Cher		S. 302 (EHS No	S. 304 RQ No	S. 313 (TRI) No
CAS # 57-55-6 CAS # 57-55-6	Hazardous Con Propylene glycol Hazardous Con Propylene glycol	nponents (Cher	·	CA PROP.6	PA or State Lists 5: No I Regulatory Lists SL: Yes; Canadian NDS	SL: No

SAFETY DATA SHEET

Page: 5

	1	Leather Cleaner	Printed: 06/10/2019
			Revision: 06/10/2019 Supersedes Revision: 08/27/2018
	16. Oth	ner Information	
Revision Date:	06/10/2019		
Additional Information	About		
This Product:			