

Heatable Upholstery / Drapery Solvent

Printed: 06/10/2019

Revision: 06/10/2019

Supersedes Revision: 08/27/2018

1. Product and Company Identification

Product Code: 214
Product Name: Heatable Upholstery / Drapery Solvent
Trade Name: SP #214
Company Name: Servpro Professional Cleaning Products,
 LLC.
 801 Industrial Blvd.
 Gallatin, TN 37066 (800)535-5053
Emergency Contact: Infotrac

2. Hazards Identification

Flammable Liquids, Category 4

Aspiration Toxicity, Category 2

**GHS Signal Word:****Warning****GHS Hazard Phrases:**

H227 - Combustible liquid.
 H305 - May be harmful if swallowed and enters airways.
 H315 - Causes skin irritation.
 H335 - May cause respiratory irritation.

GHS Precautionary Phrases:

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
 P264 - Wash hands thoroughly after handling.
 P271 - Use only outdoors or in a well-ventilated area.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P235 - Keep cool.

GHS Response Phrases:

P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 P302+352 - IF ON SKIN: Wash with plenty of soap and water.
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
 P321 - Specific treatment see ... on this label.
 P331 - Do NOT induce vomiting.
 P332+313 - If skin irritation occurs, get medical advice/attention.
 P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal Phrases:

P403+233 - Store container tightly closed in well-ventilated place.
 P405 - Store locked up.
 P501 - Dispose of contents/container to ...
 P403+235 - Store in cool/well-ventilated place.

Inhalation:

May be harmful if inhaled. May cause respiratory tract irritation.

Skin Contact:

May be harmful if absorbed through the skin. May cause skin irritation.

Eye Contact:

May cause eye irritation.

Ingestion:

May be harmful if swallowed.

Heatable Upholstery / Drapery Solvent

Printed: 06/10/2019

Revision: 06/10/2019

Supersedes Revision: 08/27/2018

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
68551-17-7	Petroleum distillate	100.0 %

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In Case of Skin Contact: Wash off with soap and plenty of water. Consult a physician.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Signs and Symptoms Of Exposure: Nausea. Headache. Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Note to Physician: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

5. Fire Fighting Measures

Flash Pt: 61.10 C Method Used: Closed Cup

Explosive Limits: LEL: UEL:

Autoignition Pt: NA

Suitable Extinguishing Media: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary. Use water spray to cool unopened containers.

Flammable Properties and

Hazards:

Hazardous Combustion

Products:

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. Handling and Storage

Precautions To Be Taken in Handling: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Precautions To Be Taken in Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Heatable Upholstery / Drapery Solvent

Printed: 06/10/2019

Revision: 06/10/2019

Supersedes Revision: 08/27/2018

Storing: Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
68551-17-7	Petroleum distillate			
Respiratory Equipment (Specify Type):	If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).			
Eye Protection:	Face shield and safety glasses.			
Protective Gloves:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.			
Other Protective Clothing:	Impervious clothing. Flame retardant antistatic protective clothing.			
Engineering Controls (Ventilation etc.):				
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid		
Appearance and Odor:	Clear and colorless liquid Nearly odorless.		
pH:			
Melting Point:	NA		
Boiling Point:	179.00 C - 210.00 C		
Flash Pt:	61.10 C Method Used: Closed Cup		
Evaporation Rate:			
Flammability (solid, gas):			
Explosive Limits:	LEL:		UEL:
Vapor Pressure (vs. Air or mm Hg):			
Vapor Density (vs. Air = 1):			
Specific Gravity (Water = 1):			
Density:	0.752 G/CM3		
Solubility in Water:			

Heatable Upholstery / Drapery Solvent

Printed: 06/10/2019

Revision: 06/10/2019

Supersedes Revision: 08/27/2018

Octanol/Water Partition

Coefficient:

Autoignition Pt: NA

Decomposition Temperature:

Viscosity:

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Heat, flames and sparks.

Instability:

Incompatibility - Materials To Avoid: Strong oxidizing agents.

Avoid:

Hazardous Decomposition or Byproducts: formed under fire conditions. Nature of decomposition products unknown.

Byproducts:

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: Respiratory or skin sensitization: Germ cell mutagenicity. Reproductive toxicity - no data available.

Specific target organ toxicity -single exposure (Globally Harmonized System)

Inhalation: May cause respiratory irritation.

Specific target organ toxicity -repeated exposure (Globally Harmonized System)

Aspiration hazard.

Irritation or Corrosion: No Data Available

Carcinogenicity/Other Information: Carcinogenicity.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Persistence and Degradability: No Data Available

Bioaccumulative Potential: No Data Available

Mobility in Soil: No Data Available

Heatable Upholstery / Drapery Solvent

Printed: 06/10/2019

Revision: 06/10/2019

Supersedes Revision: 08/27/2018

13. Disposal Considerations

Waste Disposal Method: Product.
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging.
Dispose of as unused product.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Hydrocarbons, liquid, n.o.s.
DOT Hazard Class: 3 COMBUSTIBLE LIQUID
UN/NA Number: UN3295 **Packing Group:** III



Additional Transport Information: Not regulated as a hazardous material. Non-Hazardous for Air Transport:
Non-hazardous for air transport.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68551-17-7	Petroleum distillate	No	No	No
CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists		
68551-17-7	Petroleum distillate	CA PROP.65: No		
CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists		
68551-17-7	Petroleum distillate	Canadian DSL: Yes; Canadian NDSL: No		

16. Other Information

Revision Date: 06/10/2019

Additional Information About This Product: