	1. Product and Company	Identification	
Product Code:	209		
Product Name:	Wood Creme Paste		
Trade Name:	SP #209		
Manufacturer Information:			
Company Name:	Servpro Professional Cleaning Produ	cts,	
	LLC.		
	801 Industrial Blvd. Gallatin, TN 37066	(800)535-5053	
Emergency Contact:	Infotrac	(000)000-0000	
Supplier Name and Address:		Phone Number:	
Company Name:	FABPRO Inc.	(410)325-5040	
	3000 East Preston Street		
	Baltimore, MD 21213		
	2. Hazards Identifi	ication	
Acute Toxicity: Skin, Catego	ry 5		
Serious Eye Damage/Eye Irrit	tation, Category 2B		
GHS Signal Word:	Warning		
GHS Hazard Phrases:	H313 - May be harmful in contact with	h skin.	
	H320 - Causes eye irritation.		
GHS Precautionary Phrases:	P264 - Wash hands thoroughly after	handling.	
GHS Response Phrases:	P305+351+338 - IF IN EYES: Rinse	cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.		
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.			
	P337+313 - If eye irritation persists, g	get medical advice/attention.	
GHS Storage and Disposal			
Phrases:			
Potential Health Effects	Chronic: Prolonged or repeated skin o	contact may cause defatting and dermatitis.	
(Aquita and Chrania)			
	May aquina reastratory tract irritation		
Inhalation:	May cause respiratory tract irritation.	itching and radioses	
Inhalation: Skin Contact:	May cause irritation with burning pain	, itching and redness.	
(Acute and Chronic): Inhalation: Skin Contact: Eye Contact: Ingestion:	May cause irritation with burning pain May cause eye irritation.		
Inhalation: Skin Contact: Eye Contact: Ingestion:	May cause irritation with burning pain May cause eye irritation. Aspiration hazard. May cause irritation	n of the digestive tract.	
Inhalation: Skin Contact: Eye Contact: Ingestion:	May cause irritation with burning pain May cause eye irritation.	n of the digestive tract.	
Inhalation: Skin Contact: Eye Contact: Ingestion: 3 .	May cause irritation with burning pain May cause eye irritation. Aspiration hazard. May cause irritation	n of the digestive tract. n on Ingredients	
Inhalation: Skin Contact: Eye Contact: Ingestion: 3. CAS # Hazardous Comp	May cause irritation with burning pain May cause eye irritation. Aspiration hazard. May cause irritation Composition/Information	n of the digestive tract. n on Ingredients ration	

	4. First Aid Meas	ures				
Emergency and First Aid						
Procedures:						
In Case of Inhalation:	If inhaled, remove to fresh air. If not br difficult, give oxygen. Get medical aid.	eathing, give artificial respiration. If breathir	ng is			
In Case of Skin Contact:		ty of water. Remove contaminated clothing elops and persists. Wash clothing before re-				
In Case of Eye Contact:	In case of contact, immediately flush eyes with plenty of water for a t least 15 minut Get medical aid.					
In Case of Ingestion:	Potential for aspiration if swallowed. Get medical aid immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by an unconscious person. If vomiting occurs naturally, have victim lean forward.					
Note to Physician:	Treat symptomatically and supportively	<i>ų</i> .				
	5. Fire Fighting Me	asures				
Flash Pt:	93.30 C					
Explosive Limits:	LEL: UEL					
Autoignition Pt:	NA					
	a:Use water spray, dry chemical, carbon	dioxide, or appropriate foam.				
Suitable Extinguishing Media		eathing apparatus in pressure-demand.				
• •	As in any fire, wear a self-contained by MSHA/NIOSH (approved or equivalen keep fire-exposed containers cool.	t), and full protective gear. Use water spray	to			
Suitable Extinguishing Media Fire Fighting Instructions: Flammable Properties and Hazards:	MSHA/NIOSH (approved or equivalen	• • • •	to			
Fire Fighting Instructions: Flammable Properties and	MSHA/NIOSH (approved or equivalen	• • • •	to			
Fire Fighting Instructions: Flammable Properties and Hazards: Hazardous Combustion	MSHA/NIOSH (approved or equivalen	t), and full protective gear. Use water spray	to			
Fire Fighting Instructions: Flammable Properties and Hazards: Hazardous Combustion	MSHA/NIOSH (approved or equivalent keep fire-exposed containers cool. 6. Accidental Release Use proper personal protective equipt Spills/Leaks: Absorb spill with inert main in suitable container. Avoid runoff into	t), and full protective gear. Use water spray Measures nent as indicated in Section 8. aterial (e.g. vermiculite, sand or earth), then storm sewers and ditches which lead to ly, observing precautions in the Protective				
Fire Fighting Instructions: Flammable Properties and Hazards: Hazardous Combustion Products: Steps To Be Taken In Case Material Is Released Or	MSHA/NIOSH (approved or equivalent keep fire-exposed containers cool. 6. Accidental Release Use proper personal protective equiper Spills/Leaks: Absorb spill with inert main suitable container. Avoid runoff into waterways. Clean up spills immediate	t), and full protective gear. Use water spray Measures ment as indicated in Section 8. aterial (e.g. vermiculite, sand or earth), then storm sewers and ditches which lead to ly, observing precautions in the Protective es of ignition. Provide ventilation.				
Fire Fighting Instructions: Flammable Properties and Hazards: Hazardous Combustion Products: Steps To Be Taken In Case Material Is Released Or Spilled: Precautions To Be Taken in Handling:	MSHA/NIOSH (approved or equivalence keep fire-exposed containers cool. 6. Accidental Release Use proper personal protective equiper Spills/Leaks: Absorb spill with inert main in suitable container. Avoid runoff into waterways. Clean up spills immediate Equipment section. Remove all source 7. Handling and S Wash thoroughly after handling. Use we skin, and clothing. Empty containers re-	t), and full protective gear. Use water spray Measures ment as indicated in Section 8. aterial (e.g. vermiculite, sand or earth), then storm sewers and ditches which lead to ly, observing precautions in the Protective es of ignition. Provide ventilation. torage with adequate ventilation. Avoid contact with etain product residue, (liquid and/or vapor), htly closed. Avoid ingestion and inhalation.	n place n eyes, and			
Fire Fighting Instructions: Flammable Properties and Hazards: Hazardous Combustion Products: Steps To Be Taken In Case Material Is Released Or Spilled: Precautions To Be Taken in Handling: Precautions To Be Taken in	MSHA/NIOSH (approved or equivalence keep fire-exposed containers cool. 6. Accidental Release Use proper personal protective equiper Spills/Leaks: Absorb spill with inert main in suitable container. Avoid runoff into waterways. Clean up spills immediate Equipment section. Remove all source 7. Handling and S Wash thoroughly after handling. Use we skin, and clothing. Empty containers re-	t), and full protective gear. Use water spray Measures ment as indicated in Section 8. aterial (e.g. vermiculite, sand or earth), then storm sewers and ditches which lead to ly, observing precautions in the Protective es of ignition. Provide ventilation. torage with adequate ventilation. Avoid contact with etain product residue, (liquid and/or vapor),	n place n eyes, and			
Fire Fighting Instructions: Flammable Properties and Hazards: Hazardous Combustion Products: Steps To Be Taken In Case Material Is Released Or Spilled: Precautions To Be Taken in Handling: Precautions To Be Taken in Storing:	MSHA/NIOSH (approved or equivalence keep fire-exposed containers cool. 6. Accidental Release Use proper personal protective equiper Spills/Leaks: Absorb spill with inert main in suitable container. Avoid runoff into waterways. Clean up spills immediate Equipment section. Remove all source 7. Handling and S Wash thoroughly after handling. Use we skin, and clothing. Empty containers re- can be dangerous. Keep container tight Store in a tightly closed container. Store	t), and full protective gear. Use water spray Measures ment as indicated in Section 8. aterial (e.g. vermiculite, sand or earth), then storm sewers and ditches which lead to ly, observing precautions in the Protective es of ignition. Provide ventilation. torage with adequate ventilation. Avoid contact with etain product residue, (liquid and/or vapor), htty closed. Avoid ingestion and inhalation. re in a cool, dry, well-ventilated area away f	n place n eyes, and			
Fire Fighting Instructions: Flammable Properties and Hazards: Hazardous Combustion Products: Steps To Be Taken In Case Material Is Released Or Spilled: Precautions To Be Taken in Handling: Precautions To Be Taken in Storing:	MSHA/NIOSH (approved or equivalence keep fire-exposed containers cool. 6. Accidental Release Use proper personal protective equiper Spills/Leaks: Absorb spill with inert main in suitable container. Avoid runoff into waterways. Clean up spills immediate Equipment section. Remove all source 7. Handling and S Wash thoroughly after handling. Use wiskin, and clothing. Empty containers re- can be dangerous. Keep container tight Store in a tightly closed container. Sto- incompatible substances.	t), and full protective gear. Use water spray Measures ment as indicated in Section 8. aterial (e.g. vermiculite, sand or earth), then storm sewers and ditches which lead to ly, observing precautions in the Protective es of ignition. Provide ventilation. torage with adequate ventilation. Avoid contact with etain product residue, (liquid and/or vapor), htty closed. Avoid ingestion and inhalation. re in a cool, dry, well-ventilated area away f	n eyes, and			

Respiratory Equipment (Specify Type):	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.			
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.			
Protective Gloves:	Wear appro	priate protectiv	ve gloves to prevent skin exposure.	
Other Protective Clothing:	Wear appro	priate protectiv	ve clothing to prevent skin exposure.	
Engineering Controls	Facilities sto	oring or utilizing	g this material should be equipped with an eyewash facility	and
(Ventilation etc.):	a safety sho	ower. Use adeo	quate ventilation to keep airborne concentrations low.	
	9. Phys	sical and (Chemical Properties	
Physical States:	[] Gas	[X] Liquid	[X] Solid	
Appearance and Odor:	Paste.			
	No apparen	t odor.		
pH:	N/A	4		
Melting Point:	NA			
Boiling Point:	227.00 C - 2	288.00 C		
Flash Pt:	93.30 C			
Evaporation Rate:				
Flammability (solid, gas):				
Explosive Limits:	LEL:		UEL:	
Vapor Pressure (vs. Air or				
mm Hg):				
Vapor Density (vs. Air = 1):				
Specific Gravity (Water = 1):	0.97 - 0.97	7		
Density:	< 1			
Solubility in Water:				
Octanol/Water Partition Coefficient:				
Autoignition Pt:	NA			
Decomposition Temperature:				
Viscosity:				
	10	. Stability	and Reactivity	
Stability:	Unstable [] Stable [X]	
Conditions To Avoid - Instability:				
Incompatibility - Materials To Avoid:	Strong oxidi	izing agents.		
Hazardous Decomposition or Byproducts:	Nitrogen oxi	ides, Carbon n	nonoxide, oxides of sulfur.	
Possibility of Hazardous Reactions:	Will occur [] Will not	t occur [X]	
Conditions To Avoid -				
Hazardous Reactions:				
MIRS MSDS, (c) A V Systems, Inc.			GHS fo	ormat

Page: 4 Printed: 06/10/2019 Revision: 06/10/2019 Supersedes Revision: 08/27/2018

		<u>11. T</u>	oxicologi	cal <u>Inform</u>	ation	
Toxicologica	I Information:	Epidemiology: No information found. Teratogenicity: No information available. Reproductive Effects: Mutagenicity: Neurotoxicity:				
Carcinogenie	city/Other	CAS# 64742-	47-8: Not listed	d by ACGIH, I/	ARC, NTP, or CA Pro	op 65.
Carcinogenio	city:	NTP? No	IARC Monog	raphs? No	OSHA Regulated?	No
		12.	Ecologica	al Informa	tion	
		13. [Disposal C	Considera	tions	
Waste Dispo	sai Metnod:	as a hazardou in 40 CFR Pa hazardous wa federal, state, RCRA P-Seri	us waste. US E rts 261. Additio	EPA guidelines onally, waste g s to ensure co ironmental reg I.	for the classification enerators must cons mplete and accurate	ed chemical is classified determination are listed sult state and local classification. Observe a
		14.	. Transpoi	rt Informa	tion	
TDG Ship	SPORT (Canadia ping Name: uperfund Amendu Hazardous Con	Not Regul	Regulator			S. 313 (TRI)
64742-47-8		ht distillate (petro		No	No	No
CAS # 64742-47-8		nponents (Chem ht distillate (petro	-	Other US EP	A or State Lists	
CAS # 64742-47-8	Hazardous Con	nponents (Chem ht distillate (petro	ical Name)	Internationa	l Regulatory Lists SL: Yes; Canadian ND	SL: No
		1	6. Other I	nformatio	'n	
Revision Dat	e:	06/10/2019				
Additional In This Product	formation Abou	t				