Revision: 07/01/2025 Supersedes Revision: 06/13/2019

This SDS complies with the US OSHA HCS 2012.

1. Product and Company Identification

Product Code: 272

Product Name: Pre-Spray & Traffic Lane Cleaner

Company Name: Servpro Professional Cleaning Products,

LLC.

801 Industrial Blvd.

Gallatin, TN 37066 (800)535-5053

Emergency Contact: Infotrac

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2 Skin Corrosion/Irritation, Category 2



GHS Signal Word: Warning

GHS Hazard Phrases: H302 Harmful if swallowed.

H315 Causes skin irritation.

H320 + H318 Causes eye irritation. Causes serious eye damage.

H335 May cause respiratory irritation

GHS Precautionary Phrases: P262 Do not get in eyes, on skin, or on clothing.

P261: Avoid breathing dust/fumes/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P311 Call a POISON CENTER or doctor/physician. P302 + P350 If on skin: Wash with plenty of water.

P332 + P313 If skin irritation occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse.

P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/attention.

GHS Storage and Disposal

nd Disposal P235 Keep cool.

Phrases: P410 Protect from sunlight.

P403+233: Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration	
111-76-2	Ethanol, 2-Butoxy-	<=15.0 %	
68551-13-3	Alcohols, C12-15, ethoxylated propoxylated	<=4.0 %	
112-34-5	Diethylene glycol monobutyl ether	<=3.0 %	
1643-20-5	Dodecyldimethylamine oxide	<=2.0 %	
112-18-5	N,N-Dimethyldodecylamine	<=1.0 %	

Licensed to Servpro Industries Inc.: MIRS SDS, (c) A V Systems, Inc.

Revision: 07/01/2025 Supersedes Revision: 06/13/2019

7722-84-1 Hydrogen peroxide <=1.0 %

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Inhalation:

If fumes, aerosols or combustion products are inhaled, or if you have trouble breathing,

leave the area to obtain fresh air.

Other measures are usually unnecessary.

If continued difficulty is experienced, get medical assistance immediately

In Case of Skin Contact: If skin contact occurs:

Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention if irritation develops or persists.

In Case of Eye Contact: If this product comes in contact with eyes:

Immediately flush eyes with plenty of water for at least 15 minutes holding eyelids open.

Do not rub eyes.

Remove contact lenses, if present and easy to do. Seek medical attention if removal is

not possible.

Seek medical attention if irritation develops or persists.

In Case of Ingestion: In case of ingestion:

Call a physician or poison control center immediately.

Do not induce vomiting. If vomiting occurs naturally, have the victim lean forward.

If the victim is conscious and alert, immediately give a glass of water.

Possible aspiration hazard.

5. Fire Fighting Measures

Flash Point: 75.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: 238.00 C

Suitable Extinguishing Media: Suitable Extinguishing Media:

Use dry chemical, dry sand, CO2, water spray (fog) or foam.

Unsuitable Extinguishing

Unsuitable Extinguishing Media:

Media:

Do not use water jet. Water may be ineffective.

Fire Fighting Instructions: Protective Actions:

Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire.

No action shall be taken involving any personal risk or without suitable training.

Move containers from the fire area if this can be done without risk. Use water spray to

keep fire-exposed containers cool.

Protective Equipment:

Fire-fighters should wear appropriate protective equipment, a self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode, MSHA/NIOSH (approved or equivalent), and appropriate protective gear.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

No data available.

Products:

Licensed to Servpro Industries Inc.: MIRS SDS, (c) A V Systems, Inc.

GHS format

Revision: 07/01/2025 Supersedes Revision: 06/13/2019

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak.

Wear appropriate protective equipment and clothing during clean-up. For personal

protection, see section 8 of the SDS.

Ventilate closed spaces before entering them.

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless

wearing appropriate protective clothing.

Local authorities should be advised if significant spillages cannot be contained.

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Environmental Precautions: En

Environmental Statement:

Avoid release to the environment.

Do not allow the product to enter waterways, sewers, or soil.

If there is a spill, contain it and clean up immediately.

Waste must be disposed of in accordance with federal, state, and local environmental

regulations. Consult your local waste disposal authority for guidance.

Steps To Be Taken In Case Material Is Released Or

Spilled:

Spills/Leaks:

Do not attempt to act without suitable protective equipment. For further information, refer

to section 8.

Dike far ahead to contain the spillage. Cap or cover all drains.

Absorb spills with inert material, such as vermiculite, sand or dry earth, then place

materials into a suitable container.

Waste must be disposed of in accordance with federal, state, and local environmental

regulations. Consult your local waste disposal authority for guidance. Avoid runoff into storm sewers and ditches which lead to waterways.

Do not allow entry to septic systems.

Provide adequate ventilation.

A vapor suppressing foam may be used to reduce vapors. Water spray may reduce vapor but may not prevent ignition in closed spaces. Use water spray to dilute spill to a

non-flammable mixture.

Eliminate all ignition sources (no smoking, flares, or flames in immediate area.)

Use only non-sparking tools and equipment and take measures to avoid static discharge.

7. Handling and Storage

Precautions To Be Taken in

HANDLING:

Handling:

Wear Personal Protective Equipment when handling.

Avoid contact with eyes, nose, mouth, skin and clothing.

Wash skin thoroughly with soap and water, after handling and before eating, drinking or

smoking.

Do not allow clothing wet with material to stay in contact with skin.

Remove contaminated clothing and launder before reuse or dispose of properly. Use only with adequate ventilation. Avoid breathing fumes, vapors, or mist.

Take precautionary measures against static discharges.

Use cautionary measures when transferring or transporting material.

Do not pressurize, cut, weld, braze, solder, drill or grind containers. Do not expose

containers to heat, sparks or open flames.

Precautions To Be Taken in

STORAGE

Storing:

Store in a cool, dry, well-ventilated area away from incompatible substances.

Do not store in direct sunlight.

Keep container tightly closed when not in use. Keep away from heat, sparks and flames.

Licensed to Servpro Industries Inc.: MIRS SDS, (c) A V Systems, Inc.

GHS format

Revision: 07/01/2025

Supersedes Revision: 06/13/2019

8. Exposure Controls/Personal Protection					
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits	
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	No data.	No data.	
68551-13-3	Alcohols, C12-15, ethoxylated propoxylated	No data.	No data.	No data.	
112-34-5	Diethylene glycol monobutyl ether	No data.	No data.	No data.	
1643-20-5	Dodecyldimethylamine oxide	No data.	No data.	No data.	
112-18-5	N,N-Dimethyldodecylamine	No data.	No data.	No data.	
7722-84-1	Hydrogen peroxide	PEL: 1 ppm	No data.	No data.	

Respiratory Equipment

Respiratory Equipment

(Specify Type):

Not required under normal conditions of use and with adequate ventilation.

If adequate ventilation is not available, exposure limits are exceeded, or if irritation or other symptoms are experienced, use a NIOSH/MSHA or European Standard EN 149

approved respirator with an organic vapor cartridge

Eye Protection Eye Protection:

> Wear appropriate protective eyeglasses, chemical safety goggles, or face shield as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or

European Standard EN166.

Protective Gloves: Protective Gloves

Wear appropriate chemical resistant gloves. Gloves must be inspected prior to use.

Dispose of contaminated gloves after use in accordance with applicable laws.

Protective Clothing Other Protective Clothing:

Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

Engineering Controls

(Ventilation etc.):

Use adequate general or local exhaust ventilation to keep airborne concentrations below

the permissible exposure limits.

Facilities storing this material should be equipped with an eyewash facility and a safety

shower.

Work/Hygienic/Maintenance

Work/Hygienic/Maintenance:

Practices:

Wash thoroughly with soap and water before eating, drinking or smoking. Remove contaminated clothing immediately and launder before reusing.

Environmental Exposure

Controls:

Environmental Statement:

Avoid release to the environment.

Do not allow the product to enter waterways, sewers, or soil.

If there is a spill, contain it and clean up immediately.

Waste must be disposed of in accordance with federal, state, and local environmental

regulations. Consult your local waste disposal authority for guidance.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Clear and colorless liquid Appearance and Odor:

Mild - Fragrant Odor.

-6-8 pH: Melting Point: -70.00 C **Boiling Point:** 171.00 C

Licensed to Servpro Industries Inc.: MIRS SDS, (c) A V Systems, Inc.

GHS format

Revision: 07/01/2025 Supersedes Revision: 06/13/2019

Flash Point: 75.00 C

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure: No data.

Vapor Density (vs. Air=1): No data.

Specific Gravity (Water=1): 0.993

Solubility in Water: No data.

Saturated Vapor No data.

Concentration:

Octanol/Water Partition No data.

Coefficient:

Autoignition Pt: 238.00 C

Decomposition No data.

Temperature:

Viscosity: No data.

10. Stability and Reactivity

Reactivity: The product is stable and non-reactive under normal conditions of use, storage and

transport.

Stability: Unstable [] Stable [X]

Conditions To Avoid - No data available.

Instability:

Incompatibility - Materials To No data available.

Avoid:

Hazardous Decomposition or No data available.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

Revision: 07/01/2025 Supersedes Revision: 06/13/2019

11. Toxicological Information

Toxicological Information: No data available.

Carcinogenicity/Other Carcinogenicity.

Information: No component of this product present at levels greater than or equal to 0.1% is identified

as probable, possible or confirmed human carcinogen by IARC, NTP, and OSHA.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Waste must be disposed of in accordance with federal, state, and local environmental

regulations. Consult your local waste disposal authority for guidance.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class: UN/NA Number:

15. Regulatory Information

16. Other Information

Revision Date: 07/01/2025 **Previous revision:** 06/13/2019

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of the manufacturer's knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. No warranty or guarantee is given in respect of the properties of the products. However, because the conditions of handling, use, and storage of these materials are beyond the manufacturer's control, the manufacturer assumes no responsibility or liability for personal injury or property damage incurred by the use of these materials or any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

Licensed to Servpro Industries Inc.: MIRS SDS, (c) A V Systems, Inc.