



Sport Optics 2024



Table of contents

LASER RANGEFINDERS

Laser 50/Laser 30	4
Prostaff 1000/1000i	5
COOLSHOT Golf	6-7
Forestry Pro.	8
LaserForce rangefinder binocular	9

BINOCULARS

Finding the perfect binocular	10-11
MONARCH HG	12-13
MONARCH M7-M5	14-15
PROSTAFF P7, PROSTAFF 5 & PROSTAFF P3	16-17
Aculon	18-19
Marine	20-21
Compact	22-25
Specialty	26-27

FIELDSCOPES

MONARCH	28-29
PROSTAFF 5-3	30-31
Fieldscope 50mm ED	32

Accessories/cleaning.

Gear/cleaning accessories	33
-------------------------------------	----

FEATURE & PERFORMANCE

Icon key	34
--------------------	----

Optics first since 1917.



The guiding principle behind every Nikon product has always been to engineer it from the inside out. By creating an optical system specific to the function of each product, Nikon can better match the product attributes specifically to the needs of the user. The result is what we call our “Optics First Design Principle,” and it applies to every optic Nikon makes.

As one of the few makers of optical glass in the world, Nikon has a unique advantage of having the knowledge and experience to specify and select the exact type of glass, lens geometry and multicoatings needed to optimize the performance of any given optic. This level of performance can be seen and appreciated when putting any Nikon optic to the test in real world conditions.

Feature and performance icons



Throughout the pages of this catalog, feature and performance icons are used to help in comparing and selecting the right product for your intended use. See inside back cover for detailed descriptions for each.



LIFETIME LIMITED WARRANTY:

Nikon's Lifetime Limited Warranty applies to the optical system components of Nikon Binoculars, Rangefinding Binoculars and Fieldscopes, which optical system components are warranted by Nikon to be free from defects in material and workmanship for the lifetime of the product from the date of purchase by the original consumer purchaser from a Nikon authorized dealer.



LIFETIME LIMITED WARRANTY:

If any Nikon rangefinder is found to have defects in workmanship or materials, we will, at our option, repair or replace it at no charge for a period of 5 years from date of purchase. Please see warranty card for limitations and exclusions.

For details, visit NikonUSA.com.



Multi-use Laser Rangefinders

LASER 50 LASER 30

Range with confidence.

The Laser 50 and Laser 30 are 6x compact waterproof Laser Rangefinders. The Laser 50 provides you with a 2,000 yard maximum, while the Laser 30 gives you a 1,600 yard maximum. When knowing distance is critical to what you do, whether work or play, the Laser 50 and Laser 30 measure up. Both Rangefinders are ergonomically designed to fit your hand as well as your work needs and lifestyle.

- MULTILAYER COATING
- WIDE FIELD OF VIEW
- LONG EYE RELIEF
- WATERPROOF
- NITROGEN PURGED
- OLED DISPLAY



- ID TECHNOLOGY
- HYPER READ
- TRU TARGET



All Nikon products include Nikon Inc. limited warranty. Nikon Authorized Dealers and Resellers set their own selling prices, which may vary.

	MAG. OBJ. DIA.	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YARDS (FT)	MAX RANGE (REFLECTIVE)* (YDS)	MAX RANGE (TREE)* (YDS)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxHxW) (IN)	SRP
LASER 50									
16754	6x21	18.0	7.5	39.3	2,000	1,500	6.3	4.3x1.6x2.9	\$449.95
LASER 30									
16753	6x21	18.0	7.5	39.3	1,600	1,250	6.2	3.8x2.9x1.7	\$349.95

* Under Nikon's measurement conditions and reference values. The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions. The technology behind the Laser Rangefinder with inclinometer originated from technology incorporated in Nikon's Total Station DTM-1 surveying instrument. The Total Station DTM-1, first sold in 1985, was the first highly advanced electronic model of those surveying instruments that incorporated a distance and angle measuring capability developed by Nikon Corporation.

Tru-target technology.

Enables you to choose between two different ranging modes, depending on the situation.



Laser 50 & Laser 30 display shown

First target priority mode.

Provides the exact distance to the closest object among a group of targets being measured. In this mode, you can easily range an object as small as a fence post.



PROSTAFF 1000 & 1000i display shown

Distant target priority mode.

Displays the range of the farthest target among a group of targets measured. This feature is especially useful if the object is located behind tall grass or brush.



All Nikon products include Nikon Inc. limited warranty. Nikon Authorized Dealers and Resellers set their own selling prices, which may vary.



ID [Incline/Decline] SLOPE technology.

Nikon's advanced ID [Incline/Decline] Slope Technology provides the horizontal distance to the target, even when ranging at various incline or decline angles—up to an incredible +/- 89 degrees [nearly vertical up or down].

PROSTAFF 1000i

Consistency meets compact ergonomics.

The PROSTAFF 1000 and PROSTAFF 1000i Laser Rangefinders put a solid 1,000-yard maximum ranging capability into your hand, together with compact ergonomics that will fit your pocket. Tru-Target system allows you to select either First Target or Distant Target Priority. Weather resistant/rainproof construction. The PROSTAFF 1000i model also features ID (Incline/Decline) Technology—with a Horizontal Distance/Actual Distance display mode that can be easily switched.



- MULTILAYER COATING
- LONG EYE RELIEF
- ID TECHNOLOGY
- TRU TARGET



PROSTAFF 1000

- MULTILAYER COATING
- LONG EYE RELIEF
- TRU TARGET

	MAG. OBJ. DIA.	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YARDS (FT)	MAX RANGE (REFLECTIVE)* (YDS)	MAX RANGE (TREE)* (YDS)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxHxW) (IN)	SRP
PROSTAFF 1000i									
16663	6x20	16.7	6	31.4	1,000	800	4.6	3.6x2.9x1.5	\$199.95
PROSTAFF 1000									
16664	6x20	16.7	6	31.4	1,000	800	4.6	3.6x2.9x1.5	\$179.95

* Under Nikon's measurement conditions and reference values. The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions. The technology behind the Laser Rangefinder with inclinometer originated from technology incorporated in Nikon's Total Station DTM-1 surveying instrument. The Total Station DTM-1, first sold in 1985, was the first highly advanced electronic model of those surveying instruments that incorporated a distance and angle measuring capability developed by Nikon Corporation.



COOLSHOT Golf Laser Rangefinders



COOLSHOT PRO II STABILIZED

Nail the shot.

From the moment you step onto the tee box and look through the COOLSHOT PRO II, you'll know your game has changed. The view is stunning—bright, clear and sharp thanks to superior Nikon optics. Key measurements appear in an instant thanks to integrated HYPER READ technology and a premium OLED display. What's most striking? The stability. Regardless of the weather conditions or excitement level, the view through the COOLSHOT PRO II is calm and steady, for unshakable confidence in every shot.



All Nikon products include Nikon Inc. limited warranty. Nikon Authorized Dealers and Resellers set their own selling prices, which may vary.



DUAL LOCKED ON ECHO technology. The DUAL LOCKED ON ECHO technology gives a green visual cue plus a pleasant audible confirmation that you're measuring the pin, not a tree or other object behind it.


- MULTILAYER COATING
- WIDE FIELD OF VIEW
- LONG EYE RELIEF
- WATERPROOF
- NITROGEN PURGED
- OLED DISPLAY



- ID TECHNOLOGY
- STABILIZED
- HYPER READ
- TRU TARGET
- DUAL LOCKED ON ECHO



Unstable View



Stable View

HYPER READ technology. Providing quick and stable measurement response, regardless of the distance. Approximately 0.3 seconds for the COOLSHOT PRO II STABILIZED. This allows you to get quick readings to various points on your approach, keeps up the pace of play and gives you more time for the right shot.


COOLSHOT 50i

Grab and go.

The first Nikon golf rangefinder with a built-in mounting magnet—attach it wherever it's convenient! A lightweight rainproof exterior protects brilliant Nikon optics with anti-glare coating and a vibrant OLED screen. Fast, accurate measurements made easy with DUAL LOCKED ON QUAKE flagstick recognition technology, slope adjustment, real-time scanning and more.



- MULTILAYER COATING
- RAINPROOF
- OLED DISPLAY
- ID TECHNOLOGY
- DUAL LOCKED ON QUAKE
- INTEGRATED MAGNET**
- LONG EYE RELIEF



ID Slope Technology helps you choose the right club. When ID Slope Technology mode is selected, COOLSHOT PRO II STABILIZED, COOLSHOT 50i and COOLSHOT 20i GIII display the slope-adjusted distance (Horizontal distance ± Height), which becomes your guide for how far you should hit the ball.



All Nikon products include Nikon Inc. limited warranty. Nikon Authorized Dealers and Resellers set their own selling prices, which may vary.

**When attaching to magnetic metals using the rangefinder's internal magnet, make sure that the rangefinder is securely set in a safe place, otherwise it might possibly fall due to vibration or impact.

**If fitted with a medical device such as a cardiac pacemaker, do not use the rangefinder. Your device may be affected or damaged by magnetism.

COOLSHOT 20i GIII COOLSHOT 20 GIII

Pinpoint accuracy. Ultimate confidence.

Always know the distance of your shot with the COOLSHOT 20 GIII and COOLSHOT 20i GIII, the third generation of Nikon's lightweight, rainproof COOLSHOT 20 and COOLSHOT 20i golf rangefinders. Outstanding Nikon optics with a multilayer coating and 6X magnification make it easy to target flagsticks on the most challenging courses. Golf Mode uses integrated slope technology to compensate for uphill and downhill shots—essential for deciding what club to use (COOLSHOT 20i GIII only). First Target Priority assures that the measurement shown is for the flagstick and not any objects in the background; and Locked-on Quake provides a gentle vibration as an added confirmation that you're on the pin. You can even scan for up to 8 seconds to get real-time measurements for obstacles, doglegs and other hazards.



- RAINPROOF
- MULTILAYER COATING
- LONG EYE RELIEF
- ID TECHNOLOGY
- LOCKED ON QUAKE



- RAINPROOF
- MULTILAYER COATING
- LONG EYE RELIEF
- LOCKED ON QUAKE

MODEL	MAG. OBJ DIA.	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YDS (FT)	MAX RANGE* (YDS)	MAX RANGE (FLAG STICK)* (YDS)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxHxW) (IN)	SRP
COOLSHOT PRO II									
16758	6x21	18.0	7.5	39.3	1,200	500	6.3	3.9x3.0x1.7	\$449.95
COOLSHOT 50i									
16760	6x22	17.0	6.0	31.4	1,200	400	6.2	3.9x3.0x1.5	\$299.95
COOLSHOT 20i GIII									
16781	6x20	16.7	6.0	31.4	800	300	4.6	3.6x2.9x1.5	\$239.95
COOLSHOT 20 GIII									
16780	6x20	16.7	6.0	31.4	800	300	4.6	3.6x2.9x1.5	\$199.95

* Under Nikon's measurement conditions and reference values. The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions. The technology behind the Laser Rangefinder with inclinometer originated from technology incorporated in Nikon's Total Station DTM-1 surveying instrument. The Total Station DTM-1, first sold in 1985, was the first highly advanced electronic model of those surveying instruments that incorporated a distance and angle measuring capability developed by Nikon Corporation.



Forestry Pro II Laser Rangefinder

Forestry Pro II

Compact performance for Forestry, Utility & Construction.

Forestry Pro II becomes a go-to tool for foresters, utility and construction contractors. Forestry Pro II measurement functionality includes the ability to measure actual distance; horizontal distance; height; angle and both the difference in height between two targets (vertical separation) and three-points measurements (the height between two points).

Two-points measurement.

(Height between two points)

The Forestry Pro II's two-point measurement function can be used to measure the height of a tree or utility pole when both the top and base are visible. Simply aim at the top of the subject and press the button to measure, then do the same at the base — the height between the two points will be displayed in both the integral monocular display and on the external LCD.

Three-points measurement.

(Angle calculations for height between two points)

If the top/merchantable height and/or base of the tree or structure is not visible, Forestry Pro II provides a three-point measurement mode that calculates the horizontal distance to the tree, then measures the angles to the top and base to calculate the height between the two points.




- MULTILAYER COATING
- WIDE FIELD OF VIEW
- LONG EYE RELIEF
- WATERPROOF
- NITROGEN PURGED

- HR HYPER READ
- TRU TARGET

8-Second sustained measurement.


Multi-functional display with backlighting.

Logs 250 measurements in yards, meters or feet.



1st

First Target Priority displays the distance of the closest subject — useful when targeting a tree in front of a forest background.



Dst

Distant Target Priority displays the distance of the farthest subject — useful when targeting a tree deep

Target priority mode.

The Forestry Pro II's Target Priority system is capable of reliably picking up and ranging extremely small or thin targets such as distant power lines and small branches.



All Nikon products include Nikon Inc. limited warranty. Nikon Authorized Dealers and Resellers set their own selling prices, which may vary.

FORESTRY PRO II	MAG. OBJ DIA.	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YARDS (FT)	MAX RANGE (REFLECTIVE)* (YDS)	MAX RANGE (TREE)* (YDS)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxHxW) (IN)	SRP
16703	6x21	18.0	7.5	39.3	1,750	1,200	6.0	4.3x2.9x1.7	\$449.95

* Under Nikon's measurement conditions and reference values. The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions. The technology behind the Laser Rangefinder with inclinometer originated from technology incorporated in Nikon's Total Station DTM-1 surveying instrument. The Total Station DTM-1, first sold in 1985, was the first highly advanced electronic model of those surveying instruments that incorporated a distance and angle measuring capability developed by Nikon Corporation.



LaserForce Rangefinder Binocular



LaserForce

- FULLY MULTICOATED OPTICS
- ED GLASS
- LONG EYE RELIEF



- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE
- OLED DISPLAY
- ID TECHNOLOGY



Bright OLED display.

High visibility red display provides ideal contrast on distant targets. 4-step intensity adjustment.

Rangefinder binocular with 10-1,900 yard range*.

Maximum measurement distance* Reflective Target - 1,900 yards

Maximum measurement distance* Tree - 1,400 yards

Nikon ED glass delivers the utmost in edge-to-edge sharpness, detail resolution and clear, true color images free of flare.

Turn and slide eyecups. Allow users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.



LASERFORCE	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	MAX REFLECTIVE RANGE* (YDS)	CLOSE FOCUS (FT)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxWxH) (IN)	SRP	
16212	10x42 RF Bino	BLACK	16.7	6.1	320	1,900	23	30.9	5.8x5.2x2.8	\$1,199.95

* Under Nikon's measurement conditions and reference values. The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions. The technology behind the Laser Rangefinder with inclinometer originated from technology incorporated in Nikon's Total Station DTM-1 surveying instrument. The Total Station DTM-1, first sold in 1985, was the first highly advanced electronic model of those surveying instruments that incorporated a distance and angle measuring capability developed by Nikon Corporation.



Finding the perfect optic to fit your needs.

You're about to find what a difference quality optics can make in the appreciation and intensity of every rare, special—and even daily—viewing experience you encounter.

Widely acknowledged as the global leader in precision optics, Nikon's roots go back to the development of our first binoculars in 1917. Since then, Nikon has continued to build on the know-how of generations of optical and precision technology experts with an enduring passion for quality and innovation. Day in and day out, our products are tested in the world's most demanding environments. Using Nikon cameras and NIKKOR lenses, photographers around the globe capture moments that no one could otherwise envision.

While Nikon engineers of semiconductor-manufacturing equipment employ our optics to create the world's most precise instrumentation. For Nikon, delivering a peerless vision is second nature, strengthened over the decades through constant application. At Nikon Sport Optics, our mission is not just to meet your demands, but to exceed your expectations.

Selecting a binocular.

Whatever your intended use, make sure your binocular choice fits your hands.

Bird watching/nature watching.

Right magnification for the location.

We recommend magnification of 8x to 10x for woods and forests, 8x to 12x for lakes, marshes and tidelands.

Large effective diameter of the objective lens.

The larger the effective diameter of the objective lens, the brighter the image and the higher the resolution are obtained.

Wide field of view.

Allows you to view a wider area all at once, making it easier to follow the movements of birds.

High performance optical system.

For more pleasant viewing, choose binoculars with fully multicoated optics and phase correction prism coatings that produce a sharp image and minimized distortion all the way to the lens periphery.

Waterproof.

There is no need to worry about your binoculars when there is sudden rainfall or when you use them in morning dew.

Wildlife viewing.

Generally higher powers are preferred (10x) for detail reproduction and Twilight Factor.

Large exit pupil, ruggedness, water proofing.

Outdoors/hiking/backpacking/camping.

Rugged outdoor activities demand portability and durability. Compacts, both Porro Prism and Roof Prism, fit this usage.

Models that also feature rubber armor coating and waterproofing are ideal when you're up against the elements. For early morning and evening use, binoculars with a large objective diameter and full Multicoating are recommended.

Travel, including cruise ships.

Right magnification for the situation.

If outdoor nature watching is what you're after, we recommend magnification of 8x to 10x.

For viewing the scenery or distant buildings, we recommend lower magnifications.

Zoom binoculars come in handy if you want to see objects both near and far.

Compact, lightweight and easy-to-carry binoculars for traveling.

For easy portability, we recommend compact, lightweight binoculars that can be easily stuffed into bags or pockets when you are on the move and quickly pulled out when you want to use them.

Waterproof for outdoor use.

There is no need to worry about your binoculars when there is a spray of water or sudden rainfall.

Sporting events.

Right magnification for the situation.

For outdoor spectator sports, we recommend magnification of 8x to 12x. For indoor spectator sports, it's best to have magnification of 4x to 8x, or magnification of 8x to 10x for larger arenas.

Wide field of view for fast-moving action.

For spectator sports that involve rapid motion, we recommend wide field-of-view binoculars and/or a lower magnification of 8x that allow you to view a wider area all at once.

Binoculars with high optical performance allow you to see even facial expressions clearly.

Waterproof for outdoor use.

There is no need to worry about your binoculars when there is sudden rainfall.

Compact, lightweight and easy-to-carry binoculars.

It's handy to have compact, lightweight binoculars that can be easily stuffed into bags or pockets when you are on the move and quickly pulled out when you want to use them. With lightweight binoculars, you can minimize the strain on your arms when using them for extended periods.

Concerts/theater.

Right magnification for the situation.

For outdoor concerts, we recommend magnification of 7x to 10x. For concert halls, we recommend magnification of 4x to 8x. If you want to enjoy everything from the entire stage to the artists' facial expressions, zoom binoculars are a great choice.

For the theater, we recommend compact, lightweight binoculars with magnification of 4x to 8x.

Wide field of view for fast-moving action.

For concerts, we recommend wide field-of-view binoculars to see a wider area all at once.

Bright view for night concerts.

Night performances and concerts are fairly dark, so we recommend binoculars with a larger exit pupil that offer a bright view.

Binoculars with high optical performance allow you to see even facial expressions clearly.

Compact, lightweight and easy-to-carry binoculars.

It's handy to have compact, lightweight binoculars that can be easily stored in bags or pockets. With lightweight binoculars, you can minimize the strain on your arms when using them for extended periods.

Museums.

For museums, choose compact lightweight models with a low magnification and a close focusing distance of less than 2 meters/6 feet.

Boating/fishing and navigation.

Waterproofing and durability are essential for these activities. Generally speaking, a large Exit Pupil is also a requirement, even during daylight operation. This is because the movement of the boat can change the alignment of the user's pupil to the image being formed by the binocular. Having a large image (Exit Pupil) allows for some movement with less shading/loss of brightness.

Astronomy/star gazing.

For astronomical observation, a bright optical system with a large objective diameter and exit pupil has generally been recommended. This is to gather and deliver more light to the eye.

However, if you view stars in an urban area where the sky is quite bright because of light pollution, you are looking at pinpoints of light, which will be naturally bright. Gathering too much light will cause the dark sky to appear grey, reducing the contrast between the subject and the background. A high magnification optic helps in this situation. However, in a dark sky, a larger exit pupil is recommended.

Tripod mountable, for both high-power stabilization and extended viewing, is also important, as is ED Glass to control the color fringing around bright objects.



MONARCH HG Binoculars



PHOTO: AWILDCONNECTION.COM

The most awarded MONARCH. Ever.

Every precious moment you spend in the field deserves the advantage of extraordinary performance. The MONARCH HG 42mm and 30mm models are award-winning* instruments, delivering class-ruling optical performance, unrivaled ruggedness and exceptional handling. Engineered throughout to closely match performance specifications of both 42mm and 30mm models alike.

*MONARCH HG 42mm earned Field & Stream Magazine's Best of the Best and Best of the Test awards for 2017. MONARCH HG 30mm claimed Outdoor Life Magazine's Editor's Choice Award for 2019.

- FULLY MULTICOATED OPTICS
- WIDE FIELD OF VIEW
- ARMOR LENS COATING
- ED GLASS
- LONG EYE RELIEF
- FIELD FLATTENER



42mm

30mm

MONARCH HG

- DIELECTRIC HIGH REFLECTIVE MULTI-LAYER COATING
- PHASE CORRECTION COATING
- WATERPROOF
- NITROGEN PURGED
- LOCKING DIOPTER
- TRIPOD ADAPTABLE

Flip down objective covers.



Turn and slide eyecups.

Allow users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.



Stronger. Lighter. More agile.

Because a binocular of this significance must always perform and do so without weighing you down, MONARCH HG's body is die-cast magnesium alloy. Providing optimum strength, impact resiliency and weight reduction, the slim body profile is further enhanced with rubberized panels to provide a sure grip in any conditions.

MONARCH HG	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16575	8x30	BLACK	16.2	8.3	435	6.6	15.9 4.7x5	\$979.95
16576	10x30	BLACK	15.2	6.9	362	6.6	15.9 4.7x5	\$989.95
16027	8x42	BLACK	17.8	8.3	435	6.6	23.5 5.7x5.2	\$989.95
16028	10x42	BLACK	17	6.9	362	6.6	24 5.7x5.2	\$999.95



MONARCH Binoculars



Experience better glass.

With its legendary bloodlines and enhanced optical systems, the MONARCH Series of all-terrain binoculars maximizes every hour you spend in the field. With incredibly bright, high-resolution views, each is engineered to perform from the first rays of light until the very last. Every MONARCH binocular utilizes Nikon's renowned ED (Extra-low Dispersion) glass and phase correction prisms with dielectric high reflective multilayer coatings to deliver a level of performance unlike any other. Combined with an inherent ruggedness and unmatched reputation for success, MONARCH will continue to prove itself as the greatest binocular family.

- WATER/OIL REPELLENT COATING
- FULLY MULTICOATED OPTICS
- LOCKING DIOPTER
- ED GLASS
- LONG EYE RELIEF



- DIELECTRIC HIGH REFLECTIVE MULTI-LAYER COATING
- PHASE CORRECTION COATING
- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

- FULLY MULTICOATED OPTICS
- ED GLASS
- LONG EYE RELIEF



- DIELECTRIC HIGH REFLECTIVE MULTI-LAYER COATING
- PHASE CORRECTION COATING
- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

Flip down objective covers.
Included with MONARCH M5 & MONARCH M7



Turn and slide eyecups.*

Allows users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort for periods of use, with or without glasses.

*Shown above with Locking Diopter, available on Monarch M7 series only.

Product Number 7583
Monarch 5 20x56
available by special order

MONARCH M7

**Iconic binoculars.
Better than ever.**

The MONARCH name has always been synonymous with optical excellence and Nikon's M7 binocular series take that performance to a new level—pushing resolution, brightness and field of view to their extremes. A wider field of view gathers more of the scene and more of what you're out there to experience. Nikon's superior ED glass reduces distortion while the dielectric phase-corrected coatings ensure extremely high contrast and resolution. Light transmission is maximized thanks to multilayer coatings where it matters most.

MONARCH M5

Champion of dawn & dusk.

Some of the most exciting moments happen in the magical light of dawn and dusk. MONARCH M5 binoculars are built for these moments. A large 42mm objective with a generous field of view gathers more of the scene and more of what you're out there to experience. Nikon's superior ED glass reduces distortion while the dielectric phase-corrected coatings ensure extremely high contrast and resolution. Light transmission is maximized thanks to multilayer coatings where it matters most.

MONARCH M7		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16763	8x30	BLACK	15.1	8.3	435	6.6	16.4	4.7x4.9x1.9	\$479.95
16764	10x30	BLACK	15.8	6.7	351	6.6	16.6	4.7x4.9x1.9	\$489.95
16765	8x42	BLACK	17.1	8.3	435	8.2	23.6	5.6x5.1x2.2	\$489.95
16766	10x42	BLACK	16.5	6.9	362	8.2	24	5.6x5.1x2.2	\$499.95
MONARCH M5		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16767	8x42	BLACK	19.5	6.4	335	8.2	22.2	5.7x5.1x2.1	\$289.95
16768	10x42	BLACK	18.4	5.6	293	8.2	22.6	5.7x5.1x2.1	\$299.95
16769	12x42	BLACK	15.1	5.1	267	8.2	22.6	5.7x5.1x2.1	\$329.95



PROSTAFF Binoculars



PROSTAFF P7

A cut above.

At the top of the PROSTAFF line, the PROSTAFF P7 binoculars deliver spectacular high-definition views of birds, wildlife, aircraft and more. Nikon's multilayer coatings increase brightness and clarity, and a wide field of view (8x30 and 10x42 models) makes it easier to follow fast-moving subjects. Add high-end features like a locking diopter ring and an oil and water repellent coating for easier cleaning, and you have a lightweight, waterproof binocular to take your viewing to the next level.



42mm

30mm

- WIDE FIELD OF VIEW (8x30 & 10x42 models)
- OIL AND WATER REPELLENT COATING
- LOCKING DIOPTER
- FULLY MULTICOATED OPTICS
- LONG EYE RELIEF
- PHASE CORRECTION COATING
- WATERPROOF
- NITROGEN PURGED
- DIELECTRIC HIGH REFLECTIVE MULTI-LAYER COATING

PROSTAFF P7		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16770	8x30	GREEN	15.4	8.7	456	8.2	17.1	4.9x5.1	\$179.95
16771	10x30	GREEN	15.4	6.6	346	8.2	16.6	4.9x5.1	\$189.95
16772	8x42	GREEN	20.2	7.2	377	9.8	20.8	6.0x5.1	\$189.95
16773	10x42	GREEN	15.7	7	367	9.8	21.2	5.9x5.1	\$199.95

MULTILAYER COATING

LONG EYE RELIEF



WATERPROOF

NITROGEN PURGED

MULTILAYER COATING

WIDE FIELD OF VIEW (8x30 & 10x42 models)

LONG EYE RELIEF



SILVER PRISM COATING

WATERPROOF

NITROGEN PURGED



Turn and slide eyecups.

Allows users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.

PROSTAFF 5

Passion for what's ahead.

When conditions are at their worst, PROSTAFF 5 Binoculars can be trusted to still give you the vision you demand. PROSTAFF 5 Binoculars feature superb optics, ergonomic design and waterproof, fogproof performance.

PROSTAFF P3

More performance for less.

Brighten your view with PROSTAFF P3 binoculars. Available in both 42mm and 30mm objective sizes to help gather maximum light for a brighter, more clear view, even as daylight is fading. PROSTAFF P3 binoculars are available in 8x and 10x magnification options and provide a generous field of view that shows more of the scene and is also easier to hold steady—great for locating wildlife or using the binoculars on the go. A waterproof, fogproof and drop-resistant design means you can take them everywhere, and renowned Nikon optics make every view spectacular. Whether you're backpacking, birding or watching your favorite team, PROSTAFF P3 binoculars deliver more performance for less.

PROSTAFF 5		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7572	10x50	BLACK	19.6	5.6	293	16.4	28.7	7.4x5.5	\$209.95
7573	12x50	BLACK	15.5	4.7	246	16.4	27.9	7.4x5.5	\$229.95

PROSTAFF P3		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16774	8x30	GREEN	15.4	8.7	456	8.2	16.8	4.9x5.1	\$129.95
16775	10x30	GREEN	15.4	6.6	346	8.2	16.4	4.9x5.1	\$139.95
16776	8x42	GREEN	20.2	7.2	377	9.8	20.3	6.0x5.1	\$139.95
16777	10x42	GREEN	15.7	7.0	367	9.8	20.6	5.9x5.1	\$149.95



ACULON Binoculars



ACULON A211

Quality and affordability.

ACULON A211 binoculars feature multilayer-coated optics to deliver a high quality image under a multitude of lighting conditions. These binoculars have a central focus knob, a fully rubber armored body, and turn-and-slide rubber eyecups to simplify use with eyewear.



10-22x50 ZOOM

42mm

TURN & SLIDE EYECUPS

Perfect for use with or without eyeglasses.

SMOOTH CENTRAL FOCUS

Makes sharp focus simple.

ASPHERICAL EYEPIECE LENSES

Offer flat viewing field. (Except Zoom Model.)

RUBBER ARMOR

Provides a good grip, wet or dry.

MULTILAYER COATING

Multilayer-coated lenses for brighter images.

ACULON A211	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
8244	7x35	BLACK	11.8	9.3	488	16.4	24.2 4.6x7.3	\$99.95
8245	8x42	BLACK	12	8.0	420	16.4	26.6 5.7x7.3	\$109.95
8246	10x42	BLACK	11.6	6.0	314	16.4	26.8 5.7x7.3	\$119.95
8247	7x50	BLACK	17.6	6.4	335	26.2	31.9 7.1x7.8	\$129.95
8248	10x50	BLACK	11.8	6.5	341	23	31.7 7x7.8	\$139.95
8249	12x50	BLACK	11.5	5.2	272	26.2	32.1 7x7.8	\$149.95
8250	16x50	BLACK	12.6	4.2	220	29.5	32.6 7x7.8	\$159.95
8252	10-22x50 Zoom*	BLACK	8.6@10x	3.8	199@10x	49.2@10x	33.9 7.8x7.8	\$189.95

* Includes free Tripod Adapter

SMOOTH CENTRAL FOCUS

Makes sharp focus simple.

MULTILAYER COATING

Multilayer-coated lenses for brighter images.



Available Colors

SMOOTH CENTRAL FOCUS

Makes sharp focus simple.

MULTILAYER COATING

Multilayer-coated lenses for brighter images.



TURN & SLIDE RUBBER EYECUPS

Perfect for use with or without eyeglasses.

ROOF PRISM DESIGN

Folds to fit in pocket.

DUAL HINGE DESIGN

To fit in pocket.



Available Colors



Turn and slide eyecups.

Allow users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.



TURN & SLIDE RUBBER EYECUPS

Perfect for use with or without eyeglasses.

COMPACT ROOF PRISM DESIGN

Fits into pocket or pack.

ACULON T02

Big fun... in a small package.

The new ACULON T02 is a highly compact roof prism binocular that becomes the ideal take-along for sporting events, concerts, theater, travel and more. Turn-and-slide rubber eyecups simplify use with or without eyewear and option of blue, white or black body color allows you to choose the model that best suits your personal taste.

ACULON A30

Compact and lightweight.

A compact, lightweight roof prism binocular that is perfect for the adventure where you need to pack light. A smooth central focus knob and dual-hinge design are among its features. Available in 10x25 magnification, in black or TrueTimber® KANATI.

ACULON T02	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16730	8x21	BLUE	10.3	6.3	330	9.8	6.9 3.4x4.1	\$69.95
16734	8x21	WHITE	10.3	6.3	330	9.8	6.9 3.4x4.1	\$69.95
16735	10x21	BLACK	8.3	5.0	262	9.8	6.9 3.4x4.1	\$69.95

ACULON A30	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
8263	10x25	BLACK	13	5.0	262	9.8	4.8x4.5	\$89.95
16641	10x25	TrueTimber® KANATI	13	5.0	262	9.8	4.8x4.5	\$99.95



Marine Binoculars



PHOTO: AWILDCONNECTION.COM

Binoculars for the water.

Fishermen, boaters and mariners of every description should have at least one binocular on board their vessel. Whether you're exploring the flats for surface disturbances on a calm morning of tarpon fishing, checking out the tackle setup of the boat getting all the action or looking for a distant navigation marker, a 7x50 marine binocular is your ticket. Nikon's OceanPro binocular, with integral global compass, is designed for use in both Northern Hemisphere and Southern Hemisphere locations and features 7x magnification and 50mm objectives, to provide optimum viewing even in rough water.

MULTILAYER COATING

LONG EYE RELIEF



- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

Action EX


Rugged all-terrain binoculars.

The Action Extreme is a Porro prism with the waterproof and fogproof attributes of other Nikon All Terrain Binoculars. Nikon's lead-and-arsenic-free lenses and prism systems result in a high quality glass that is also lighter in weight. Each model features quick central focus knob, rubber armored body and multi-click turn-and-slide eyecups.

OCEANPRO



- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE



Compass Display

MULTILAYER COATING

LONG EYE RELIEF

OCEANPRO CF WP		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7440	7x50	BLACK	22.7	7.2	378	33	38	7.6x8.0	\$269.95
16026	7x50 Global Compass	BLACK	22.7	7.2	377	33	39.9*	7.6x8.0	\$319.95
ACTION EXTREME		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7237	7x35	BLACK	17.3	9.3	488	16.4	28.2	4.7x7.2	\$149.95
7238	8x40	BLACK	17.2	8.2	430	16.4	30.2	5.5x7.4	\$159.95
7239	7x50	BLACK	17.1	6.4	335	23.0	35.3	7.0x7.7	\$169.95
7245	10x50	BLACK	17.2	6.5	341	23.0	36.0	7.0x7.7	\$189.95
7246	12x50	BLACK	16.1	5.5	288	23.0	36.9	7.0x7.7	\$199.95
7247	16x50	BLACK	17.8	3.5	183	23.0	36.7	7.0x7.7	\$219.95

*Weight without batteries.



Compact Binoculars

PHOTO: AWILDCONNECTION.COM



See where it takes you.

Experienced adventurers know that a good compact is worth its weight in gold. When every ounce counts, Nikon's Compacts give you the resolution to pick out a bird from tree branches and glass big areas with ease.

WATERPROOF

O-ring sealed to prevent moisture from entering body.

FOGPROOF

Nitrogen purged for total reliability against thermal shock.

MULTILAYER COATING

Multilayer-coated lenses for brighter images.



SMOOTH CENTRAL FOCUS KNOB

Fast range of focus for quick viewing.

LONG EYE RELIEF

Provides 15mm or more of eye relief (12mm+ for compacts). Perfect for eyeglass wearers.

RUBBER-ARMORED COATING

Provides a fast, sure, non-slip grip.

ROOF PRISM DESIGN

Folds to fit in pocket.

MULTILAYER COATING

Multilayer-coated lenses for brighter images.



SMOOTH CENTRAL FOCUS KNOB

Fast range of focus for quick viewing.

WATERPROOF

O-ring sealed to prevent moisture from entering body.

FOGPROOF

Nitrogen purged for total reliability against thermal shock.

PROSTAFF

All-terrain, all-conditions performance.

PROSTAFF compact binoculars feature superb optics, ergonomic design and waterproof, fogproof performance. As a member of the renowned ATB (All-Terrain Binocular) family—the PROSTAFF compact can be trusted to give you the vision you demand when the conditions are at their worst.

TRAILBLAZER


Compact convenience and optical performance.

TRAILBLAZER compact binoculars are offered in 8x25 and 10x25 models, each featuring black rubber armoring, lightweight-yet-durable construction and waterproof, fogproof integrity for performance under any conditions. These little beauties feature a dual-hinge design that allows you to fold it up to fit into a pocket.

PROSTAFF		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7483	8x25	BLACK	15.5	6.3	330	9.2	12.5	3.9x4.5	\$129.95
7485	10x25	BLACK	15.9	5.0	262	9.2	12.9	4.0x4.5	\$139.95
TRAILBLAZER		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
8217	8x25	BLACK	10.0	8.2	429	8.2	9.9	4.1x4.5	\$89.95
8218	10x25	BLACK	10.0	6.5	342	11.5	9.9	4.1x4.5	\$99.95



Compact Binoculars



Ready for your next adventure.

Nikon's Travelite and new Sportstar Zoom are just the ticket when you're heading out to explore, whether it's around the corner, or around the world! The Travelite is a lightweight compact, perfect for tucking in your bag. And the new Sportstar Zoom offers 8-24 power magnification range to bring you even closer to the action.

ASPHERICAL EYEPIECE LENSES
For an uncommonly flat, clear viewing field.

MULTILAYER COATING
Multilayer-coated lenses for brighter images.

PORRO PRISM SYSTEM
Provides increased image depth.

MULTILAYER COATING
Multilayer-coated lenses for brighter images.

TURN & SLIDE RUBBER EYECUPS
Adjust the eye-relief for a custom fit.

COMPACT & LIGHTWEIGHT
For take-anywhere versatility.



Turn and slide eyecups.
Allow users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.



SMOOTH CENTRAL FOCUS KNOB
Fast range of focus for quick viewing.



UNIQUE ZOOM LEVER
Extra-smooth 8-24x zooming

SMOOTH CENTRAL FOCUS KNOB
Fast range of focus for quick viewing.

Travelite

The perfect companion for any journey.

The Travelite compact binocular features enhanced ergonomics and maximized durability. Aspherical eyepiece lenses allow for a viewing field that is uncommonly flat and clear from edge-to-edge, while lightweight carbon-fiber-reinforced body with rubber grip panels gives it a wonderful feel in the hands.

Sportstar Zoom

Powerfully small.

The all-new SPORTSTAR ZOOM binocular is a portable, pocket-sized option that is as versatile as it is compact. With the option of changing magnification anywhere between 8-power and 24-power through its centrally located zoom lever, this binocular will earn its keep in many different circumstances. Turn-and-slide rubber eyecups simplify use with or without eyewear.

TRAVELITE		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7277	8x25	BLACK	14.0	5.6	293	9.8	9.3	4.5x4.6	\$109.95
7278	10x25	BLACK	11.1	5.0	262	9.8	9.5	4.3x4.6	\$119.95
7279	12x25	BLACK	11.1	4.2	220	13.1	9.7	4.3x4.6	\$129.95
SPORTSTAR ZOOM		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16736	8-24x25	BLACK	13.0@8x	4.6@8x	241@8x	13.1@8x	10.8	4.8x4.3	\$159.95



Specialty Binoculars

Binocular Telescopes

High-power precision for land, sky or sea.

Nikon's waterproof Binocular Telescopes feature massive 120mm diameter objective lenses and proprietary Nikon multicoatings for bright, clear, highly detailed observation in virtually any light conditions. Durable construction and included fork mount (and optional Pillar Stand and Adapter) allow for comfortable and stable high-magnification viewing for myriad applications in the toughest outdoor environments.



- MULTILAYER COATING
- LONG EYE RELIEF
- WATERPROOF
- NITROGEN PURGED

BINOCULAR TELESCOPE WITH FORK MOUNT							
	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16741	20x120	LT. GREY	20.8	3	156	26.8x17.9	\$8,999.95
16644	25x120	LT. GREY	18.9	2.9	150	26.5x17.9	\$9,999.95
16639	PILLAR STAND WITH ADAPTER						\$1,499.95

- FULLY MULTICOATED OPTICS
- WIDE FIELD OF VIEW
- ED GLASS
- FIELD FLATTENER
- LONG EYE RELIEF
- PHASE CORRECTION COATING



- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

- MULTILAYER COATING
- WIDE FIELD OF VIEW
- LONG EYE RELIEF



- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

WX								
	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16033	7x50 IF	BLACK	17.7	10.7	563	40.4	85.4 10.7x6.7	\$5,999.95
16034	10x50 IF	BLACK	15.3	9.0	472	65.6	88.4 11.5x6.7	\$6,399.95
ASTROLUXE								
8210	18x70	BLACK	15.4	4	210	266.0	72.3 11.5x9.2	\$1,799.95

WX

Binocular of the century.

The WX, in 7x50 and 10x50, is a hand-built, super-wide angle binocular delivering the widest field of view in Nikon's 103-year history, making it perfect for highly critical astronomical observation or highly-critical field use. Superior magnification and an incredible Apparent FOV make these your go-to optics for comet watching, stargazing or glassing entire hillsides without panning. Featuring Abbe-Koenig prisms, which offer total reflection on all surfaces for a high light transmission rate. Tripod Adapter and hard case included. Objective lenses with filter threads to accept a 55mm filter (P=0.75) round out its features.

Astroluxe

The stars are the limit.

The Astroluxe is the quintessential astronomy binocular, with all-metal construction and O-ring sealed nitrogen filled tubes for waterproof and fogproof performance. The optical glass is specially ground and polished to eliminate surface aberrations and coated with multiple layers of Nikon's proprietary anti-reflective coatings to improve light transmission, enhance color rendition and provide flare-free viewing.



MONARCH Fieldsopes

PHOTO: AWILDCONNECTION.COM

Larger than life.

True to its legendary name and reputation, the MONARCH Fieldscope pushes long-range viewing capability to an entirely new level for adventurous outdoors men and women. Delivering a full complement of Nikon optical technologies engineered for an incredibly bright, clear, high resolution view across the entire viewing field, the flagship MONARCH Fieldscope makes long days of viewing both satisfying and strain-free. With an innovative focusing system that reduces high-magnification scope movements and tough, lightweight aluminum alloy construction, the MONARCH Fieldscope assures its owner of a lifetime of high performance optical capability, mechanical precision and all-out ruggedness.

MONARCH

FULLY MULTICOATED OPTICS



ED GLASS



LONG EYE RELIEF



FIELD FLATTENER

3x ZOOM RATIO



MEP-38W

MEP-20-60

MEP-30-60W

WATERPROOF



NITROGEN PURGED



TRIPOD ADAPTABLE

MONARCH fieldscope MEP eyepieces.

Nikon has developed eyepieces exclusively for MONARCH Fieldsopes. Each employs an optical system, and a Field Flattener Lens System that delivers consistent sharpness and clarity across the entire field of view. Can be fitted to straight or angled body 82mm MONARCH Fieldscope bodies.

MONARCH FIELDSCOPIES		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	LENGTH* (IN)	SRP
16100	82ED-S w/MEP-20-60	BLACK	16.1 - 15.3	2.1 - 1.0	111 - 51	16.4	70.5	12.8/14.0	\$1,599.95
16101	82ED-A w/MEP-20-60	BLACK	16.1 - 15.3	2.1 - 1.0	111 - 51	16.4	70.1	13.1/14.3	\$1,599.95

*With and without hood fully extended

MEP EYEPIECES		W/FIELDSCOPE BODY	MAGNIFICATION	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	WEIGHT* (OZ)	SIZE (LxO.D.)* (IN)	SRP
16108	MEP-38W	82MM	38x	18.5	2	105	9.5	2.9x2.4	\$299.95
16109	MEP-20-60	82MM	20x-60x	16.1-15.3**	2.1-1.0**	111-51**	12.3	3.5x2.4	\$329.95
16110	MEP-30-60W	82MM	30x-60x	15.2-14.2**	2.0-1.2**	105-63**	14.1	3.6x2.4	\$549.95

* (w/o caps) **Designed reference value at highest magnification



PROSTAFF Fieldsopes



PHOTO: AWILDCONNECTION.COM

PROSTAFF 5

Rugged, all conditions spotter.

The PROSTAFF 5 Fieldscope offers a wide field of view and superb viewing in all conditions. It is engineered for precision and high magnification capability. Fully multicoated optics and prisms provide you with superb brightness. Super-fast bayonet eyepieces make scouting wide areas simple. Easy-to-pack and easy-to-use.



SEP-20-60

SEP-38W

SEP-25



60MM-S

82MM-A

- FULLY MULTICOATED OPTICS
- LONG EYE RELIEF
- 3x ZOOM RATIO

- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

PROSTAFF fieldscope eyepieces.

Nikon SEP eyepieces are exclusively designed for PROSTAFF 5 and are ideal for comfortable, detailed observation. Each offers fully multilayer-coated lenses, long eye relief for viewing comfort with eyeglasses and a bayonet mount with lock for easy attachment and release. Water resistant when attached to Fieldscope body.



60MM-S OUTFIT

- FULLY MULTICOATED OPTICS
- LONG EYE RELIEF
- 3x ZOOM RATIO
- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

PROSTAFF 3

Grab it and go.

The PROSTAFF 3 Fieldscope Outfit combines quality optics in a compact, rugged package for a take-anywhere spotter. The fully multicoated optics and 16-48x Zoom eyepiece guarantee you the best in versatility and performance. Packaged as an outfit, with compact tripod and carry case, the PROSTAFF 3 Fieldscope is ready for your next outing.

PROSTAFF 5		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	LENGTH (IN)	SRP
6974	20-60x82-S	BLACK	16.9	2.1	109	20	41.4	14.8x3.7	\$599.95
6975	20-60x82-A	BLACK	16.9	2.1	109	20	41.8	15.4x3.7	\$599.95
6976	16-48x60-S	BLACK	16.9	2.6	136	13.1	34	11.4x3.3	\$499.95
6977	16-48x60-A	BLACK	16.9	2.6	136	13.1	34.4	12x3.3	\$499.95
PROSTAFF 3 60mm Outfit									
6983	16-48x60-S OUTFIT	BLACK	19	2.3	120@16x	32.8	21.9	12.3x2.9	\$329.95
PROSTAFF 5 EYEPIECES		W/FIELDSCOPE BODY	MAGNIFICATION	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	WEIGHT (OZ)	SIZE (LxO.D.)(IN)	SRP
6978	SEP-25	60MM	20x	17.6	2.8	144	4.8	N/A	\$99.95
		82MM	25x	17.6	2.2	115	4.8	N/A	
6979	SEP-38W	60MM	30x	19	2.3	120	6.5	N/A	\$119.95
		82MM	38x	19	1.8	92	6.5	N/A	
6980	SEP-20-60*	60MM	16x-48x	16.9	2.6	136	7.9	N/A	\$159.95
		82MM	20x-60x	16.9	2.1	109	7.9	N/A	

*Included with Fieldscope



ED50 Fieldsopes



PHOTO: AWILDCONNECTION.COM

Gear & Accessories



Small, yet mighty.

The Fieldscope 50mm ED is incredibly compact and lightweight, perfect for tucking into your pack for all your backpacking adventures. Nikon's ED glass delivers extremely bright, sharp true color images. Straight or angled body models.



FULLY MULTICOATED OPTICS



ED GLASS



WATERPROOF

NITROGEN PURGED

TRIPOD ADAPTABLE

Fieldscope ED50 eyepieces.

Nikon has developed optical eyepieces exclusively for the ED Fieldsopes designed to deliver consistent sharpness and clarity across the entire field of view. Can be fitted to straight or angled body ED50 Fieldscope bodies.



13-40x MC II Zoom



16x Wide DS



27x Wide DS



40x Wide DS

FIELDSCOPE 50MM ED		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	BODY SIZE (LxW)(IN)*	SRP
8320	13-30x50ED-S	DK GREY	12.9@13x	3	157@13x	9.8	16.0	8.2x2.8	\$829.95
8321	13-30x50ED-A	DK GREY	12.9@13x	3	157@13x	9.8	16.0	8.2x2.8	\$829.95

ED50 EYEPIECES		FINISH	MAGNIFICATION	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	WEIGHT* (OZ)	SIZE (LxO.D.) (IN)	SRP
7467	13-40x MC ZOOM II	N/A	13x-40x	14.1@13x	3@13x	157@13x	5.3	N/A	\$299.95
6954	16x WIDE DS	N/A	16x	18.7	4.5	238.5	6.0	N/A	\$299.95
6950	27x WIDE DS	N/A	27x	17.8	2.7	141.9	6.3	N/A	\$329.95
6951	40x WIDE DS	N/A	40x	17	1.8	93.6	6.7	N/A	\$349.95

*w/o caps



Compact Outdoor Tripod

A packable, ergonomic and stable platform for your spotting scope, binocular or camera that weighs just 32.8 ounces. This four-section aluminum alloy tripod extends from 15.75" collapsed length, out to 49.61" when fully extended. Recommended load capacity for this tripod is 5.5 lbs.



LensPen® Pro Kit



LensPen®



FOGKLEAR



Micro Fiber Cleaning Cloth



Neoprene Binocular Strap



Window Mount Black



MONARCH/ACULON Tripod Adapter



EZ Carry Binocular Harness



Retractable Rangefinder Tether

ACCESSORIES

16749	COMPACT OUTDOOR TRIPOD	\$99.95	16142	MICRO FIBER CLEANING CLOTH LARGE	\$8.95
8228	LENSPEN® PRO KIT	\$28.95	16416	NEOPRENE BINOCULAR STRAP	\$29.95
7072	LENSPEN®	\$11.95	7070	WINDOW MOUNT	\$54.95
16141	FOG KLEAR	\$7.95	8177	MONARCH/ACULON TRIPOD ADAPTER	\$25.95
8072	MICRO FIBER CLEANING CLOTH	\$5.95	6121	EZ CARRY BINOCULAR HARNESS	\$27.95
			8172	RETRACTABLE RANGEFINDER TETHER	\$23.95

Feature & Performance

Description key Throughout the pages of this catalog, feature and performance icons are used to help in comparing and selecting the right product for your intended use. Below is a detailed description for each:

Optics



Fully Multicoated Optics

Multiple layers of anti-reflective coating on all air-to-glass surfaces maximize light transmission, brightness and contrast.



Multilayer Coating

Multilayer coating is applied to one or more lens and prism surfaces.



Water/Oil Repellent Coating

Oil- and water-repellent coating applied to the objective lens and eyepieces allows smudges like fingerprints to be easily wiped off.



Wide Field of View

(Binocular) Models that have fields of view of 60° or greater, based on the ISO 14132-1:2002 standard. **(Laser Rangefinder)** Models that have fields of view of 7.50 or greater.



Armor Lens Coating

Scratch-resistant coatings for eyepiece and objective lenses.



ED Glass

ED (Extra-low Dispersion) glass reduces chromatic aberration to a remarkable degree, providing clear images with superior contrast.



Long Eye Relief

(Binocular) Provides 15mm or more of eye relief (12mm+ for compacts). Perfect for eyeglass wearers. **(Laser Rangefinder)** Provides 15mm or more of eye relief. Perfect for eyeglass wearers.



High Contrast

Optical system provides ultra-high contrast and sharp images.



Field Flattener

Delivers sharp images all the way to the edge of the field of view.



3x Zoom Ratio

Offers flexibility for a variety of viewing situations.



Dielectric High Reflective Multilayer Coating

This coating features reflectance that exceeds 99%. By utilizing light interference, this coating assures high reflectivity across the full visible range, and ensures high color reproducibility.



Phase Correction Coating

Phase correction coating is applied to the roof (Dach) prism surface to minimize loss of resolution, ensuring high-contrast images.



Silver Prism Coating

Silver-alloy prism coating which features high reflectance is applied to the roof (Dach) prism.

Prisms

Body



Waterproof

O-ring sealed to prevent moisture from entering body.



Rainproof

IPX4 rated – allows you to continue use even in the rain.



Shockproof

Shrugs off rugged use.



Nitrogen Purged

Purged using nitrogen gas for total reliability against thermal shock and internal fogging.



Locking Diopter

Retains your personal setting.



OLED Display

High visibility red display provides ideal contrast on distant targets.



Tripod Adaptable

Ability to use tripod adapter to mount to tripod.

Function



ID Technology

Provides the horizontal distance to the target, even when ranging at angles.



Integrated Magnet

Built in mounting magnet safely connects to metal surfaces for convenient storage.



STABILIZED

Image-stabilized to provide the easiest single-handed operation.



HYPER READ

Laser provides quick and stable measurement response regardless of distance (approx. 0.3 seconds).



TRU TARGET

Technology that allows you to switch between First Target and Distant Target modes.



DUAL LOCKED ON ECHO

Visual and audio cue that you are ranging the flag and not something behind it.



DUAL LOCKED ON QUAKE

Visual and gentle vibration cue that you are ranging the flag and not something behind it.



LOCKED ON QUAKE

Gentle vibration to confirm you are ranging the flag and not something behind it.





Contact.

Technical Information 1-800-NIKON US

Nikon Service & Repair
www.nikonusa.com/en/service-and-support/service-and-repair.page

Features and specifications subject to change without notice.

NikonUSA.com

© 2024 Nikon Corporation

TM/® & © 2018 TrueTimber Outdoors Holding Company, LLC. Manufactured and/or distributed under official license by Nikon Inc.

All Nikon Trademarks are the property of Nikon Corporation.