## QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? Summary Of Strongly/Somewhat Agree

Base: All Respondents Age 21+

	-	Gen	der			Age				I	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	<b>(B)</b>	( <b>C</b> )	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	( <b>K</b> )	(L)	( <b>M</b> )	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	( <b>S</b> )	( <b>T</b> )	(U)	(V)
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
I would like more education on how holistic solutions can be used in lieu of and in addition to pharmaceuticals to treat medical issues.	1639 84%	769 83%	857 85%	435 87%	284 83%	272 84%	286 85%	362 81%	210 85% M	146 89% MO	131 85%	130 82%	151 74%	217 88% O	137 79%	140 84%	155 87%	209 86% M	270 79%	636 85%	326 82%	407 88% S
I would be more interested in using a holistic solution to treat pain than pharmaceuticals.	1492 76%	706 76%	775 77%	389 78% H	283 83% H	258 80% H	254 75%	308 69%	202 82% M	139 85% M	127 82% M	115 72%	123 60%	183 75%	140 80%	130 78%	138 78%	183 75% M	256 75%	547 73%	303 76%	387 84% STU
I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible.	1458 75%		769 76%	376 75% H	263 77% H	257 80% H	262 78% H	299 67%	180 73% M	127 78% M	127 82% M	126 79% M	119 58%	191 78%	135 78%	129 77%	135 76%	179 74% M	247 73%	541 72%	297 74%	373 81% ST
If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals.	1391 71%	681 73%	700 70%	373 74% H	268 78% H	245 76% H	238 71% H	266 59%	194 79% M	140 85% LMO	129 83% MP	114 72% M	104 51%	175 71%	125 72%	115 69%	124 70%	161 66% M	238 70%	523 70%	272 68%	358 78% TU
I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety.	1101 56%	531 57%	557 55%	359 72% FGH	226 66% FGH	181 56% H	172 51% H	162 36%	181 74% KLM	114 69% LM	87 56% M	84 53% M	66 32%	171 70% PQR	109 63% QR	93 56% R	89 50%	94 39%	194 57%	386 51%	225 56%	295 64% T

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

## QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? Summary Of Strongly/Somewhat Agree

### Base: All Respondents Age 21+

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under		Home Ow	nership	Marita	Status	R	ace/Ethnici	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
I would like more education on how holistic solutions can be used in lieu of and in addition to pharmaceuticals to treat medical issues.	1639 84%	488 84%	260 82%	214 85%	645 %84%	469 79%	553 87% F	617 85% F	964 86%	675 82%	586 86%	1053 83%	527 85%	1112 83%			811 84%	827 84%	255 80%	196 85%	1044 85%
I would be more interested in using a holistic solution to treat pain than pharmaceuticals.	1492 76%	448 77%	239 75%	187 74%	592 % 77%	427 72%	503 79% F	562 78%	906 80% J	586 71%	579 85% L	913 72%	520 84% N	972 73%	1059 % 76%	417 79%	736 76%	756 76%	249 78%	174 75%	935 76%
I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible.	1458 75%	440 76%	233 74%	187 74%	573 6 75%	410 69%	497 78% F	551 76% F	884 78% J	574 69%	552 81% L	906 71%	499 81% N	959 729	1035 % 75%	403 76%	716 74%	742 75%	245 77%	169 73%	912 74%
If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals.	1391 71%		225 71%	179 71%	553 672%	411 69%	458 72%	522 72%	850 75% J	541 65%	544 80% L	847 67%	499 81% N	892 67%	993 % 72%	381 72%	682 5 71%	709 72%	224 70%	148 64%	890 72% T
I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety.	1101 56%	334 57%	167 53%	134 53%	446 % 58%	345 58%	351 55%	404 56%	713 63%	388 47%	468 69% L	633 50%	417 67% N	684 519	751 % 54%	337 63% O	517 54%	584 59%	214 67% U	144 63% U	643 52%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

Page 2

## QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

Summary Of Strongly/Somewhat Agree

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Canı	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
I would like more education on how holistic solutions can be used in lieu of and in addition to pharmaceuticals to treat medical issues.	1639 84%	936 88% C	656 80%	281 83%	630 91% D
I would be more interested in using a holistic solution to treat pain than pharmaceuticals.	1492 76%	885 84% C	567 69%	252 75%	609 88% D
I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible.	1458 75%	859 81% C	554 67%	237 70%	597 86% D
If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals.	1391 71%	854 81% C	497 60%	240 71%	589 85% D
I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety.	1101 56%	721 68% C	343 42%	181 54%	530 76% D

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 3

## QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? Summary Of Strongly/Somewhat Disagree

### Base: All Respondents Age 21+

		Ger	ıder			Age				]	Male Age				Fe	emale Age				Reg	gion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	<b>(B)</b>	( <b>C</b> )	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	<b>(I</b> )	( <b>J</b> )	( <b>K</b> )	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	<b>(T)</b>	(U)	( <b>V</b> )
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety.	586 30%				93 27%	98 31% D	110 33% D	DE	52 21%	41 25%	55 35% I	50 31%	89 44% IJ		52 30%	44 26%	60 34% N	83 34% N	101 30%	V		118 26%
I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible.	495 25%	250 27%	237 24%	126 25%	79 23%	65 20%	76 22%	149 33% DEFG	67 27%	37 22%	28 18%	33 21%	85 42% IJKLR	54 22%	39 22%	37 23%	43 24%	64 26%	94 27% V	210 28% V	102 26%	89 19%
I would be more interested in using a holistic solution to treat pain than pharmaceuticals.	461 24%	223 24%	231 23%	113 22%	59 17%	64 20%	83 25%	141 31% DEF	45 18%	25 15%	28 18%	44 28%	81 40% IJKR	62 25%	34 20%	36 22%	39 22%	60 25%	85 25% V	204 27% V	96 24% V	76 16%
If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals.	429 22%			99 20%	51 15%	61 19%	74 22%	145 32% DEFG	46 19%	17 11%	22 14%	36 23% J	76 37% IJKL	48 20%	34 19%	38 23%	38 21%	68 28%	72 21%	176 23%	95 24%	87 19%
I would like more education on how holistic solutions can be used in lieu of and in addition to pharmaceuticals to treat medical issues.	314 16%	160 17%	148 15%	67 13%	59 17%	50 16%	51 15%	87 19%	36 15%	19 11%	24 15%	29 18%	53 26% IJR	29 12%	37 21% NJ	26 16%	22 13%	34 14%	71 21% V	115 5 15%	73 18%	55 12%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

## QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? Summary Of Strongly/Somewhat Disagree

### Base: All Respondents Age 21+

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under		Home Ow	nership	Marita	Status	R	ace/Ethnici	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	( <b>B</b> )	(C)	(D)	(E)	(F)	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety.	586 30%	189 33%	100 31%	81 32%	207 6 27%	187 32%	192 30%	207 29%	311 28%	274 33% I		433 34% K		436 33% M			300 31%			55 24%	398 32% T
I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible.	495 25%	141 24%	84 26%	65 26%	192 6 25%	183 31% GH	139 22%	173 24%	243 22%	252 31% I	128 19%	367 29% K	119 19%	376 28% M	352 25%	128 24%	247 26%	248 25%	73 23%	62 27%	318 26%
I would be more interested in using a holistic solution to treat pain than pharmaceuticals.	461 24%	133 23%	79 25%	65 26%	173 6 23%	166 28% G	133 21%	162 22%	220 20%	241 29% I	101 15%	360 28% K	97 16%	363 27% M	329 24%	114 21%	226 24%	235 24%	69 22%	57 25%	295 24%
If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals.	429 22%		69 22%	54 22%	169 6 22%	137 23%	134 21%	159 22%	213 19%	216 26% I		К		336 25% M			222 23%	208 21%	5 74 23%	61 26%	
I would like more education on how holistic solutions can be used in lieu of and in addition to pharmaceuticals to treat medical issues.	314 16%	93 16%	57 18%	38 5 15%	120 6 16%	124 21% GH	83 13%	107 15%	163 14%	151 18%	94 14%	220 17%	91 15%	223 17%	224 6 16%	77 15%	151 5 16%	163 16%	63 20%	35 15%	186 5 15%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

## QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

Summary Of Strongly/Somewhat Disagree

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Canı	abis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety.	586 30%	260 25%	308 37% B	125 37% E	124 18%
I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible.	495 25%	201 19%	269 33% B	100 30% E	98 14%
I would be more interested in using a holistic solution to treat pain than pharmaceuticals.	461 24%	175 16%	256 31% B	86 25% E	86 12%
If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals.	429 22%	171 16%	241 29% B	82 24% E	89 13%
I would like more education on how holistic solutions can be used in lieu of and in addition to pharmaceuticals to treat medical issues.	314 16%	123 12%	167 20% B	57 17% E	65 9%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 6

## QS1\_1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible.

Base: All Respondents Age 21+

		Gen	der			Age				1	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
-	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)	( <b>V</b> )
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Strongly/Somewhat Agree (Net)	1458 75%	679 73%		н	н	н	262 78% H		180 73% M	127 78% M	127 82% M	126 79% M	119 58%	191 78%	135 78%	129 77%	135 76%	179 74% M	247 73%			SI
Strongly agree	645 33%	294 32%	345 34%	178 35% H	128 37% H	113 35% H	124 37% H	103 23%	90 37% M	58 35% M	58 37% M	54 34% M	34 17%	83 34%	70 41% R	54 32%	69 39%	69 29% M	107 31%	246 33%	127 32%	166 36%
Somewhat agree	812 42%	386 42%	423 42%	198 40%	135 40%	144 45%	138 41%	196 44%	89 36%	70 42%	70 45%	72 45%	85 42%	108 44%	65 37%	75 45%	66 37%	110 45%	140 41%	295 39%	170 42%	208 45%
Strongly/Somewhat Disagree (Net)	495 25%	250 27%	237 24%	126 25%	79 23%	65 20%	76 22%	149 33% DEFG	67 27%	37 22%	28 18%	33 21%	85 42% IJKLR	54 22%	39 22%	37 23%	43 24%	64 26%	94 27% V	210 28% V	102 26%	89 19%
Somewhat disagree	336 17%	159 17%	171 17%	95 19% F	55 16%	37 11%	49 15%	100 22% FG	47 19%	22 13%	15 10%	18 11%	57 28% JKL	45 18%	30 17%	22 13%	32 18%	43 18%	65 19%	138 18%	61 15%	72 16%
Strongly disagree	159 8%	91 10%	66 7%	31 6%	24 7%	29 9%	26 8%	49 11% D	19 8%	15 9%	13 8%	15 10%	28 14%	10 4%	9 5%	15 9%	11 6%	21 9%	29 8% V	72 10% V	41 10% V	17 4%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

## QS1\_1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible.

Base: All Respondents Age 21+

			Househol	d Income		1	Education		Emplo	yed	Children	in HH	Parent of Under		Home Ow	nership	Marital	Status	R	ace/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	( <b>B</b> )	( <b>C</b> )	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	(K)	(L)	( <b>M</b> )	(N)	(0)	( <b>P</b> )	( <b>Q</b> )	( <b>R</b> )	(S)	( <b>T</b> )	(U)
Unweighted Base	1953	873	409	255	379	584	643	726	1120	833	684	1269	651	1302	1269	645	930	1023	245	265	1320
Weighted Base	1953	581	317	252	765	593	636	724	1127	826	680	1273	618	1335	1388	531	963	990	318	231	1230
Strongly/Somewhat Agree (Net)	1458 75%	440 76%	233 74%	187 74%	573 75%	410 69%	F	F	884 78% J	574 69%	552 81% L	906 71%	499 81% N	959 72%		403 76%	716 74%	742 75%	245 77%	169 73%	
Strongly agree	645 33%			77 30%					J	230 28%	277 41% L	369 29%	N	387 29%						86 37%	
Somewhat agree	812 42%	247 42%	133 42%	111 44%	306 40%	220 37%	286 45% F	306 42%	469 42%	344 42%	276 41%	537 42%	240 39%	572 43%	583 42%	216 41%	402 42%	410 41%	140 44%	82 36%	509 41%
Strongly/Somewhat Disagree (Net)	495 25%	141 24%	84 26%	65 26%	192 25%	183 31% GH	139 22%	173 24%	243 22%	252 31% I	128 19%	367 29% K	119 19%	376 28% M	352 25%	128 24%	247 26%	248 25%	73 23%	62 27%	
Somewhat disagree	336 17%	98 17%	54 17%	39 16%	134 18%	130 22% GH	90 14%	117 16%	166 15%	170 21% I	86 13%	250 20% K	78 13%	258 19% M	228 6 16%	96 18%	154 16%	182 18%	55 17%	45 20%	203 16%
Strongly disagree	159 8%	43 7%	30 9%	26 10%	57 7%	53 9%	49 8%	57 8%	77 7%	82 10%	42 6%	117 9%	41 7%	118 9%	124 9%	32 6%	93 10%	66 7%	17 6%	17 7%	115 9%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. Page 8

## QS1\_1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible.

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Can	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Strongly/Somewhat Agree (Net)	1458 75%	859 81% C	554 67%	237 70%	597 86% D
Strongly agree	645 33%	403 38% C	223 27%	98 29%	293 42% D
Somewhat agree	812 42%	455 43%	331 40%	139 41%	304 44%
Strongly/Somewhat Disagree (Net)	495 25%	201 19%	269 33% B	100 30% E	98 14%
Somewhat disagree	336 17%	144 14%	172 21% B	74 22% E	67 10%
Strongly disagree	159 8%	57 5%	97 12% B	26 8%	31 4%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 9

## QS1\_2 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would be more interested in using a holistic solution to treat pain than pharmaceuticals.

Base: All Respondents Age 21+

		Gen	der			Age				1	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
-	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	( <b>K</b> )	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)	( <b>V</b> )
Unweighted Base	1953	787	1146	548	392	307	286	420	203	149	122	117	196	332	240	184	168	222	387	864	393	309
Weighted Base	1953	929	1005	502	342	322	337	449	246	164*	155*	159*	204	246	174	166*	177	243	340	751	399	462
Strongly/Somewhat Agree (Net)	1492 76%	706 76%	775 77%	389 78% H	283 83% H	258 80% H	254 75%	308 69%	202 82% M	139 85% M	127 82% M	115 72%	123 60%	183 75%	140 80%	130 78%	138 78%	183 75% M	256 75%	547 73%	303 76%	387 84% STU
Strongly agree	687 35%	311 34%	370 37%	173 34%	130 38%	133 41% H	117 35%	134 30%	96 39% M	58 35% M	62 40% M	51 32%	45 22%	76 31%	72 41%	70 42%	65 37%	87 36% M	109 32%	259 35%	134 33%	185 40%
Somewhat agree	805 41%	394 42%	404 40%	216 43%	153 45%	125 39%	137 41%	174 39%	106 43%	81 49%	65 42%	64 40%	78 38%	108 44%	68 39%	60 36%	73 41%	96 39%	147 43%	287 38%	169 42%	201 44%
Strongly/Somewhat Disagree (Net)	461 24%	223 24%	231 23%	113 22%	59 17%	64 20%	83 25%	141 31% DEF	45 18%	25 15%	28 18%	44 28%	81 40% IJKR	62 25%	34 20%	36 22%	39 22%	60 25%	85 25% V	204 27% V	96 24% V	76 16%
Somewhat disagree	303 16%	141 15%	156 16%	82 16%	37 11%	39 12%	46 14%	98 22% EFG	26 11%	13 8%	19 12%	28 18%	54 27% IJK	50 20% QI	24 14%	20 12%	18 10%	44 18%	43 13%	139 18%	60 15%	61 13%
Strongly disagree	158 8%	83 9%	74 7%	31 6%	22 6%	25 8%	37 11%	43 10%	19 8%	12 7%	10 6%	16 10%	27 13%	12 5%	10 6%	15 9%	21 12% N	16 7%	41 12% V	66 9% V	37 9% V	14 3%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

Page 10

# QS1\_2 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would be more interested in using a holistic solution to treat pain than pharmaceuticals.

Base: All Respondents Age 21+

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under		Home Ow	nership	Marita	Status	R	ace/Ethnici	ty
_	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	<b>(I</b> )	( <b>J</b> )	(K)	(L)	( <b>M</b> )	(N)	(0)	( <b>P</b> )	( <b>Q</b> )	( <b>R</b> )	( <b>S</b> )	( <b>T</b> )	(U)
Unweighted Base	1953	873	409	255	379	584	643	726	1120	833	684	1269	651	1302	1269	645	930	1023	245	265	1320
Weighted Base	1953	581	317	252	765	593	636	724	1127	826	680	1273	618	1335	1388	531	963	990	318	231	1230
Strongly/Somewhat Agree (Net)	1492 76%	448 77%	239 75%	187 74%	592 77%	427 72%	503 79% F	562 78%	906 80% J	586 71%	579 85% L	913 72%	520 84% N	972 73%	1059 6 76%	417 79%	736 76%	756 76%	249 78%	174 75%	935 76%
Strongly agree	687 35%	201 35%	110 35%	79 31%	286 37%	182 31%	235 37%	270 37%	428 38%	258 31%	291 43% L	396 31%	263 42% N	424 32%	495 36%	186 35%	343 36%	344 35%	122 38%	81 35%	437 35%
Somewhat agree	805 41%	248 43%	129 41%	108 43%	306 40%	246 41%	267 42%	292 40%	478 42%	327 40%	288 42%	518 41%	258 42%	547 41%	564 41%	231 44%	394 41%	412 42%	126 40%	92 40%	498 41%
Strongly/Somewhat Disagree (Net)	461 24%	133 23%	79 25%	65 26%	173 23%	166 28% G	133 21%	162 22%	220 20%	241 29% I	101 15%	360 28% K	97 16%	363 27% M	329 24%	114 21%	226 24%	235 24%	69 22%	57 25%	295 24%
Somewhat disagree	303 16%	85 15%	53 17%	39 15%	119 16%	103 17%	83 13%	117 16%	144 13%	159 19% I	68 10%	235 18% K	64 10%	239 18% M	222 6 16%	68 13%	142 15%	161 16%	52 16%	35 15%	184 15%
Strongly disagree	158 8%	48 8%	25 8%	26 10%	53 7%	63 11% H	50 8%			81 10%	33 5%	125 10% K	34 5%	125 9% M			84 9%			22 9%	
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

## QS1\_2 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would be more interested in using a holistic solution to treat pain than pharmaceuticals.

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Can	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Strongly/Somewhat Agree (Net)	1492 76%	885 84% C	567 69%	252 75%	609 88% D
Strongly agree	687 35%	416 39% C	249 30%	96 29%	304 44% D
Somewhat agree	805 41%	469 44%	318 39%	155 46%	305 44%
Strongly/Somewhat Disagree (Net)	461 24%	175 16%	256 31% B	86 25% E	86 12%
Somewhat disagree	303 16%	110 10%	168 20% B	45 13%	64 9%
Strongly disagree	158 8%	64 6%	88 11% B	40 12% E	22 3%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used.

Page 12

## QS1\_3 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety.

Base: All Respondents Age 21+

		Gen	der			Age				1	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	<b>(B)</b>	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	<b>(I</b> )	( <b>J</b> )	( <b>K</b> )	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	<b>(S)</b>	( <b>T</b> )	(U)	( <b>V</b> )
Unweighted Base	1953	787	1146	548	392	307	286	420	203	149	122	117	196	332	240	184	168	222	387	864	393	309
Weighted Base	1953	929	1005	502	342	322	337	449	246	164*	155*	159*	204	246	174	166*	177	243	340	751	399	462
Strongly/Somewhat Agree (Net)	1101 56%	531 57%		FGH	226 66% FGH	181 56% H	172 51% H	162 36%	181 74% KLM	114 69% LM	87 56% M	84 53% M	66 32%	171 70% PQR	109 63% QR	93 56% R	89 50%	94 39%	194 57%			1
Strongly agree	529 27%			FGH	121 35% FGH	78 24% H	74 22% H	57 13%	109 44% KLM	56 34% KLM	29 19%	28 18%	19 9%	89 36% R	64 37% R	48 29% R	46 26% R	38 16%	86 25%	190 25%		129 28%
Somewhat agree	572 29%	290 31%	272 27%	160 32% H	106 31%	103 32% H	98 29%	105 23%	72 29%	58 35% M	58 37% M	55 35%	46 23%	82 34%	45 26%	46 28%	43 24%	57 23%	107 32%	197 26%	101 25%	166 36% TU
Strongly/Somewhat Disagree (Net)	586 30%				93 27%	98 31% D	110 33% D	172 38% DE	52 21%	41 25%	55 35% I	50 31%	89 44% IJ	57 23%	52 30%	44 26%	60 34% N	83 34% N	101 30%	V		
Somewhat disagree	345 18%				51 15%	60 19%	56 17%	98 22%	31 12%	22 13%	37 24% I	23 14%	46 23% 1	47 19%	30 17%	23 14%	33 19%	52 21%	42 12%	160 21% SU	57 14%	86 19%
Strongly disagree	241 12%				42 12% D	39 12% D	54 16% D	74 17% D	21 9%		18 11%	27 17%	42 21% I		23 13% N	21 12% N	27 15% N	31 13% N	59 17% V	V	V	33 7%
Not applicable	266 14%				23 7%	43 13% DE	55 16% DE	115 26% DEFG	13 5%	10 6%	14 9%	26 16% IJ	49 24% IJK	18 7%	12 7%	29 17% NO	28 16% NO	66 27% NOQ	46 13%		61 15%	49 10%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

Page 13

## QS1\_3 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety.

Base: All Respondents Age 21+

	_		Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under		Home Ow	nership	Marita	Status	R	ace/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	( <b>K</b> )	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Strongly/Somewhat Agree (Net)	1101 56%	334 57%	167 53%	134 53%	446 58%	345 58%	351 55%	404 56%	713 63%	388 47%	468 69% L	633 50%	417 67% N	684 51%	751 54%	337 63% O	517 54%	584 59%	214 67% U	144 63% U	643 52%
Strongly agree	529 27%	171 29%	88 28%	62 25%	202 26%	170 29%	162 25%	197 27%	362 32%	167 20%	261 38% L	268 21%	239 39% N	290 22%	349 25%	178 33% O	245 25%	283 29%	112 35%	76 33% U	304 25%
Somewhat agree	572 29%	163 28%	79 25%	72 29%	244 32%	175 30%	190 30%	207 29%	351 31%	221 27%	207 30%	366 29%	178 29%	394 30%	401 29%	159 30%	271 28%	301 30%	102 32%	69 30%	339 28%
Strongly/Somewhat Disagree (Net)	586 30%	189 33%	100 31%	81 32%	207 27%	187 32%	192 30%	207 29%	311 28%	274 33%	152 22%	433 34% K	149 24%	436 33% M	423 30%	150 28%	300 31%	286 29%	77 24%	55 24%	398 32% T
Somewhat disagree	345 18%	117 20%	56 18%	42 17%	126 16%	114 19%	109 17%	122 17%	189 17%	156 19%	98 14%	247 19% K	96 15%	250 19%	243 18%	91 17%	163 17%	182 18%	47 15%	35 15%	218 18%
Strongly disagree	241 12%	72 12%	44 14%	39 16%	81 11%	73 12%	82 13%	85 12%	122 11%	119 14%	54 8%	187 15%	54 9%	187 14% M	179 13%	58 11%	137 14%	104 11%	31 10%	20 9%	179 15%
Not applicable	266 14%	58 10%	50 16% B	37 15%	112 5 15%	61 10%	93 15%	113 16% F	103 9%	164 20%	60 9%	207 16% K	52 8%	214 16% M	214 5 15%	44 8%	146 15%	120 12%	27 8%	31 13%	189 15% S
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

## QS1\_3 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety.

#### Base: All Respondents Age 21+

		Cannabi	s Usage	Use Canı	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Strongly/Somewhat Agree (Net)	1101 56%	721 68% C	343 42%	181 54%	530 76% D
Strongly agree	529 27%	378 36% C	139 17%	91 27%	282 41% D
Somewhat agree	572 29%	342 32% C	204 25%	90 27%	247 36% D
Strongly/Somewhat Disagree (Net)	586 30%	260 25%	308 37% B	125 37% E	124 18%
Somewhat disagree	345 18%	168 16%	165 20%	75 22% E	85 12%
Strongly disagree	241 12%	92 9%	143 17% B	49 15% E	38 6%
Not applicable	266 14%	78 7%	173 21% B	32 9%	42 6%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 15

## QS1\_4 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would like more education on how holistic solutions can be used in lieu of and in addition to pharmaceuticals to treat medical issues.

Base: All Respondents Age 21+

		Gen	der			Age				I	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
-	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)	( <b>V</b> )
Unweighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Weighted Base	1955	929	1005	502	342	322	337	449	240	104	155	159	204	240	174	100	177	243	340	751	299	402
Strongly/Somewhat Agree (Net)	1639 84%	769 83%	857 85%	435 87%	284 83%	272 84%	286 85%	362 81%	210 85% M	146 89% MO	131 85%	130 82%	151 74%	217 88% O	137 79%	140 84%	155 87%	209 86% M	270 79%	636 85%	326 82%	407 88% S
Strongly agree	798 41%	375 40%	418 42%	221 44% H	165 48% GH	128 40%	125 37%	159 35%	115 47% M	83 51% LM	58 37%	52 32%	67 33%	102 42%	81 47%	69 42%	73 41%	92 38%	135 40%	309 41%	142 35%	212 46% U
Somewhat agree	841 43%	394 42%	440 44%	214 43%	119 35%	144 45% E	161 48% E	203 45% E	96 39%	62 38%	73 47%	79 49%	85 41%	114 47% O	56 32%	71 43%	82 47% O	116 48% O	134 39%	327 44%	185 46%	195 42%
Strongly/Somewhat Disagree (Net)	314 16%		148 15%	67 13%	59 17%	50 16%	51 15%	87 19%	36 15%	19 11%	24 15%	29 18%	53 26% IJR	29 12%	37 21% NJ	26 16%	22 13%	34 14%	71 21% V	115 15%	73 18%	55 12%
Somewhat disagree	199 10%	96 10%	97 10%	49 10%	42 12%	34 11%	23 7%	50 11%	24 10%	10 6%	18 12%	14 8%	31 15% J	23 9%	29 16% QRJ	16 10%	10 6%	19 8%	38 11%	68 9%	47 12%	45 10%
Strongly disagree	116 6%	64 7%	51 5%	18 4%	17 5%	16 5%	28 8% D	37 8% D	12 5%	9 5%	6 4%	15 10%	22 11%	6 2%	8 5%	10 6%	12 7%	15 6%	33 10% V	47 6% V	26 6% V	10 2%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base Page 16

## QS1\_4 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would like more education on how holistic solutions can be used in lieu of and in addition to pharmaceuticals to treat medical issues.

Base: All Respondents Age 21+

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under	f Child r 18	Home Ow	nership	Marita	Status	R	ace/Ethnic	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	( <b>C</b> )	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	<b>(I</b> )	( <b>J</b> )	( <b>K</b> )	(L)	( <b>M</b> )	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Strongly/Somewhat Agree (Net)	1639 84%	488 84%	260 82%	214 85%	645 84%	469 79%	553 87% F	617 85% F	964 86%	675 82%	586 86%	1053 83%	527 85%	1112 83%	1164 84%	454 85%	811 84%	827 84%	255 80%	196 85%	1044 85%
Strongly agree	798 41%	224 39%	133 42%	92 36%	339 44%	210 35%	259 41%	329 45% F	504 45%	294 36%	330 48% L	468 37%	310 50% N	488 37%	589 42%	197 37%	407 42%	391 39%	137 43%	111 48% U	482 39%
Somewhat agree	841 43%	264 45%	127 40%	122 48%	305 40%	259 44%	294 46%	288 40%	459 41%	381 46%	256 38%	585 46% K	216 35%	624 47% M	575 41%	257 48% O	404 42%	436 44%	118 37%	85 37%	562 46%
Strongly/Somewhat Disagree (Net)	314 16%	93 16%	57 18%	38 15%	120 16%	124 21% GH	83 13%	107 15%	163 14%	151 18%	94 14%	220 17%	91 15%	223 17%	224 16%	77 15%	151 16%	163 16%	63 20%	35 15%	186 15%
Somewhat disagree	199 10%	59 10%	38 12%	23 9%	75 10%		49 8%	67 9%	109 10%	90 11%	64 9%	135 11%	59 10%	140 10%	137 10%	52 10%	82 9%	116 12%	47 15%	22 9%	102 8%
Strongly disagree	116 6%	34 6%	19 6%	15 6%	45 6%	-	34 5%	40 5%	54 5%	61 7%	30 4%	85 7%	32 5%	83 6%	87 6%	25 5%	69 7%	46 5%	16 5%	13 6%	83 7%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

## QS1\_4 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

I would like more education on how holistic solutions can be used in lieu of and in addition to pharmaceuticals to treat medical issues.

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Can	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Strongly/Somewhat Agree (Net)	1639 84%	936 88% C	656 80%	281 83%	630 91% D
Strongly agree	798 41%	481 45% C	296 36%	107 32%	357 51% D
Somewhat agree	841 43%	454 43%	361 44%	174 52% E	273 39%
Strongly/Somewhat Disagree (Net)	314 16%	123 12%	167 20% B	57 17% E	
Somewhat disagree	199 10%	87 8%	94 11%	35 10%	50 7%
Strongly disagree	116 6%	37 3%	74 9% B	21 6% E	15 2%
Sigma	1953 100%	1059 100%	824 100%	338	695

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used.

Page 18

QS1\_5 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals.

Base: All Respondents Age 21+

		Gen	der			Age				1	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	( <b>B</b> )	(C)	(D)	(E)	(F)	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	( <b>V</b> )
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Strongly/Somewhat Agree (Net)	1391 71%	681 73%		373 74% H	268 78% H	245 76% H	238 71% H	266 59%	194 79% M	140 85% LMO	129 83% MP	114 72% M	104 51%	175 71%	125 72%	115 69%	124 70%	161 66% M	238 70%	523 70%	272 68%	358 78% TU
Strongly agree	738 38%	351 38%	382 38%	209 42% H	162 47% GH	142 44% H	116 34% H	109 24%	112 46% M	80 49% LM	74 47% M	52 33% M	33 16%	95 39%	82 47% R	68 41%	63 36%	74 31% M	122 36%	274 36%	155 39%	187 41%
Somewhat agree	653 33%	329 35%	319 32%	164 33%	106 31%	103 32%	122 36%	158 35%	81 33%	60 36%	56 36%	62 39%	71 35%	81 33%	43 25%	47 28%	61 34%	87 36% O	116 34%	249 33%	117 29%	171 37%
Strongly/Somewhat Disagree (Net)	429 22%	198 21%	226 22%	99 20%	51 15%	61 19%	74 22%	145 32% DEFG	46 19%	17 11%	22 14%	36 23%	76 37% IJKL	48 20%	34 19%	38 23%	38 21%	68 28%	72 21%	176 23%	95 24%	87 19%
Somewhat disagree	303 16%	131 14%	168 17%	74 15%	37 11%	39 12%	50 15%	102 23% DEFG	32 13%	10 6%	11 7%	25 16%	52 25% IJK	38 15%	27 15% J	28 17%	25 14%	50 21%	45 13%	131 17%	63 16%	64 14%
Strongly disagree	126 6%	67 7%	58 6%	24 5%	14 4%	21 7%	24 7%	43 10% DE	14 6%	7 4%	11 7%	11 7%	24 12%	10 4%	7 4%	10 6%	12 7%	18 7%	28 8%	45 6%	31 8%	22 5%
Not applicable	133 7%	50 5%	79 8%	30 6%	24 7%	16 5%	25 7%	37 8%	6 3%	7 4%	4 2%	9 5%	24 12% IK	22 9%	16 9%	13 8%	15 9%	13 5%	30 9% V	52 7%	33 8% V	17 4%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

QS1\_5 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals.

Base: All Respondents Age 21+

	-		Househol	d Income		]	Education		Emplo	yed	Children	in HH	Parent of Under	Child 18	Home Ow	nership	Marital	Status	R	ace/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
-	(A)	( <b>B</b> )	( <b>C</b> )	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	( <b>K</b> )	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Strongly/Somewhat Agree (Net)	1391 71%	411 71%	225 71%	179 71%	553 72%	411 69%	458 72%	522 72%	850 75%	541 65%	544 80% L	847 67%	499 81% N	892 67%	993 72%	381 72%	682 71%	709 72%	224 70%	148 64%	890 72% T
Strongly agree	738 38%	215 37%	110 35%	92 37%	313 41%	224 38%	236 37%	277 38%	481 43%	256 31%	324 48% L	414 32%	306 50% N	432 32%	533 38%	196 37%	382 40%	355 36%	122 38%	89 39%	467 38%
Somewhat agree	653 33%	196 34%	115 36%	86 34%	240 31%	186 31%	222 35%	245 34%	368 33%	285 34%	220 32%	433 34%	193 31%	461 34%	459 33%	185 35%	300 31%	354 36%	102 32%	59 26%	423 34% T
Strongly/Somewhat Disagree (Net)	429 22%	128 22%	69 22%	54 22%	169 22%	137 23%	134 21%	159 22%	213 19%	216 26%	108 16%	321 25% K	93 15%	336 25% M	296 21%	120 23%	222 23%	208 21%	74 23%	61 26%	254 21%
Somewhat disagree	303 16%	88 15%	51 16%	40 16%	117 15%	95 16%	104 16%	104 14%	150 13%	153 18%	74 11%	229 18% K	65 11%	238 18% M	209 5 15%	84 16%	150 16%	153 15%	56 18%	41 18%	175 14%
Strongly disagree	126 6%	40 7%	17 5%	14 6%	51 7%	42 7%	30 5%	55 8%	63 6%	63 8%	34 5%	92 7%	28 5%	98 7%	87 6%	36 7%	71 7%	55 6%	18 6%	20 9%	80 6%
Not applicable	133 7%	42 7%	24 7%	19 8%	43 6%	46 8%	44 7%	43 6%	64 6%	69 8%	28 4%	105 8%	26 4%	107 8% M	99 7%	30 6%	59 6%	74 7%	20 6%	21 9%	85 7%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

QS1\_5 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)?

If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals.

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Canı	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Strongly/Somewhat Agree (Net)	1391 71%	854 81% C	497 60%	240 71%	589 85% D
Strongly agree	738 38%	496 47% C	230 28%	122 36%	359 52% D
Somewhat agree	653 33%	358 34%	267 32%	118 35%	229 33%
Strongly/Somewhat Disagree (Net)	429 22%	171 16%	241 29% B	82 24% E	89 13%
Somewhat disagree	303 16%	136 13%	153 19% B	66 19% E	70 10%
Strongly disagree	126 6%	35 3%	88 11% B	17 5%	18 3%
Not applicable	133 7%	33 3%	85 10% B	16 5%	18 3%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used.

Page 21

## Q1 In which of the following ways, if any, have you ever used cannabis? For the purposes of this survey, by cannabis, we mean marijuana products that contain THC. Please select all that apply.

Base: All Respondents Age 21+

		Gen	der			Age				1	Male Age				Fe	male Age				Regi	on	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	( <b>B</b> )	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	( <b>V</b> )
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
0																						
Ever Used Cannabis (Net)	1059 54%	546 59% C	505 50%	371 74% FGH	240 70% FGH	179 56% GH	152 45% H	118 26%	189 77% KLM	124 75% KLM	89 57% M	80 51% M	63 31%	174 71% PQR	116 67% PQR	89 54% R	71 40% R	55 23%	176 52%	384 51%	223 56%	276 60% T
Health-Related Cannabis Use (Sub-Net)	695 36%	366 39% C		268 53% FGH	168 49% FGH	117 36% GH	84 25% H	59 13%	137 56% KLM	93 57% KLMO	57 37% M	46 29% M	32 16%	124 50% PQR	74 43% QR	59 35% QR	38 21% R	27 11%	117 34%	237 32%	150 37%	191 41% T
Used Cannabis As Alternative/Alongside Pharmaceuticals (Sub-Sub-Net)	542 28%	294 32% C	240 24%	205 41% FGH	124 36% GH	92 29% H	73 22% H	47 10%	104 42% LM	77 47% LMO	50 32% M	40 25% M	23 11%	95 39% OPQR	48 27% R	41 25% R	33 19%	24 10%	95 28%	180 24%	110 27%	157 34% T
As an alternative to using pharmaceuticals to treat a medical issue	405 21%	232 25% C	165 16%	161 32% FGH	104 30% FGH	68 21% H	47 14% H	25 6%	84 34% LM	69 42% LMO	45 29% MP	25 16% M	10 5%	71 29% PQR	35 20% R	22 14%	21 12%	15 6%	76 22%	134 18%	77 19%	119 26% T
Alongside pharmaceuticals to treat a medical issue	311 16%	158 17%	148 15%	118 23% FGH	66 19% H	50 15% H	47 14% H	31 7%	59 24% M	34 21% M	21 14%	26 16%	19 9%	55 22% QR	31 18% R	28 17% R	21 12%	13 5%	55 16%	104 14%	58 14%	95 21% T
For general health/wellness	402 21%	209 23%	190 19%		104 30% GH	70 22% GH	44 13% H	30 7%	76 31% LM	54 33% LM	31 20%	26 16%	22 11% R	77 32% QR	49 28% QR	37 22% QR	18 10% R	8 3%	67 20%	141 19%	88 22%	105 23%
For recreational use	684 35%	365 39% C	315 31%	244 49% FGH	153 45% GH	118 37% H	102 30% H	67 15%	132 53% LM	81 49% LM	64 41% M	52 33% M	36 18%	109 44% QR	73 42% QR	54 32% R	50 28% R	30 13%	113 33%	243 32%	147 37%	181 39%
Other	35 2%	13 1%	22 2%	5 1%	*	6 2%	10 3% E	12 3% E	3 1%	:	*	5 3%	4 2%	3 1%	2	6 3% O	5 3%	8 3% O	5 2%	16 2% U	1*	13 3% U
N/A - I have never used cannabis	824 42%	345 37%	473 47% B	112 22%	95 28%	134 42% DE	174 52% DE	308 69% DEFG	46 19%	36 22%	60 39% IJ	76 48% IJ	126 62% IJK	63 26%	56 32%	74 45% N	98 55% NO N	182 75% OPQM	151 44%	346 46% V	163 41%	164 36%
Decline to answer	70 4%	38 4%	28 3%	20 4%	7 2%	9 3%	11 3%	23 5%	11 4%	4 2%	6 4%	2 2%	15 7%	9 4%	2 1%	3 2%	8 5%	6 2%	14 4%	22 3%	13 3%	22 5%
Recreational Use Only (Net)	338 17%	174 19%	163 16%	99 20% H	72 21% H	57 18% H	63 19% H	47 10%	50 20%	31 19%	32 21%	34 21%	27 13%	49 20% R	42 24% R	25 15%	29 16%	20 8%	55 16%	133 18%	73 18%	77 17%
Sigma	2731 140%	1361 146%	1340 133%	814 162%	529 155%	455 141%	436 129%	497 111%	409 166%	278 170%	228 146%	213 134%	232 114%	387 157%	246 141%	224 135%	222 125%	262 108%	480 141%	1005 134%	547 137%	699 151%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

## Q1 In which of the following ways, if any, have you ever used cannabis? For the purposes of this survey, by cannabis, we mean marijuana products that contain THC. Please select all that apply.

Base: All Respondents Age 21+

	_		Household	l Income		]	Education		Emplo	yed	Children	in HH	Parent of Under		Home Own	nership	Marital	Status	R	ace/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	( <b>C</b> )	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	<b>(I</b> )	( <b>J</b> )	( <b>K</b> )	(L)	( <b>M</b> )	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Ever Used Cannabis (Net)	1059 54%	326 56%	175 55%	127 50%	419 55%	337 57%	343 54%	379 52%	698 62%	361 44%	463 68% L	596 47%	438 71% N	621 47%	721 52%	322 61% O	494 51%	566 57%	203 64% U	129 56%	640 52%
Health-Related Cannabis Use (Sub-Net)	695 36%	231 40%	109 34%	84 33%	265 35%	215 36%	227 36%	254 35%	489 43%	207 25%	343 50% L	352 28%	337 55% N	359 27%	472 34%	212 40%	328 34%	367 37%	148 47% U	83 36%	397 32%
Used Cannabis As Alternative/Alongside Pharmaceuticals (Sub-Sub-Net)	542 28%	183 32% D	84 27%	59 23%	212 28%	166 28%	182 29%	195 27%	385 34% J	157 19%	275 40% L	267 21%	271 44% N	271 20%	371 27%	163 31%	261 27%	281 28%	110 35% U	59 26%	
As an alternative to using pharmaceuticals to treat a medical issue	405 21%	143 25% D	61 19%	43 17%	157 21%	124 21%	141 22%	140 19%	294 26%	111 13%	215 32% L	190 15%	213 35% N	192 14%	271 20%	126 24%	184 19%	221 22%	88 28% U	45 20%	234 19%
Alongside pharmaceuticals to treat a medical issue	311 16%	100 17%	38 12%	28 11%	141 18% CD	81 14%	108 17%	121 17%	209 19% J	102 12%	155 23% L	157 12%	151 24% N	161 12%	225 16%	83 16%	157 16%	154 16%	62 20%	36 16%	180 15%
For general health/wellness	402 21%	134 23%	60 19%	49 19%	154 20%	117 20%	128 20%	156 22%	283 25%	119 14%	200 29% L	202 16%	190 31% N	212 16%	271 20%	127 24%	183 19%	219 22%	84 27% U	55 24%	232 19%
For recreational use	684 35%	193 33%	124 39%	79 32%	280 37%	207 35%	229 36%	249 34%	460 41% J	224 27%	294 43% L	390 31%	271 44% N	413 31%	467 34%	206 39%	305 32%	379 38% Q	113 36%	80 35%	442 36%
Other	35 2%	11 2%	6 2%	1	17 2%	6 1%	16 3%	13 2%	11 1%	24 3%	16 2%	19 1%	13 2%	22 2%	26 2%	8 1%	19 2%	15 2%	14 4% TU	1 1%	20 2%
N/A - I have never used cannabis	824 42%	226 39%	138 44%	115 46%	329 43%	227 38%	274 43%	323 45%	395 35%	429 52%	196 29%	628 49% K	168 27%	656 49% M	621 45%	193 36%	446 46% R	377 38%	100	87 38%	557 45% S
Decline to answer	70 4%	29 5% CE	4 1%	10 4%	17 2%	29 5%	19 3%	23 3%	34 3%	36 4%	21 3%	50 4%	12 2%	59 4% M	46 3%	16 3%	23	47 5% Q	15 5%	15 7% U	33
Recreational Use Only (Net)	338 17%	85 15%	61 19%	41 16%	143 19%	118 20%	102 16%	118 16%	201 18%	136 17%	110 16%	227 18%	95 15%	242 18%	229 16%	104 20%	146 15%	191	46 14%	44 19%	225 18%
Sigma	2731 140%	836 144%	432 136%	326 129%	1096 143%	791 133%	916 144%	1025 141%	1685 150%	1046 127%	1097 161%	1634 128%	1017 165%	1714 128%	1927 139%	759 143%	1318 137%	1414 143%	477 150%	320 139%	1698 138%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

## Q1 In which of the following ways, if any, have you ever used cannabis? For the purposes of this survey, by cannabis, we mean marijuana products that contain THC. Please select all that apply.

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Canr	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Ever Used Cannabis (Net)	1059 54%	1059 100% C	:	338 100%	695 100%
Health-Related Cannabis Use (Sub-Net)	695 36%	695 66% C	:	-	695 100% D
Used Cannabis As Alternative/Alongside Pharmaceuticals (Sub-Sub-Net)	542 28%	542 51% C	:	:	542 78% D
As an alternative to using pharmaceuticals to treat a medical issue	405 21%	405 38% C	:	-	405 58% D
Alongside pharmaceuticals to treat a medical issue	311 16%	311 29% C	:	-	311 45% D
For general health/wellness	402 21%	402 38% C	:	-	402 58% D
For recreational use	684 35%	684 65% C	:	338 100% E	340 49%
Other	35 2%	35 3% C	:	-	8 1%
N/A - I have never used cannabis	824 42%	:	824 100% B	-	:
Decline to answer	70 4%	:	:	1	:
Recreational Use Only (Net)	338 17%	338 32% C	:	338 100% E	. :
Sigma	2731 140%	1837 173%	824 100%	338	1466 211%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used.

Page 24

Q2 For which of the following health/wellness purposes would you ever consider using cannabis? Please select all that apply.

#### Base: All Respondents Age 21+

		Ger	der			Age				I	Male Age				Fe	male Age				Regi	on	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	<b>(B)</b>	(C)	(D)	(E)	(F)	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	( <b>V</b> )
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Would Consider Using Cannabis For Health/Wellness Purposes (Net)	1466 75%	720 78%			290 85% GH	251 78% H			221 90% LM	147 90% LM	128 82% LM	107 67%	117 57%	206 84% PQR	142 81% R	122 73% R		136 56%	249 73%	537 72%	299 75%	
To Relieve Pain (Sub-Net)	1075 55%	492 53%	576 57%	287 57% H	202 59% H	200 62% H	176 52%	210 47%	135 55%	94 57%	91 58%	81 51%	92 45%	147 60%	108 62% R	108 65% R	95 54%	118 49%	176 52%	399 53%	215 54%	285 62% ST
To relieve chronic pain	894 46%	424 46%	467 46%		171 50% D	172 53% D	154 46%	198 44%	104 42%	81 49%	78 50%	74 47%	86 42%	93 38%	90 51% N	93 56% N	80 45%	111 46%	137 40%	347 46%	186 47%	
To relieve menstrual cramps/PMS	194 10%	:	194 19% B	91 18% FGH	55 16% GH	34 10% GH	12 4% H	3 1%	Ξ	:	-	2	-	91 37% PQRI	55 32% PQRJ	34 20% QRK	12 7% RL	3 1%	29 8%	76 10%	45 11%	45 10%
To relieve other type of pain	632 32%	318 34%		164	126 37% H	117 36% H	105 31%	120 27%	85 34%	65 40%	61 39%	47 30%	60 29%	75 31%	61 35%	55 33%	58 33%	60 25%	99 29%	249 33%	122 31%	162 35%
To sleep better	835 43%	414 45%	412 41%	273 54% FGH	175 51% H	133 41% H	150 45% H	103 23%	134 55% M	92 56% M	70 45% M	75 47% M	43 21%	132 54% PR	83 48% R	63 38% R	75 42% R	58 24%	139 41%	322 43%	166 42%	208 45%
To reduce stress	829 42%	400 43%	423 42%		180 53% GH	153 48% H		99 22%	127 51% M	92 56% LM	76 49% M	60 38% M	44 22%	137 56% QR	88 50% R	76 46% R	69 39% R	53 22%	127 37%	323 43%	178 45%	202 44%
To relax	812 42%	418 45% C	388 39%		178 52% GH	154 48% GH	125 37% H	83 18%	142 58% LM	98 59% LMO	~ ~ ~	61 39% M	36 18%	126 51% QR	80 46% R	72 43% R	64 36% R	45 19%	134 39%	302 40%	157 39%	219 47%
To reduce my anxiety	759 39%	357 38%	390 39%	244	173 50% GH	141 44% H	119 35% H	82 18%	114 46% M	84 51% LM	67 43% M	56 35% M	36 18%	122 50% QR	89 51% QR	73 44% R	63 36% R	43 18%	109 32%	309 41% S	164 41% S	176 38%
To improve my mood	639 33%	343 37% C		237 47% FGH	145 42% FGH	102 32% H	93 28% H	62 14%	123 50% KLM	84 51% KLMO	53 34% M	52 33% M	31 15%	108 44% PQR	61 35% QR	49 29% R	40 23% R	31 13%	94 28%	243 32%	130 32%	172 37% S
To help me focus	429 22%	233 25%	193 19%	165 33% FGH	110 32% FGH	60 18% H	65 19% H	29 7%	81 33% KM	68 41% KLMO	29 18% M	41 26% MQ	14 7%	83 34% PQR	42 24% QR	30 18% R	24 13%	15 6%	75 22%	158 21%	67 17%	129 28% U
To increase my energy	370 19%	192 21%		127 25% FGH	89 26% FGH	54 17% H	59 17% H	40 9%	68 28% M	53 32% KM	26 17% M	32 20% M	14 7%	59 24% R	36 21% R	27 17%	26 15%	26 11%	54 16%	126 17%	72 18%	117 25% ST
To recover from a workout	210 11%	130 14% C	79 8%	86	50 15% GH	33 10% H	23 7%	17 4%	50 20% M	31 19% M	20 13%	16 10%	13 6% R	36 15% QR	19 11% QR	12 8% R	8 4%	4 2%	45 13%	81 11%	33 8%	51 11%
Other health/wellness purpose	31 2%	17 2%	13		5 1%	3 1%	2 1%	14 3%	3 1%	*	3 2%	2 1%	9 4%	4 2%	4 2%	1	÷	5 2%	5 1%	13 2%	4 1%	9 2%
None	487 25%	209 22%	273 27%	66 13%	52 15%	72 22% D	103 30% DE	194 43% DEFG	25 10%	17 10%	28 18%	52 33% IJK	87 43% IJK	40 16%	32 19%	44 27% N	51 28% N	107 44% NOPQ	92 27% V	214 28% V	100 25%	81 18%
Sigma	7121 365%	3455 372%	3605 359%	2200 438%	1510 441%	1228 381%	1140 338%	1042 232%	1056 429%	765 466%	590 380%	570 358%	473 232%	1107 451%	740 425%	628 378%	569 321%	561 231%	1139 335%	2764 368%	1424 357%	1794 388%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

Q2 For which of the following health/wellness purposes would you ever consider using cannabis? Please select all that apply.

#### Base: All Respondents Age 21+

			Househole	l Income			Education		Emplo	yed	Children	in HH	Parent of Under	Child 18	Home Ow	nership	Marita	l Status	F	ace/Ethnici	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Would Consider Using Cannabis For Health/Wellness Purposes (Net)	1466 75%	0	222 70%	189 75%	586 77%	459 77%	462 73%	545 75%	929 82% J	537 65%	579 85% L	886 70%	539 87% N	926 69%	1021 74%	425 80% O	702 73%	764 77%	250 79%	181 78%	910 74%
To Relieve Pain (Sub-Net)	1075 55%	331 57%	167 53%	139 55%	429 56%	346 58%	351 55%	378 52%	648 57%	427 52%	418 62%	656 52%	393 64% N	682 51%	758 55%	305 57%	524 54%	550 56%	173 54%	120 52%	686 56%
To relieve chronic pain	894 46%	276 48%	147 46%	114 45%	351 46%	281 47%	297 47%	316 44%	520 46%	374 45%	316 46%	578 45%	303 49%	591 44%	641 46%	244 46%	440 46%	454 46%	127 40%	93 40%	597 49%
To relieve menstrual cramps/PMS	194 10%	73 13%	30 10%	19 8%	67 9%	62 11%	76 12% H	56 8%	127 11%	67 8%	109 16%	86 7%	98 16% N	96 7%	112 8%	79 15% O	79 8%	115 5 12%	33 10%	32 14% U	104 8%
To relieve other type of pain	632 32%	203 35%	108 34%	83 33%	232 30%	218 37% H	204	209 29%	385 34%	246 30%	238 35%	393 31%	218 35%	414 31%	438 32%	-	290 30%	341 34%	104 33%	80	392 32%
To sleep better	835 43%	276 47% CE	124 39%	119 47%	306 40%	271 46%	281 44%	283 39%	549 49%	286 35%	345 51%	490 38%	315 51% N	520 39%	556 40%	264 50% O	349 36%	486 49% Q	137 43%	101 44%	512 42%
To reduce stress	829 42%	279 48% E	139 44%	103 41%	299 39%	271 46% H	298 47% H	260 36%	537 48%	292 35%	319 47%	511 40%	292 47% N	538 40%	546 39%		358	_	142 45%	86 37%	524 43%
To relax	812 42%	272 47% CD	122 38%	92 36%	313 41%	272 46% H	270	270 37%	555 49%	257 31%	353 52%	459 36%	330 53% N	482 36%	533 38%	-	363 38%	_	146 46%	102 44%	493 40%
To reduce my anxiety	759 39%	247 42%	125 39%	102 40%	280 37%	242 41% H	273 43% H	245 34%	496 44%	263 32%	303 45%	456 36%	286 46% N	473 35%	505 36%		330 34%			90 39%	469 38%
To improve my mood	639 33%	210 36% C	85 27%	77 30%	262 34%	200 34%	217 34%	222 31%	425 38%	213 26%	277 41%	362 28%	259 42% N	380 28%	438 32%			369 37% Q	112 35%	82 36%	387 31%
To help me focus	429 22%	150 26% CD	60 19%	46 18%	165 22%	162 27% GH	115 18%	152 21%	303 27%	126 15%	203 30%	226 18%	189 31% N	240 18%	285 21%	135 25%	162 17%		91 29%	68 29% U	225 18%
To increase my energy	370 19%	128 22% C	50 16%	45 18%	140 18%	124 21%	106	139 19%	250 22%	120 15%	169 25%	201 16%	158 26% N	212 16%	244 18%	119 22%	168 17%	_	-	47	218
To recover from a workout	210 11%	64 11%	31 10%	29 11%	81 11%	75 13%	60 9%	75 10%	159 14%	51 6%	116 17%	94 7%		104 8%	131 9%	76 14% O	93 10%	117 12%	47 5 15%	38 16% U	113 9%
Other health/wellness purpose	31 2%	10 2%	5 2%	5 2%	9 1%	3 1%	15 2% F	13 2%	15 1%	16 2%	8 1%	23 2%		24 2%	16 5 1%	13 2%	15 2%	16 2%	6	2	20
None	487 25%	129 22%	96 30% B	63 25%	178 23%	134 23%			198 18%	289 35%	100 15%	387 30% K	78 13%	409 31% M	367 26%	106 20%	261 27%	226 23%	68 21%	50 22%	320 26%
Sigma	7121 365%	2319 399%	1123 354%	896 355%	2684 351%	2317 391%	2387 375%	2417 334%	4520 401%	2600 315%	2856 420%	4265 335%	2639 427%	4482 336%	4812 347%	2194 413%	3178 330%	3942 398%	1210 381%	870 377%	4374 356%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

Q2 For which of the following health/wellness purposes would you ever consider using cannabis? Please select all that apply.

Base: All Respondents Age 21+

			Househol	d Income			Education		Emple	oyed	Childrer	in HH	Parent o Unde	f Child r 18	Home Ow	nership	Marita	Status	R	ace/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Weighted Base	1953	581	317	252	765	593	636	724	1127	826	680	1273	618	1335	1388	531	963	990	318	231	1230

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

Page 27

Q2 For which of the following health/wellness purposes would you ever consider using cannabis? Please select all that apply.

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Cann	abis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base Weighted Base	1953 1953	1095 1059	795 824	341 338	731 695
Would Consider Using Cannabis For Health/Wellness Purposes (Net)	1466 75%	1014 96% C	410 50%	314 93%	681 98% D
To Relieve Pain (Sub-Net)	1075 55%	712 67% C	339 41%	193 57%	504 72% D
To relieve chronic pain	894 46%	561 53% C	312 38%	157 46%	394 57% D
To relieve menstrual cramps/PMS	194 10%	165 16% C	28 3%	55 16%	109 16%
To relieve other type of pain	632 32%	440 42% C	175 21%	115 34%	317 46% D
To sleep better	835 43%	631 60% C	187 23%	193 57%	429 62%
To reduce stress	829 42%	622 59%	189 23%	200 59%	415 60%
To relax	812 42%	644 61% C	145 18%	214 63%	419 60%
To reduce my anxiety	759 39%	572 54% C	169 21%	177 52%	389 56%
To improve my mood	639 33%	511 48% C	110 13%	162 48%	341 49%
To help me focus	429 22%	347 33% C	70 8%	77 23%	267 38% D
To increase my energy	370 19%	279 26% C	80 10%	57 17%	221 32% D
To recover from a workout	210 11%	177 17% C	28 3%	30 9%	147 21%
Other health/wellness purpose	31 2%	15 1%	13 2%	4 1%	10 1%
None	487 25%	46 4%	413 50% B	23 7% E	14 2%
Sigma	7121 365%	5010 473%	В 1919 233%	1463 433%	3472 499%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 28

Q3 For which of the following health/wellness purposes have you ever used cannabis? Please select all that apply.

#### Base: Ever Used Cannabis

		Gen	ıder			Age				:	Male Age				Fe	male Age	e			Regi	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
·	(A)	<b>(B)</b>	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)	(V)
Unweighted Base	1095	475	609	393	263	182	138	119	156	114	79	65	61	228	148	102	73	58	205	463	228	199
Weighted Base	1059	546	505	371	240	179	152*	118*	189	124*	89*	80*	63*	174	116*	89*	71*	55*	176	384	223	276
Would Consider Using Cannabis For Health/Wellness Purposes (Net)	969 91%	509 93%	451 89%	360 97% EFGH	220 92% H	163 91% H	132 87%	93 79%	188 99% KLM	119 96% MO	79 89%	73 91%	50 79%	165 95% OQR	101 87%	82 93%	59 83%	43 79%	164 93%	342 89%	208 93%	255 92%
To relax	556 52%		252 50%	н	130 54% H	103 57% H	71 46%	41 35%	115 61% M	72 58% M	54 61% M	36 44%	23 36%	93 54% R	58 50%	48 54%	35 49%	18 33%	85 48%	210 55%	128 57%	133 48%
To Relieve Pain (Sub-Net)	531 50%		267 53%	195 53%	123 51%	86 48%	77 51%	51 43%	86 45%	66 53%	35 40%	44 54%	26 41%	104 60%	57 49%	49 55%	33 47%	25 45%	86 49%	184 48%	108 49%	152 55%
To relieve chronic pain	375 35%	196 36%	176 35%	121 33%	87 36%	62 35%	58 38%	47 40%	64 34%	48 39%	26 29%	34 42%	25 39%	55 32%	39 34%	35 40%	24 34%	23 41%	54 31%	137 36%	78 35%	107 39%
To relieve menstrual cramps/PMS	113 11%	:	113 22% B	64 17% GH	26 11% GH	18 10% GH	4 2%	1 1%	Ξ	:	-	:	2	64 37% OPQRI	26 22% QRJ	18 20% QRK	4 5%	1 3%	19 11%	47 12%	24 11%	23 8%
To relieve other type of pain	321 30%	168 31%	148 29%	124 33% H	66 28%	57 32%	50 33%	25 21%	60 32%	37 30%	30 33%	26 32%	15 23%	60 34%	29 25%	26 29%	24	10 19%	53 30%	112 29%	65 29%	92 33%
To sleep better	519 49%	271 50%	244 48%	207 56% EH	106 44% H	103 58% EH	70 46% H	33 28%	102 54% M	59 47% M	58 66% JM	37 45%	16 25%	103 59% OR	48 41%	44 49%	33 47%	17 30%	88 50%	189 49%	108 49%	134 48%
To reduce stress	471 44%	231 42%	233 46%	177 48% H	114 47% H	88 49% H	69 45% H	24 20%	80 42% M	57 46% M	47 53% M	33	13 21%	91 52% R	56 48% R	40 45% R	35 50% R	11 20%	70 40%	181 47%	116 52% SV	104 38%
To reduce my anxiety	437 41%	223 41%	210 41%	179 48% H	107 44% H	79 44% H	59 39% H	14 12%	96 51% M	53 43% M	40 44% M	26	7 12%	79 45% R	53 46% R	38 43% R		7 13%	74 42% V	175 46% V	105 47% V	83 30%
To improve my mood	428 40%	221 41%	204 40%	179 48% GH	105 44% H	71 40% H	52 34% H	21 18%	85 45% M	66 53% LMO	33 37%	26 32%	12 19%	92 53% OR	39 34%	37 42% R		9 17%	73 41%	161 42%	85 38%	110
To help me focus	227 21%	134 24%	93 18%	105 28% FGH	62 26% H	32 18% H		3 3%	53 28% M	44 36% MO	19 21% M	17 21% M	* 1%	52 30% OPQR	17 15%	13 15%	8 11%	3 5%	36 20%	95 25% U	36 16%	59 21%
To increase my energy	210 20%	118 22%	90 18%	96 26% H	49 20% H	30 17% H	28 18% H	6 5%	48 25% M	30 24% M	18 20%	18 23%	4 7%	47 27% R	19 16%	12 14%	9 13%	2 4%	43 25% U	69 18%	30 14%	67 24% U
To recover from a workout	141 13%	94 17% C	44 9%	70 19% GH	32 13% H	23 13% H	11 7%	5 4%	42 22% M	23 18% O	14 15%	10 13% Q	5 8%	24 14% QR	9 8%	10 11% Q	1 1%	-	31 17% U	57 15%	14 6%	39
Other health/wellness purpose	21 2%		9 2%	4 1%	2 1%	3 2%	5 3%	7 6% DE	0	*	2 3%	3	4 7% IJ	2 1%	2 2%	1 1%	2 3%	2 4%	-	10 3%	4 2%	
None	75 7%	30 6%	45 9%	8 2%	15 6% D	13 7% D	17 11% D	22 18% DEF	1,	4 3%	8 9%	8 9%	10 17% IJ	7 4%	12 10%	5 6%	9 13% N	11 21% NP	11 7%	36 9%	13 6%	15 5%
Decline to answer	15 1%	7 1%	9 2%	2 1%	4 2%	3 2%	3 2%	32%	1	1 1%	2 2%	-	3 4%	2 1%	3 3%	1 2%	3	-	1	6 2%	2 1%	7 2%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

#### Q3 For which of the following health/wellness purposes have you ever used cannabis? Please select all that apply.

#### Base: Ever Used Cannabis

		Gen	der			Age					Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
-	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	( <b>V</b> )
Weighted Base Sigma	1059 3910 369%	546 2003 367%	505 1869 370%	371 1549 418%	240 905 377%	179 685 382%	152* 520 342%	118* 252 214%	189 747 395%	124* 495 399%	89* 350 393%	80* 273 340%	63* 137 219%	174 771 443%	116* 409 352%	89* 328 369%	71* 246 345%	55* 114 209%	176 640 363%	384 1486 387%	223 809 363%	276 975 353%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base Page 30

Q3 For which of the following health/wellness purposes have you ever used cannabis? Please select all that apply.

#### Base: Ever Used Cannabis

			Household Income		1	Education		Emplo	oyed	Children	in HH	Parent of Unde	f Child r 18	Home Ow	nership	Marita	Status	R	ace/Ethnici	ity	
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	( <b>C</b> )	( <b>D</b> )	(E)	( <b>F</b> )	(G)	(H)	<b>(I</b> )	( <b>J</b> )	(K)	(L)	( <b>M</b> )	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	( <b>S</b> )	( <b>T</b> )	(U)
Unweighted Base Weighted Base	1095 1059	511 326	214 175	132 127	226 419	346 337	366 343	383 379	713 698	382 361	470 463	625 596	458 438	637 621	668 721	407 322	481 494	614 566	158 203*	166 129	705 640
Would Consider Using Cannabis For Health/Wellness Purposes (Net)	969 91%	307 94% C	149 85%	117 92%	385 92% C	317 94%	306 89%	346 91%	653 94% J	315 87%	439 95% L	530 89%	417 95% N	552 89%	651 90%	303 94%	447 91%			118 92%	579 91%
To relax	556 52%	191 59% DE	92 52%	60 47%	204 49%	183 54%	189 55%	183 48%	388 56%	168 46%	254 55%	302 51%	240 55%	316 51%	358 50%	186 58% O	225 46%	330 58% Q	98 48%	62 48%	346 54%
To Relieve Pain (Sub-Net)	531 50%	199 61% CDE	81 47%	62 49%	184 44%	181 54%	178 52%	172 45%	349 50%	182 50%	243 52%	288 48%	229 52%	302 49%	354 49%	170 53%	246 50%	285 50%	109 54%	67 52%	313 49%
To relieve chronic pain	375 35%		55	45 35%	118 28%	129 38% H	134 39% H	111 29%	231 33%	144 40%	160 34%	215 36%	147 34%	228 37%	237 33%	134 42% O	164 33%	211 37%	74 36%	39 30%	233 37%
To relieve menstrual cramps/PMS	113 11%	49 15% E	17 10%	10 8%	36 9%	40 12% H	47 14% H	25 7%	74 11%	39 11%	67 14%	45 8%	65 15% N	48 8%	62 9%	48 15%	44 9%	68 12%	23 11%	20 16% U	55 9%
To relieve other type of pain	321 30%	128 39% CE	52	40 32%	97 23%	114 34%	100 29%	107 28%	214 31%	108 30%	145 31%	176 30%	136 31%	185 30%	212 29%	105 33%	143 29%	178 32%	60 29%	38 30%	199 31%
To sleep better	519 49%	188 58% CE		59 47%	193 46%	172 51%	182 53%	166 44%	364 52%	156 43%	248 54% L	271 46%	227 52%	292 47%	324 45%	183 57% O	193 39%	327 58% Q	98 48%	63 49%	310 49%
To reduce stress	471 44%	170 52% CE	69	58 45%	169 40%	167 49% H	160 47%	145 38%	327 47%	144 40%	213 46%	258 43%	197 45%	274 44%	290 40%	172	189 38%	282	79	59 46%	286 45%
To reduce my anxiety	437 41%			50 40%	164 39%	150 44%	150 44%	137 36%	307 44%	130 36%	203 44%	234 39%	189 43%	247 40%	269 37%		175 36%		92	57 44%	252 39%
To improve my mood	428 40%	143 44%	63 36%	55 44%	162 39%	150 44% H	149 43% H	130 34%	294 42%	134 37%	201 43%	227 38%	188 43%	241 39%	283 39%			_	89 44%	52 40%	245 38%
To help me focus	227 21%	89 27% CD	28 16%	19 15%	87 21%	86 25%	66 19%		166 24%	61 17%	129 28%	98 16%	118 27% N	109 18%	47 20%	74 23%	86 5 17%	_	51 25%	46 36% U	119 19%
To increase my energy	210 20%	66 20%	24	18 14%	96 23% C	69 20%	63 18%	78 21%	163 23%	46 13%	130 28%	79 13%	119 27% N	91 15%	130 5 18%	75 23%	87 5 18%	122		37 29% U	
To recover from a workout	141 13%	37 11%	22 13%	16 13%	•	40 12%	40 12%	61 16%	127 18%	14 4%	84 18%	57 10%	80 18% N	61 10%	103 4 14%	36 11%	55 55 11%	87 15%	41 20%		
Other health/wellness purpose	21 2%	8 3%	4 2%	3 2%	6 1%	6 2%	13 4% H	2 1%	10 1%	11 3%	7 2%	14 2%		15 2%	9 6 1%	12 4% 0	12 5 2%	9 2%	1 1%	7 6% SU	10 2%
None	75 7%	13 4%	21 12% B	8 6%	32 8%	19 6%		28 7%	37 5%	39 11% I	17 4%	58 10% K	17 4%	59 9% M	61 9% P	-	38 8%	37 7%	13 6%	8 6%	

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base

#### Q3 For which of the following health/wellness purposes have you ever used cannabis? Please select all that apply.

#### Base: Ever Used Cannabis

			Househol	d Income		1	Education		Emplo	yed	Children	in HH	Parent of Under	Child 18	Home Own	nership	Marita	Status	R	ace/Ethnici	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Weighted Base	1059	326	175	127	419	337	343	379	698	361	463	596	438	621	721	322	494	566	203*	129	640
Decline to answer	15 1%	6 2%	5 3%	2 2%	2*	2 1%	9 3%	5 1%	8 1%	7 2%	7 2%	8 1%	5 1%	11 2%	6 9 1%	5 2%	9 2%	7 1%	5 2%	3 2%	6 1%
Sigma	3910 369%	1395 428%	589 336%	443 349%	1429 341%	1327 393%	1331 388%	1252 331%	2709 388%	1201 333%	1866 403%	2043 343%	1734 396%	2176 350%	2494 346%	1340 416%	1586 321%	2324 411%	769 379%	506 394%	2306 361%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base

Q3 For which of the following health/wellness purposes have you ever used cannabis? Please select all that apply.

Base: Ever Used Cannabis

	-	Cannabi	s Usage	Use Cann	abis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base Weighted Base	1095 1059	1095 1059	- _**	341 338	731 695
Would Consider Using Cannabis For Health/Wellness Purposes (Net)	969 91%	969 91%	:	271 80%	682 98% D
To relax	556 52%	556 52%	1	191 57%	359 52%
To Relieve Pain (Sub-Net)	531 50%	531 50%	:	69 20%	450 65% D
To relieve chronic pain	375 35%	375 35%	:	38 11%	
To relieve menstrual cramps/PMS	113 11%	113 11%	:	21 6%	90 13% D
To relieve other type of pain	321 30%	321 30%	:	40 12%	274 39% D
To sleep better	519 49%	519 49%	:	120 35%	393 57% D
To reduce stress	471 44%	471 44%	:	109 32%	354 51% D
To reduce my anxiety	437 41%	437 41%	:	93 28%	338 49% D
To improve my mood	428 40%	428 40%	:	109 32%	316 45% D
To help me focus	227 21%	227 21%	:	41 12%	186 27% D
To increase my energy	210 20%	210 20%	:	26 8%	183 26% D
To recover from a workout	141 13%	141 13%	:	12 4%	128 18% D
Other health/wellness purpose	21 2%	21 2%	:	:	19 3%
None	75 7%	75 7%	:	66 19% E	-
Decline to answer	15 1%	15 1%	:	1	13 2%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. \*\* very small base (under 30) ineligible for sig testing Page 33

Q3 For which of the following health/wellness purposes have you ever used cannabis? Please select all that apply.

Base: Ever Used Cannabis

		Cannabi	s Usage	Use Can	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
_	(A)	( <b>B</b> )	(C)	(D)	(E)
	1059	1059	-**	338	695
	3910 369%	3910 369%	1	865 256%	2983 429%

Weighted Base Sigma

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. \*\* very small base (under 30) ineligible for sig testing

Page 34

### Q4 Please indicate whether you believe the below statement is true or false. A person can consume cannabis without getting "high".

#### Base: All Respondents Age 21+

		Gen	der			Age				N	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	(B)	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	( <b>S</b> )	(T)	(U)	( <b>V</b> )
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
True	1020 52%	508 55%	503 50%	295 59% GH	211 62% FGH	160 50%	150 44%	204 46%	157 64% LM	111 68% KLM	81 52%	71 45%	88 43%	131 53%	99 57%	78 47%	79 44%	117 48%	165 48%	368 49%	222 55%	266 57% T
False	427 22%	214 23%	210 21%	117 23%	80 23%	74 23%	79 23%	78 17%	52 21%	38 23%	39 25%	39 24%	45 22%	63 26% R	42 24% R	34 21%	39 22%	32 13%	88 26%	172 23%	76 19%	91 20%
Not at all sure	506 26%	207 22%	293 29% B	90 18%	52 15%	89 28% DE	109 32% DE	167 37% DEF	37 15%	15 9%	35 22% J	49 31% IJ	71 35% IJ	52 21%	33 19% J	54 33% NO	60 34% NO	94 39% NO	87 26%	211 28%	102 26%	106 23%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

### Q4 Please indicate whether you believe the below statement is true or false. A person can consume cannabis without getting "high".

#### Base: All Respondents Age 21+

			Household Income				Education		Emplo	yed	Children	in HH	Parent of Under	Child 18	Home Ow	nership	Marita	l Status	R	ace/Ethnici	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	( <b>B</b> )	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
True	1020 52%	293 50%	166 52%	138 55%	409 53%	302 51%	321 50%	397 55%	620 55%	400 48%	415 61% L	605 48%	377 61% N	643 48%	741 53%	270 51%	510 53%	510 51%	173 54%	100 43%	670 54% T
False	427 22%	137 23% D	58 18%	41 16%	181 24%	132 22%	125 20%	171 24%	259 23%	168 20%	152 22%	275 22%	138 22%	289 22%	273 20%	139 26% O	192 6 20%	235 24%	6 84 26%	61 26%	239 19%
Not at all sure	506 26%	151 26%	94 30%	74 29%	175 23%	159 27%	190 30% H	156 22%	248 22%	258 31% I	113 17%	393 31% K	102 17%	404 30% M	374 27%	121 23%	260 6 27%	246 25%	61 61 19%	70 30% S	321 26%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 6 100%	990 100%	318 6 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

## Q4 Please indicate whether you believe the below statement is true or false. A person can consume cannabis without getting "high".

## Base: All Respondents Age 21+

		Cannabi	s Usage	Use Can	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
	(A)	(B)	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
True	1020 52%	703 66% C	292 35%	197 58%	490 70% D
False	427 22%	214 20%	198 24%	65 19%	148 21%
Not at all sure	506 26%	142 13%	334 41% B	76 22% E	58 8%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 37

## Q5 How much do you agree or disagree with each of the following statements about cannabis? Summary Of Strongly/Somewhat Agree

Base: All Respondents Age 21+ (Variable Bases)

		Gen	ıder			Age				1	Male Age				F	emale Age	e			Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	( <b>B</b> )	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	( <b>R</b> )	(S)	(T)	(U)	( <b>V</b> )
Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.	475 88%					81 87%	65 89%	42 90%	91 88%	71 92%	46 91%	37 92%	20 88%	81 85%	41 87%	34 82%	28 85%	22 92%	86 91%	155 86%	94 86%	140 89%
I would recommend cannabis to a friend or family member for medical use.	598 86%	314 86%	276 86%	227 85%	145 87%	107 92%	70 84%	47 81%	114 83%	82 88%	54 94%	38 82%	25 79%	106 86%	63 84%	52 89%	32 85%	22 83%	103 88%	196 83%	134 90%	164 86%
Using cannabis as part of my health/wellness routine has improved my overall well-being.	566 81%	301 82%	258 80%	225 84% H	141 84%	100 86% H	61 72%	40 69%	120 87%	82 88%	49 86%	32 69%	18 58%	98 80%	59 79%	50 85%	29 76%	22 81%	98 84%	184 77%	130 87% T	155 81%
Cannabis is an essential part of my health/wellness routine.	502 72%	276 76%	218 68%	209 78% GH	134 80% GH	78 67%	53 63%	28 47%	110 80%	77 82%	44 78%	29 62%	17 52%	93 75% P	57 77% P	33 56%	24 64%	11 41%	97 83% TU	159 67%	102 68%	145 76%
I would be more likely to use cannabis as a health solution if it came in small, controlled doses.	1352 69%	657 71%	684 68%	380 76% GH	265 78% GH	231 72% H	226 67% H	250 56%	192 78% M	130 79% M	116 75% M	109 69% M	110 54%	179 73% R	135 78% QR	114 69%	116 65%	140 58%	230 68%	499 66%	279 70%	343 74%
I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.	1213 62%	592 64%	608 61%	352 70% GH	260 76% GH	216 67% GH	191 57% H	193 43%	182 74% LM	133 81% LM	110 71% M	88 55% M	79 39%	161 65% R	127 73% QR	106 64% R	102 58%	113 46%	221 65%	444 59%	258 65%	290 63%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

## Q5 How much do you agree or disagree with each of the following statements about cannabis? Summary Of Strongly/Somewhat Agree

Base: All Respondents Age 21+ (Variable Bases)

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under	Child 18	Home Ow	nership	Marita	Status	R	ace/Ethnic	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	( <b>K</b> )	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)
Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.	475 88%	156 85%	70 83%	50 85%	195 92%	141 85%	159 87%	175 90%	342 89%	133 85%	244 89%	232 87%	239 88%	236 87%	326 88%	143 87%	235 90%	240 86%	89 81%	51 86%	284 90%
I would recommend cannabis to a friend or family member for medical use.	598 86%	194 84%	88 81%	74 88%	236 89%	176 82%	201 89%	221 87%	433 89% J	164 80%	291 85%	307 87%	289 86%	309 86%	404 85%	186 88%	283 86%	314 86%	117 79%	73 88%	351 88% S
Using cannabis as part of my health/wellness routine has improved my overall well-being.	566 81%	184 79%	87 80%	74 87%	219 82%	167 78%	189 83%	210 83%	417 85% J	150 72%	285 83%	281 80%	283 84%	284 79%	383 81%	175 83%	268 82%	298 81%	114 77%	70 84%	336 85%
Cannabis is an essential part of my health/wellness routine.	502 72%	165 72%	77 71%	60 71%	195 73%	159 74%	153 68%	190 75%	384 79% J	118 57%	267 78% L	235 67%	266 79% N	236 66%	337 5 71%	159 75%	238 72%	264 72%	106 71%	62 74%	286 72%
I would be more likely to use cannabis as a health solution if it came in small, controlled doses.	1352 69%	392 67%	215 68%	179 71%	551 572%	413 70%			853 76%	499 60%	542 80% L	810 64%	491 80% N	861 64%	945 68%	386 73%	668 69%	684 69%			
I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.	1213 62%	375 65%	191 60%	168 66%	467 61%	387 65%	392 62%	434 60%	776 69% J	437 53%	502 74% L	711 56%	465 75% N	748 56%	849 61%	344 65%	582 60%	631 64%	211 66%	136 59%	773 63%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base

## Q5 How much do you agree or disagree with each of the following statements about cannabis? Summary Of Strongly/Somewhat Agree

### Base: All Respondents Age 21+ (Variable Bases)

	-	Cannabi	s Usage	Use Can	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
_	(A)	( <b>B</b> )	(C)	(D)	(E)
Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.	475 88%	475 88%	:	:	475 88%
I would recommend cannabis to a friend or family member for medical use.	598 86%	598 86%	:	:	598 86%
Using cannabis as part of my health/wellness routine has improved my overall well-being.	566 81%	566 81%	:	:	566 81%
Cannabis is an essential part of my health/wellness routine.	502 72%	502 72%	:	Ē	502 72%
I would be more likely to use cannabis as a health solution if it came in small, controlled doses.	1352 69%	869 82% C	448 54%	272 81%	583 84%
I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.	1213 62%	851 80% C	328 40%	252 75%	584 84% D

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. \*\* very small base (under 30) ineligible for sig testing Page 40

## Q5 How much do you agree or disagree with each of the following statements about cannabis? Summary Of Strongly/Somewhat Disagree

Base: All Respondents Age 21+ (Variable Bases)

		Gen	der			Age				:	Male Age				Fe	emale Age	•			Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	<b>(B)</b>	(C)	(D)	(E)	(F)	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	( <b>R</b> )	(S)	(T)	(U)	(V)
I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.	647 33%	292 31%	349 35%	123 25%	65 19%	96 30% E				21 13%	39 25% J	67 42% IJK	111 54% IJK	69 28%	41 24% J	56 34%	63 36% O	120 50% NOPQ	98 29%	279 37% SU	115 29%	155 33%
I would be more likely to use cannabis as a health solution if it came in small, controlled doses.	507 26%	221 24%	280 28%	104 21%	61 18%	79 24%	90 27% E	174 39% DEFG	49 20%	24 14%	32 20%	39 24%	78 38% IJKL	53 22%	34 19%	47 28%	51 29%	94 39% NO	80 24%	228 30% U	92 23%	107 23%
Cannabis is an essential part of my health/wellness routine.	166 24%	71 19%	95 30% B	48 18%	24 15%	35 30% DE	31 37% DE	27 47% DE	20 14%	11 12%	11 19%	18 38%	12 37%	29 23%	13 18%	24 41% NOK	13 35%	16 58%	17 14%	66 28% S	43 28% S	41 21%
Using cannabis as part of my health/wellness routine has improved my overall well-being.	105 15%	53 15%	52 16%	38 14%	16 9%	15 13%	22 26% E	15 26% E	16 11%	6 7%	7 12%	14 31%	10 32%	22 18%	9 13%	8 13%	7 19%	5 18%	16 14%	42 18%	15 10%	31 16%
I would recommend cannabis to a friend or family member for medical use.	66 9%	28 8%	38 12%	28 10%	11 6%	10 8%	13 15%	5 8%	14 10%	1 2%	3 6%	8 16%	2 5%	14 11%	9 13% J	6 11%	5 14%	3 11%	8 7%	32 13% U	9 6%	17 9%
Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.	51 9%	19 7%	29 12%	22 11%	8 6%	9 10%	8 11%	4 9%	8 8%	3 4%	3 6%	3 8%	2 10%	11 11%	5 10%	6 16%	5 15%	2 8%	7 7%	21 12%	13 12%	11 7%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

## Q5 How much do you agree or disagree with each of the following statements about cannabis? Summary Of Strongly/Somewhat Disagree

Base: All Respondents Age 21+ (Variable Bases)

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under		Home Owr	nership	Marital	Status	R	ace/Ethnic	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	( <b>B</b> )	( <b>C</b> )	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	( <b>K</b> )	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)
I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.	647 33%	177 31%	117 37%	74 29%	262 34%	175 30%	217 34%	254 35%	295 26%	352 43% I	152 22%	495 39% K	127 21%	520 39% M	477 34%	159 30%	328 34%	318 32%	100 31%	79 34%	392 32%
I would be more likely to use cannabis as a health solution if it came in small, controlled doses.	507 26%	165 28%	92 29%	64 25%	172 5 23%	158 27%	182 29%	167 23%	221 20%	286 35% I	113 17%	394 31% K	107 17%	400 30% M	374 27%	122 23%	248 26%	259 26%	82 26%	62 27%	311 25%
Cannabis is an essential part of my health/wellness routine.	166 24%	61 26%	27 25%	20 24%	57 22%	51 24%	65 29%	49 19%	85 17%	81 39%	64 19%	102 29% K	57 17%	109 30% M	115 24%	48 23%	76 23%	90 25%	36 24%	14 17%	100 25%
Using cannabis as part of my health/wellness routine has improved my overall well-being.	105 15%	41 18%	18 16%	8 10%	36 5 13%	40 19%	31 13%	34 14%	59 12%	46 22% I	46 13%	59 17%	41 12%	64 18%	72 5 15%	31 15%	43 13%	62 17%	30 20%	12 14%	45 5 11%
I would recommend cannabis to a friend or family member for medical use.	66 9%	28 12%	10 9%	7 8%	21 8 8%	25 12%	20 9%	21 8%	38 8%	28 14%	33 10%	33 9%	30 9%	36 10%	40 9%	24 11%	28 8%	38 10%	21 14%	7 8%	35 9%
Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.	51 9%	23 12%	9 11%	7 13%	12 6%	20 12%	17 10%	14 7%	31 8%	20 13%	23 8%	28 11%	23 8%	28 10%	31 8%	18 11%	18 7%	34 12%	19 17% U	7 11%	23 7%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base

## Q5 How much do you agree or disagree with each of the following statements about cannabis? Summary Of Strongly/Somewhat Disagree

### Base: All Respondents Age 21+ (Variable Bases)

	-	Cannabi	s Usage	Use Canr	abis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.	647 33%	177 17%	446 54% B	75 22% E	91 13%
I would be more likely to use cannabis as a health solution if it came in small, controlled doses.	507 26%	157 15%	328 40% B	51 15%	94 13%
Cannabis is an essential part of my health/wellness routine.	166 24%	166 24%	:	-	166 24%
Using cannabis as part of my health/wellness routine has improved my overall well-being.	105 15%	105 15%	:	:	105 15%
I would recommend cannabis to a friend or family member for medical use.	66 9%	66 9%	-	-	66 9%
Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.	51 9%	51 9%	:	:	51 9%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. \*\* very small base (under 30) ineligible for sig testing Page 43

Q5\_1 How much do you agree or disagree with each of the following statements about cannabis? I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.

## Base: All Respondents Age 21+

		Gen	der			Age				1	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	(V)
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Strongly/Somewhat Agree (Net)	1213 62%	592 64%	608 61%	352 70% GH	260 76% GH	216 67% GH	191 57% H	193 43%	182 74% LM	133 81% LM	110 71% M	88 55% M	79 39%	161 65% R	127 73% QR	106 64% R	102 58%	113 46%	221 65%	444 59%	258 65%	290 63%
Strongly agree	595 30%	302 33%	290 29%	200 40% GH	142 41% GH	108 33% H	85 25% H	60 13%	113 46% LM	70 43% LM	51 33% M	38 24%	29 14%	86 35% R	71 41% QR	55 33% R	46 26% R	31 13%	101 30%	217 29%	139 35%	138 30%
Somewhat agree	618 32%	289 31%	319 32%	152 30%	118 35%	109 34%	106 31%	133 30%	69 28%	62 38% M	58 38%	50 31%	50 25%	75 30%	56 32%	50 30%	56 32%	81 34%	120 35%	227 30%	119 30%	152 33%
Strongly/Somewhat Disagree (Net)	647 33%	292 31%	349 35%	123 25%	65 19%	96 30% E	130 38% DE	232 52% DEFG	54 22%	21 13%	39 25%	67 42% IJK	111 54% IJK	69 28%	41 24% J	56 34%	63 36% O	120 50% NOPQ	98 29%	279 37% SU	115 29%	155 33%
Somewhat disagree	309 16%	155 17%	153 15%	73 15% E	29 8%	43 13%	59 17% E	106 24% DEF	35 14%	10 6%	23 15%	35 22%	52 26% IJ	38 15%	19 11%	19 12%		53 22% OP	39 11%			91 20% S
Strongly disagree	337 17%	137 15%	197 20% B	50 10%	37 11%	53 16% D	71 21% DE	127 28% DEF	19 8%	11 7%	16 10%	32 20% IJ	59 29% IJK	31 13%	23 13%	37 22% NK	39 22% N	67 28% NO	60 18%	159 21% UV	54 14%	64 14%
Decline to answer	94 5%	45 5%	48 5%	27 5%	17 5%	10 3%	16 5%	23 5%		11 7%	6 4%	4 3%	14 7%	16 7%	6 3%	4 3%	12 7%	10 4%	21 6%	28 4%	26 7%	18 4%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

Page 44

Q5\_1 How much do you agree or disagree with each of the following statements about cannabis? I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.

## Base: All Respondents Age 21+

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under	Child 18	Home Ow	nership	Marital	Status	R	ace/Ethnic	ty
_	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	( <b>C</b> )	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	<b>(I</b> )	( <b>J</b> )	( <b>K</b> )	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Strongly/Somewhat Agree (Net)	1213 62%	375 65%	191 60%	168 66%	467 61%	387 65%	392 62%	434 60%	776 69% J	437 53%	502 74% L	711 56%	465 75% N	748 56%	849 61%	344 65%	582 60%	631 64%	211 66%	136 59%	773 63%
Strongly agree	595 30%	184 32%	88 28%	82 33%	234 31%	188 32%	215 34% H	192 26%	397 35% J	198 24%	288 42% L	307 24%	273 44% N	323 24%	396 29%	189 36% O	289 30%	306 31%	99 31%	82 36%	383 31%
Somewhat agree	618 32%	192 33%	103 33%	85 34%	233 30%	199 34%	177 28%	242 33%	378 34%	239 29%	214 31%	404 32%	192 31%	426 32%	453 33%	156 29%	293 30%	325 33%	112 35% T	54 23%	390 32% T
Strongly/Somewhat Disagree (Net)	647 33%	177 31%	117 37%	74 29%	262 34%	175 30%	217 34%	254 35%	295 26%	352 43%	152 22%	495 39% K	127 21%	520 39% M	477 34%	159 30%	328 34%	318 32%	100 31%	79 34%	392 32%
Somewhat disagree	309 16%	79 14%	51 16%	37 15%	137 5 18%	86 15%	90 14%	133 18%	164 15%	145 18%	90 13%	219 17%	70 11%	240 18% M	221 16%	83 16%	149 15%	161 16%	52 16%	38 16%	180 15%
Strongly disagree	337 17%	98 17%	66 21%	37 15%	125 16%	89 15%	128 20%	121 17%	131 12%	206 25%	62 9%	275 22% K	57 9%	280 21% M	256 18%	76 14%	179 19%	158 16%	47 15%	41 18%	212 17%
Decline to answer	94 5%	29 5%	9 3%	11 4%	36 5%	31 5%	26 4%	36 5%	56 5%	37 5%	26 4%	67 5%	26 4%	68 5%	61 4%	28 5%	53 5%	41 4%	8 2%	16 7%	65 5%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. Page 45

Q5\_1 How much do you agree or disagree with each of the following statements about cannabis? I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.

## Base: All Respondents Age 21+

		Cannabi	s Usage	Use Canr	abis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	(B)	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Strongly/Somewhat Agree (Net)	1213 62%	851 80% C	328 40%	252 75%	584 84% D
Strongly agree	595 30%	484 46% C	94 11%	117 35%	359 52% D
Somewhat agree	618 32%	367 35% C	235 28%	134 40%	225 32%
Strongly/Somewhat Disagree (Net)	647 33%	177 17%	446 54% B	75 22% E	91 13%
Somewhat disagree	309 16%	114 11%	187 23% B	52 15% E	59 9%
Strongly disagree	337 17%	63 6%	259 31% B		32 5%
Decline to answer	94 5%	31 3%	49 6% B	11 3%	20 3%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 46

Q5\_2 How much do you agree or disagree with each of the following statements about cannabis? Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.

### Base: Used Cannabis As Alternative/Alongside Pharmaceuticals

		Ger	nder			Age				1	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
-	(A)	<b>(B)</b>	( <b>C</b> )	(D)	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)	( <b>V</b> )
Unweighted Base Weighted Base	568 542	244 294	315 240	219 205	141 124*	97 92*	68 73*	43 47**	85 104*	66 77*	45 50**	30 40**	18 23**	127 95*	74 48*	51 41**	38 33**	25 24**	112 95*	235 180	115 110*	106 157*
Strongly/Somewhat Agree (Net)	475 88%	265 90%	206 86%	175 85%	112 90%	81 87%	65 89%	42 90%	91 88%	71 92%	46 91%	37 92%	20 88%	81 85%	41 87%	34 82%	28 85%	22 92%	86 91%	155 86%	94 86%	140 89%
Strongly agree	272 50%	155 53%	113 47%	108 52%	74 60%	42 45%	38 51%	11 22%	58 56%	47 61%	24 48%	21 53%	4 17%	46 49%	27 57%	17 40%	16 49%	6 27%	54 57% T	70 39%	59 54% T	88 56% T
Somewhat agree	204 38%	110 37%	93 39%	68 33%	38 31%	39 42%	27 37%	32 68%	32 31%	24 31%	22 44%	16 39%	16 70%	35 36%	14 30%	17 42%	12 36%	16 65%	32 34%	86 47% UV	35 32%	51 33%
Strongly/Somewhat Disagree (Net)	51 9%	19 7%	29 12%	22 11%	8 6%	9 10%	8 11%	4 9%	8 8%	3 4%	3 6%	3 8%	2 10%	11 11%	5 10%	6 16%	5 15%	2 8%	7 7%	21 12%	13 12%	11 7%
Somewhat disagree	33 6%	13 4%	17 7%	18 9%	6 5%	5 6%	1 1%	4 8%	6 5%	2 3%	3 6%	1 1%	2 8%	9 9%	4 8%	3 6%	-	2 8%	6 7%	11 6%	10 9%	5 3%
Strongly disagree	19 3%	7 2%	12 5%	4 2%	2 2%	4 5%	8 11% DE	1 1%	2 2%	1 1%	* 1%	3 7%	1 3%	2 2%	1 3%	4 10%	5 15%	-	*	10 5%	3 3%	6 4%
Decline to answer	16 3%	10 3%	6 2%	9 4%	5 4%	2 2%	2	1 1%	5 5%	3 4%	1 3%	Ξ	1 2%	3 4%	1 3%	1 2%	:	:	2 2%	4 2%	3 2%	7 5%
Sigma	542 100%	294 100%	240 100%	205 100%	124 100%	92 100%	73 100%	47 100%	104 100%	77 100%	50 100%	40 100%	23 100%	95 100%	48 100%	41 100%	33 100%	24 100%	95 100%	180 100%	110 100%	157 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing Page 47

## Q5\_2 How much do you agree or disagree with each of the following statements about cannabis? Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.

### Base: Used Cannabis As Alternative/Alongside Pharmaceuticals

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under	Child 18	Home Ow	nership	Marita	l Status	R	ace/Ethnic	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
-	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	(H)	( <b>I</b> )	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base	568	287	101	60	116	180	201	187	393	175	272	296	275	293	344	214	255	313	89	80	357
Weighted Base	542	183	84*	59*	212*	166	182	195	385	157*	275	267	271	271	371	163	261	281	110*	59*	316
Strongly/Somewhat Agree (Net)	475	156	70	50	195	141	159	175	342	133	244	232	239	236	326	143	235	240	89	51	284
	88%	85%	83%	85%	92%	85%	87%	90%	89%	85%	89%	87%	88%	87%	88%	87%	90%	86%	81%	86%	% 90%
Strongly agree	272 50%	89 49%	37 44%	31 52%	114 54%	78 47%	86 47%	108 55%	210 54%	62 40%	161 59%	111 41%	159 59% N	113 42%	179 48%	88 54%	144 55%	128 46%	52 47%	30 50%	64 52%
Somewhat agree	204 38%	67 36%	33 39%	20 34%	81 38%	63 38%	73 40%	68 35%	132 34%	71 45%	83 30%	121 45% K	80 29%	124 46% M	147 40%	55 34%	91 35%	113 40%	37 33%	21 36%	6 120 6 38%
Strongly/Somewhat	51	23	9	7	12	20	17	14	31	20	23	28	23	28	31	18	18	34	19	7	6 23
Disagree (Net)	9%	12%	11%	13%	6%	12%	10%	7%	8%	13%	8%	11%	8%	10%	8%	11%	5 7%	12%	17%	11%	7%
Somewhat disagree	33	13	5	7	8	11	11	11	19	14	16	16	16	16	21	10	12	20	9	5	6 16
	6%	7%	6%	12%	4%	6%	6%	6%	5%	9%	6%	6%	6%	6%	6%	6%	5%	7%	8%	8%	5%
Strongly disagree	19 3%	10 6%	4 5%	1 1%	4 2%	10 6%	7 4%	3 1%	12 3%	7 4%	7 2%	12 4%	6 2%	12 4%	10 3%	7 4%	5 2%	13 5%	10 9%	2 3%	% <sup>7</sup> 2%
Decline to answer	16	5	5	1	5	4	6	6	13	3	8	8	9	6	13	3	9	7	2	2	6 9
	3%	3%	6%	2%	2%	2%	3%	3%	3%	2%	3%	3%	3%	2%	3%	2%	3%	2%	2%	4%	3%
Sigma	542	183	84	59	212	166	182	195	385	157	275	267	271	271	371	163	261	281	110	59	316
	100%	100%	100%	100%	5 100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	6 100%	100%	100%	100%	100%	100%	6 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base Page 48

Q5\_2 How much do you agree or disagree with each of the following statements about cannabis? Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.

Base: Used Cannabis As Alternative/Alongside Pharmaceuticals

		Cannabi	s Usage	Use Can	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	568	568	-	-	568
Weighted Base	542	542	-**	-**	542
Strongly/Somewhat Agree (Net)	475 88%	475 88%	-	:	475 88%
Strongly agree	272 50%	272 50%	:	:	272 50%
Somewhat agree	204 38%	204 38%	:	:	204 38%
Strongly/Somewhat Disagree (Net)	51 9%	51 9%	:	:	51 9%
Somewhat disagree	33 6%	33 6%	:	:	33 6%
Strongly disagree	19 3%	19 3%	:	:	19 3%
Decline to answer	16 3%	16 3%	:	:	16 3%
Sigma	542 100%	542 100%	:	:	542 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. \*\* very small base (under 30) ineligible for sig testing Page 49

## Q5\_3 How much do you agree or disagree with each of the following statements about cannabis? I would recommend cannabis to a friend or family member for medical use.

### Base: Use Cannabis For Health/Wellness

		Gen	nder		Age						Male Age				Fe	male Age	•			Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
-	(A)	<b>(B)</b>	(C)	(D)	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)	( <b>V</b> )
Unweighted Base Weighted Base	731 695	313 366	409 322	288 268	188 168	122 117*	79 84*	54 59*	115 137*	84 93*	53 57*	35 46**	26 32**	166 124*	103 74*	68 59*	44 38*	28 27**	138 117*	311 237	148 150	134 191*
Strongly/Somewhat Agree (Net)	598 86%	314 86%	276 86%	227 85%	145 87%	107 92%	70 84%	47 81%	114 83%	82 88%	54 94%	38 82%	25 79%	106 86%	63 84%	52 89%	32 85%	22 83%	103 88%	196 83%	134 90%	164 86%
Strongly agree	393 57%	208 57%	177 55%	152 57%	105 62% H	72 61% H	41 49%	23 39%	83 61%	59 64%	38 66%	18 40%	9 30%	62 50%	45 61%	33 56%	23 60%	13 50%	67 57%	122 51%	89 60%	115 60%
Somewhat agree	205 29%	105 29%	99 31%	75 28%	41 24%	35 30%	29 35%	24 42%	31 22%	23 25%	16 28%	20 42%	16 49%	44 36%	18 24%	19 33%	9 25%	9 32%	37 32%	74 31%	45 30%	49 26%
Strongly/Somewhat Disagree (Net)	66 9%		38 12%	28 10%	11 6%	10 8%	13 15%	5 8%	14 10%	1 2%	3 6%	8 16%	2 5%	14 11%	13%	6 11%	5 14%	3 11%	8 7%	32 13% U	9 6%	17 9%
Somewhat disagree	34 5%	17 5%	16 5%	17 6%	6 4%	2 2%	5 5%	4 7%	11 8% J	*	1 2%	4 8%	1 3%	5 4%	6 8% J	1 2%	1 2%	3 11%	4 3%	13 6%	7 5%	9 5%
Strongly disagree	32 5%	10 3%	22 7%	11 4%	4 3%	7 6%	8 10%	1 1%	2 2%	1 1%	2 4%	4 8%	1 3%	9 7%	3 4%	5 9%	5 12%	-	4 4%	19 8% U	1 1%	8 4%
Decline to answer	32 5%	24 7% C	8 2%	12 5%	12 7% F	Ξ	1 1%	7 11% FG	9 7%	9 10%	:	1 1%	16%	3 3%	2 3%	:	* 1%	2 6%	5 5%	9 4%	6 4%	11 6%
Sigma	695 100%	366 100%	322 100%	268 100%	168 100%	117 100%	84 100%	59 100%	137 100%	93 100%	57 100%	46 100%	32 100%	124 100%	74 100%	59 100%	38 100%	27 100%	117 100%	237 100%	150 100%	191 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

## Q5\_3 How much do you agree or disagree with each of the following statements about cannabis? I would recommend cannabis to a friend or family member for medical use.

### Base: Use Cannabis For Health/Wellness

		Household Income					Education		Emplo	yed	Children	in HH	Parent of Under	Child 18	Home Ow	nership	Marital	Status	R	ace/Ethnic	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
-	(A)	<b>(B)</b>	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base Weighted Base	731 695	364 231	132 109*	85 84*	143 265	236 215	245 227	250 254	504 489	227 207	345 343	386 352	344 337	387 359	437 472	279 212	318 328	413 367	122 148*	112 83*	446 397
Strongly/Somewhat Agree (Net)	598 86%	194 84%	88 81%	74 88%	236 89%	176 82%	201 89%	221 87%	433 89%	164 80%	291 85%	307 87%	289 86%	309 86%	404 85%	186 88%	283 86%	314 86%	117 5 79%	73 88%	351 88% S
Strongly agree	393 57%	125 54%	63 58%	50 59%	154 58%	121 56%	126 56%	146 58%	302 62%	91 44%	210 61%	183 52%	211 63% N	182 51%	262 55%	127 60%	199 61%	193 53%	84 57%	49 58%	240 60%
Somewhat agree	205 29%	69 30%	25 23%	24 29%	82 31%	55 26%	75 33%	75 29%	132 27%	73 35%	81 24%	124 35% K	78 23%	127 35% M	142 30%	59 28%	84 26%	121 33%	33 22%	25 30%	112 28%
Strongly/Somewhat Disagree (Net)	66 9%	28 12%	10 9%	7 8%	21 8%	25 12%	20 9%	21 8%	38 8%	28 14%	33 10%	33 9%	30 9%	36 10%	40 9%	24 11%	28 8%	38 10%	21 14%	7 8%	35 9%
Somewhat disagree	34 5%	13 5%	5 5%	5 6%	10 4%	10 5%	12 5%	12 5%	21 4%	13 6%	20 6%	14 4%	19 6%	15 4%	25 5%	8 4%	16 5%	18 5%	5%	4 5%	23 6%
Strongly disagree	32 5%	16 7%	4 4%	2 2%	10 4%	15 7%	8 4%	8 3%	17 3%	15 8%	13 4%	19 5%	11 3%	21 6%	15 3%	16 7%	12 4%	20 5%	14 10%	3 4%	12 3%
Decline to answer	32 5%	9 4%	11 10% BE	3 4%	9 3%	13 6%	6 3%	13 5%	18 4%	14 7%	19 6%	12 4%	18 5%	13 4%	28 6%	•	18 5%	14 4%	10 5 7%	3 4%	11 3%
Sigma	695 100%	231 100%	109 100%	84 100%	265 5 100%	215 100%	227 100%	254 100%	489 100%	207 100%	343 100%	352 100%	337 100%	359 100%	472 5 100%	212 100%	328 100%	367 100%	148 100%	83 100%	397 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base

## Q5\_3 How much do you agree or disagree with each of the following statements about cannabis? I would recommend cannabis to a friend or family member for medical use.

## Base: Use Cannabis For Health/Wellness

	-	Cannabi	s Usage	Use Can	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	731	731	-	-	731
Weighted Base	695	695	-**	-**	695
Strongly/Somewhat Agree (Net)	598 86%	598 86%	:	:	598 86%
Strongly agree	393 57%	393 57%	:	:	393 57%
Somewhat agree	205 29%	205 29%	:	:	205 29%
Strongly/Somewhat Disagree (Net)	66 9%	66 9%	:	:	66 9%
Somewhat disagree	34 5%	34 5%	:	:	34 5%
Strongly disagree	32 5%	32 5%	:	:	32 5%
Decline to answer	32 5%	32 5%	:	:	32 5%
Sigma	695 100%	695 100%	:	:	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. \*\* very small base (under 30) ineligible for sig testing Page 52

## Q5\_4 How much do you agree or disagree with each of the following statements about cannabis? Cannabis is an essential part of my health/wellness routine.

### Base: Use Cannabis For Health/Wellness

		Gen	ıder			Age				:	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
-	(A)	<b>(B)</b>	(C)	(D)	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)	( <b>V</b> )
Unweighted Base Weighted Base	731 695	313 366	409 322	288 268	188 168	122 117*	79 84*	54 59*	115 137*	84 93*	53 57*	35 46**	26 32**	166 124*	103 74*	68 59*	44 38*	28 27**	138 117*	311 237	148 150	134 191*
Strongly/Somewhat Agree (Net)	502 72%	276 76%	218 68%	209 78% GH	134 80% GH	78 67%	53 63%	28 47%	110 80%	77 82%	44 78%	29 62%	17 52%	93 75% P	57 77% P	33 56%	24 64%	11 41%	97 83% TU	159 67%	102 68%	145 76%
Strongly agree	297 43%	164 45%	129 40%	130 48% H	82 49% H	48 41% H	28 33%	9 16%	74 54%	48 52%	26 46%	9 19%	6 20%	52 42%	34 45%	21 36%	19 50%	3 11%	65 56% TU	86 36%	60 40%	86 45%
Somewhat agree	205 29%	113 31%	89 28%	80 30%	52 31%	30 26%	25 30%	18 31%	36 26%	28 30%	18 32%	20 43%	10 32%	40 33% Q	23 31%	12 21%	5 14%	8 30%	32 27%	72 30%	42 28%	59 31%
Strongly/Somewhat Disagree (Net)	166 24%	71 19%	95 30% B	48 18%	24 15%	35 30% DE	31 37% DE	27 47% DE	20 14%	11 12%	11 19%	18 38%	12 37%	29 23%	13 18%	24 41% NOK	13 35%	16 58%	17 14%	66 28% S	43 28% S	41 21%
Somewhat disagree	100 14%	51 14%	49 15%	25 9%	16 9%	24 21% DE	17 20% D	18 31% DE	13 9%	7 8%	8 14%	14 31%	9 28%	12 10%	9 11%	16 27% NQ		10 36%	10 9%	40 17%	26 17%	25 13%
Strongly disagree	66 9%	20 5%	46 14% B	23 9%	9 5%	11 9%	14 17% F	9 15%	7 5%	4 4%	3 4%	3 7%	3 10%	17 13%	5 6%	8 14%	11 28%	6 22%	7 6%	26 11%	17 11%	16 8%
Decline to answer	27 4%	18 5%	-	10 4%	10 6%	4 3%	*	4 6%	7 5%	5 6%	2 4%	:	3 10%	2 2%	4 6%	1 2%	* 1%	* 1%	3 3%	13 5%	5 4%	6 3%
Sigma	695 100%	366 100%	322 100%	268 100%	168 100%	117 100%	84 100%	59 100%	137 100%	93 100%	57 100%	46 100%	32 100%	124 100%	74 100%	59 100%	38 100%	27 100%	117 100%	237 100%	150 100%	191 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

## Q5\_4 How much do you agree or disagree with each of the following statements about cannabis? Cannabis is an essential part of my health/wellness routine.

### Base: Use Cannabis For Health/Wellness

			Household Income				Education		Emplo	yed	Children	in HH	Parent of Under	f Child r 18	Home Ow	nership	Marita	l Status	R	ace/Ethnic	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
-	(A)	<b>(B)</b>	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base Weighted Base	731 695	364 231	132 109*	85 84*	143 265	236 215	245 227	250 254	504 489	227 207	345 343	386 352	344 337	387 359	437 472	279 212	318 328	413 367	122 148*	112 83*	446 397
Strongly/Somewhat Agree (Net)	502 72%	165 72%	77 71%	60 71%	195 5 73%	159 74%	153 68%	190 75%	384 79% J	118 57%	267 78% L	235 67%	266 79% N	236 66%	337 6 71%	159 75%	238 72%	264 72%	106 71%	62 74%	286 72%
Strongly agree	297 43%	95 41%	42 38%	29 34%	131 49%	88 41%	93 41%	116 46%	238 49%	59 28%	173 50%	124 35%	172 51% N	125 35%	198 42%	93 44%	146 44%	151 41%	66 45%	37 44%	176 44%
Somewhat agree	205 29%	70 30%	36 33%	31 36%	64 24%	71 33%	60 27%	74 29%	146 30%	59 29%	94 27%	111 32%	94 28%	111 31%	139 29%	65 31%	92 28%	113 31%	40 27%	25 30%	110 28%
Strongly/Somewhat Disagree (Net)	166 24%	61 26%	27 25%	20 24%	57 57 22%	51 24%	65 29%	49 19%	85 17%	81 39%	64 19%	102 29%	57 17%	109 30% M	115 24%	48 23%	76 23%	90 25%	36 24%	14 17%	100 25%
Somewhat disagree	100 14%	34 15%	14 13%	13 15%	39 5 15%	32 15%	34 15%	35 14%	46 9%	54 26%	37 11%	64 18%	34 10%	66 19%	70 5 15%	30 14%	53 16%	47 13%	23 16%	9 11%	61 15%
Strongly disagree	66 9%	27 12%	12 11%	8 9%	19 5 7%	20 9%	31 14% H	15 6%	39 8%	27 13%	27 8%	39 11%	23 7%	43 12%	45 10%	18 8%	22 7%	43 12%	13 9%	5 5%	39 10%
Decline to answer	27 4%	5 2%	5 4%	4 5%	13 5%	4 2%	8 4%	15 6%	20 4%	7 3%	13 4%	14 4%	14 4%	13 4%	21 4%	5 3%	15 5%	12 3%	6 4%	8 9% U	11 3%
Sigma	695 100%	231 100%	109 100%	84 100%	265 5 100%	215 100%	227 100%	254 100%	489 100%	207 100%	343 100%	352 100%	337 100%	359 100%	472 6 100%	212 100%	328 100%	367 100%	148 100%	83 100%	397 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base

## Q5\_4 How much do you agree or disagree with each of the following statements about cannabis? Cannabis is an essential part of my health/wellness routine.

## Base: Use Cannabis For Health/Wellness

		Cannabi	s Usage	Use Can	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	(B)	(C)	(D)	(E)
Unweighted Base	731	731	-	-	731
Weighted Base	695	695	-**	_**	695
Strongly/Somewhat Agree (Net)	502 72%	502 72%	-	:	502 72%
Strongly agree	297 43%	297 43%	:	:	297 43%
Somewhat agree	205 29%	205 29%	:	:	205 29%
Strongly/Somewhat Disagree (Net)	166 24%	166 24%	:	:	166 24%
Somewhat disagree	100 14%	100 14%	:	:	100 14%
Strongly disagree	66 9%	66 9%	:	:	66 9%
Decline to answer	27 4%	27 4%	:	:	27 4%
Sigma	695 100%	695 100%	:	:	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. \*\* very small base (under 30) ineligible for sig testing Page 55

Q5\_5 How much do you agree or disagree with each of the following statements about cannabis? Using cannabis as part of my health/wellness routine has improved my overall well-being.

### Base: Use Cannabis For Health/Wellness

		Gen	nder		Age						Male Age				Fe	male Age				Regi	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
-	(A)	( <b>B</b> )	(C)	(D)	(E)	( <b>F</b> )	(G)	( <b>H</b> )	( <b>I</b> )	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)	( <b>V</b> )
Unweighted Base Weighted Base	731 695	313 366	409 322	288 268	188 168	122 117*	79 84*	54 59*	115 137*	84 93*	53 57*	35 46**	26 32**	166 124*	103 74*	68 59*	44 38*	28 27**	138 117*	311 237	148 150	134 191*
Strongly/Somewhat Agree (Net)	566 81%	301 82%	258 80%	225 84% H	141 84%	100 86% H	61 72%	40 69%	120 87%	82 88%	49 86%	32 69%	18 58%	98 80%	59 79%	50 85%	29 76%	22 81%	98 84%	184 77%	130 87% T	155 81%
Strongly agree	335 48%	184 50%	146 45%	133 50%	93 56% H	54 46%	34 40%	21 36%	75 54%	58 62%	27 47%	14 30%	11 33%	55 44%	35 47%	26 44%	20 53%	10 38%	58 50%	105 44%	69 46%	102 53%
Somewhat agree	232 33%	117 32%	112 35%	92 34%	48 28%	46 39%	27 32%	19 33%	45 33%	24 25%	22 39%	18 39%	8 25%	44 35%	24 32%	24 41%	9 23%	11 43%	40 34%	79 33%	61 41% V	52 27%
Strongly/Somewhat Disagree (Net)	105 15%	53 15%	52 16%	38 14%	16 9%	15 13%	22 26% E	15 26% E	16 11%	6 7%	7 12%	14 31%	10 32%	22 18%	9 13%	8 13%	7 19%	5 18%	16 14%	42 18%	15 10%	31 16%
Somewhat disagree	65 9%	45 12% C	21 6%	21 8%	11 7%	9 7%	13 15%	12 20% DE	13 9%	5 5%	7 12%	11 24%	9 29%	8 7%	6 8%	2 4%	1 4%	3 10%	11 9%	21 9%	10 7%	23 12%
Strongly disagree	39 6%	9 2%	31 10% B	17 6%	5 3%	6 5%	9 11% E	3 5%	3 2%	1 1%	*	3 7%	1 3%	14 11%	3 5%	6 10%	6 16%	2 8%	5 5%	22 9%	5 3%	7 4%
Decline to answer	24 3%	12 3%	12 4%	5 2%	11 7% D	2 2%	2 2%	4 6%	2 1%	5 6%	1 2%	-	10%	3 2%	6 9%	1 1%	2 5%	* 1%	2 2%	11 5%	4 3%	6 3%
Sigma	695 100%	366 100%	322 100%	268 100%	168 100%	117 100%	84 100%	59 100%	137 100%	93 100%	57 100%	46 100%	32 100%	124 100%	74 100%	59 100%	38 100%	27 100%	117 100%	237 100%	150 100%	191 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing Page 56

Q5\_5 How much do you agree or disagree with each of the following statements about cannabis? Using cannabis as part of my health/wellness routine has improved my overall well-being.

## Base: Use Cannabis For Health/Wellness

			Household Income				Education		Emplo	yed	Children	in HH	Parent of Under	f Child r 18	Home Ow	nership	Marita	l Status	R	ace/Ethnic	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
-	(A)	( <b>B</b> )	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base	731	364	132	85	143	236	245	250	504	227	345	386	344	387	437	279	318	413	122	112	446
Weighted Base	695	231	109*	84*	265	215	227	254	489	207	343	352	337	359	472	212	328	367	148*	83*	397
Strongly/Somewhat Agree	566	184	87	74	219	167	189	210	417	150	285	281	283	284	383	175	268	298	114	70	336
(Net)	81%	79%	80%	87%	6 82%	78%	83%	83%	85%	72%	83%	80%	84%	79%	6 81%	83%	82%	81%	77%	84%	85%
Strongly agree	335 48%	107 46%	52 48%	38 45%	137 52%	92 43%	107 47%	136 54%	262 54%	73 35%	184 54%	151 43%	183 54% N	152 42%	229 48%	100 47%	161 49%	174 47%	74 50%	43 51%	192 48%
Somewhat agree	232	77	35	36	82	76	82	74	155	77	101	131	100	132	154	75	108	124	40	27	144
	33%	33%	32%	42%	31%	35%	36%	29%	32%	37%	30%	37%	30%	37%	33%	35%	33%	34%	27%	33%	36%
Strongly/Somewhat	105	41	18	8	36	40	31	34	59	46	46	59	41	64	72	31	43	62	30	12	45
Disagree (Net)	15%	18%	16%	10%	6 13%	19%	13%	14%	12%	22%	13%	17%	12%	18%	5%	15%	13%	17%	20%	14%	11%
Somewhat disagree	65	27	9	5	6 22	27	13	26	32	33	29	36	27	38	47	18	28	37	16	10	29
	9%	12%	8%	6%	8%	12%	6%	10%	7%	16%	9%	10%	8%	11%	6 10%	9%	9%	10%	11%	12%	7%
Strongly disagree	39	14	9	3	6 14	13	17	9	27	13	16	23	13	26	25	13	15	25	13	2	16
	6%	6%	8%	4%	5%	6%	8%	3%	5%	6%	5%	7%	4%	7%	5%	6%	4%	7%	9%	2%	4%
Decline to answer	24 3%	7 3%	4 4%	2 3%	11 6 4%	8 4%	7 3%	9 4%	13 3%	11 5%	13 4%	11 3%	13 4%	11 3%	17 4%	6 3%	17 5% 8	7 2%	5 3%	2 2%	16 4%
Sigma	695 100%	231 100%	109 100%	84 100%	265 6 100%	215 100%	227 100%	254 100%	489 100%	207 100%	343 100%	352 100%	337 100%	359 100%	472 6 100%	212 100%		367 100%	148 100%	83 100%	397 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base Page 57

Q5\_5 How much do you agree or disagree with each of the following statements about cannabis? Using cannabis as part of my health/wellness routine has improved my overall well-being.

## Base: Use Cannabis For Health/Wellness

	-	Cannabi	s Usage	Use Can	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	731	731	-	-	731
Weighted Base	695	695	-**	-**	695
Strongly/Somewhat Agree (Net)	566 81%	566 81%	:	:	566 81%
Strongly agree	335 48%	335 48%	:	:	335 48%
Somewhat agree	232 33%	232 33%	:	:	232 33%
Strongly/Somewhat Disagree (Net)	105 15%	105 15%	:	:	105 15%
Somewhat disagree	65 9%	65 9%	:	:	65 9%
Strongly disagree	39 6%	39 6%	:	:	39 6%
Decline to answer	24 3%	24 3%	:	:	24 3%
Sigma	695 100%	695 100%	:	:	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. \*\* very small base (under 30) ineligible for sig testing Page 58

Q5\_6 How much do you agree or disagree with each of the following statements about cannabis? I would be more likely to use cannabis as a health solution if it came in small, controlled doses.

## Base: All Respondents Age 21+

		Gen	der		Age						Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
-	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	( <b>S</b> )	( <b>T</b> )	(U)	(V)
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Strongly/Somewhat Agree (Net)	1352 69%	657 71%	684 68%	GH	265 78% GH	231 72% H	226 67% H	250 56%	192 78% M	130 79% M	116 75% M	109 69% M	110 54%	179 73% R	135 78% QR	114 69%	116 65%	140 58%	230 68%	499 66%	279 70%	343 74%
Strongly agree	653 33%	319 34%	330 33%	190 38% H	160 47% DFGH	115 36% H	102 30% H	87 19%	105 42% M	83 50% KLM	52 34% M	52 33% M	27 13%	82 33%	77 44% QR	62 38% R	50 28%	59 24% M	106 31%	237 32%	136 34%	175 38%
Somewhat agree	699 36%	338 36%	354 35%	190 38%	106 31%	116 36%	124 37%	163 36%	88 36%	47 29%	64 41%	57 36%	82 40%	97 40%	59 34%	52 31%	66 37%	81 33%	125 37%	263 35%	143 36%	168 36%
Strongly/Somewhat Disagree (Net)	507 26%		280 28%	104 21%	61 18%	79 24%	90 27% E	174 39% DEFG	49 20%	24 14%	32 20%	39 24%	78 38% IJKL	53 22%	34 19%	47 28%	51 29%	94 39% NO	80 24%	228 30% U	92 23%	107 23%
Somewhat disagree	208 11%	93 10%	112 11%	55 11%	23 7%	33 10%	29 9%	68 15% EG	27 11%	7 4%	16 10%	13 8%	30 15% J	26 11%	17 10%	17 10%	16 9%	37 15%	29 8%	100 13% U	28 7%	51 11%
Strongly disagree	299 15%	129 14%	168 17%	49 10%	37 11%	46 14%	61 18% DE	106 24% DEF	22 9%	17 10%	16 10%	25 16%	48 24% IJK	27 11%	17 10%	30 18%	36 20% NO	58 24% NO	51 15%	129 17%	64 16%	56 12%
Decline to answer	94 5%	51 5%	42 4%	18 4%	17 5%	12 4%	21 6%	25 6%	5 2%	11 7%	8 5%	11 7%	16 8% 1	1 <u>3</u> 5%	5 3%	5 3%	10 6%	8 3%	30 9% TV	23 3%	28 7% TV	13 3%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

Page 59

Q5\_6 How much do you agree or disagree with each of the following statements about cannabis? I would be more likely to use cannabis as a health solution if it came in small, controlled doses.

## Base: All Respondents Age 21+

		Household Income					Education		Emplo	yed	Children	in HH	Parent of Under		Home Ow	nership	Marita	Status	R	ace/Ethnic	ity
	Total	Than \$50K	\$74.9K	\$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married		Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	( <b>C</b> )	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	(K)	(L)	( <b>M</b> )	(N)	(0)	( <b>P</b> )	( <b>Q</b> )	( <b>R</b> )	( <b>S</b> )	( <b>T</b> )	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Strongly/Somewhat Agree (Net)	1352 69%	392 67%	215 68%	179 71%	551 72%	413 70%	423 66%	517 71%	853 76%	499 60%	542 80% L	810 64%	491 80% N	861 64%	945 68%	386 73%	668 69%	684 69%	225 71%	152 66%	855 70%
Strongly agree	653 33%	190 33%	101 32%	95 38%	263 34%	204 34%	215 34%	235 32%	437 39% J	217 26%	298 44% L	355 28%	274 44% N	379 28%	462 33%	180 34%	321 33%	332 34%	124 39%	79 34%	398 32%
Somewhat agree	699 36%	202 35%	113 36%	83 33%	288 38%	209 35%	208 33%	282 39%	416 37%	283 34%	244 36%	455 36%	217 35%	482 36%	484 35%	206 39%	347 36%	352 36%	101 32%	74 32%	457 37%
Strongly/Somewhat Disagree (Net)	507 26%	165 28%	92 29%	64 25%	172 23%	158 27%	182 29%	167 23%	221 20%	286 35%	113 17%	394 31% K	107 17%	400 30% M	374 27%	122 23%	248 26%	259 26%	82 26%	62 27%	311 25%
Somewhat disagree	208 11%	73 12%	34 11%	25 10%	74 10%	73 12%	65 10%	70 10%	97 9%	111 13%	52 8%	156 12% K	52 8%	155 12%	155 11%	48 9%	94 10%	114 11%	40 12%	16 7%	118 10%
Strongly disagree	299 15%	93 16%	58 18%	40 16%	99 13%	86 14%	117 18%	97 13%	124 11%	175 21%	61 9%	238 19% K	55 9%	245 18% M	219 16%	74 14%	154 16%	145 15%	42 13%	46 20%	192 16%
Decline to answer	94 5%	24 4%	11 3%	9 4%	41 5%	22 4%	31 5%	41 6%	53 5%	41 5%	24 4%	69 5%	19 3%	74 6%	68 5%	23 4%	46 5%	47 5%	11 3%	16 7%	64 5%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

Q5\_6 How much do you agree or disagree with each of the following statements about cannabis? I would be more likely to use cannabis as a health solution if it came in small, controlled doses.

## Base: All Respondents Age 21+

		Cannabi	s Usage	Use Can	abis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
-	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Strongly/Somewhat Agree (Net)	1352 69%	869 82% C	448 54%	272 81%	583 84%
Strongly agree	653 33%	462 44% C	173 21%	130 38%	326 47% D
Somewhat agree	699 36%	407 38%	276 33%	142 42%	257 37%
Strongly/Somewhat Disagree (Net)	507 26%	157 15%	328 40% B	51 15%	94 13%
Somewhat disagree	208 11%	94 9%	104 13% B	35 10%	53 8%
Strongly disagree	299 15%	63 6%	224 27% B	17 5%	41 6%
Decline to answer	94 5%	32 3%	47 6% B	14 4%	18 3%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 61

# Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Cannabis

Base: All Respondents Age 21+ (Variable Bases)

		Gen	ıder		Age					I	Male Age				Fe	male Age				Regi	on	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)	( <b>V</b> )
Stress	923 47%	439 47%	475 47%	294 59% GH	190 56% GH	163 51% H	145 43% H	131 29%	147 60% LM	91 56% M	78 50% M	64 40%	59 29%	142 58% QR	99 57% R	84 50% R	81 46% R	71 29%	154 45%	354 47%	197 49%	218 47%
Sleeping difficulties/insomnia	881 45%	406 44%	469 47%			159 49% H			141 57% LM	85 52% M	71 45% M	65 41% M	45 22%	128 52% R	100 57% QR	88 53% R	78 44% R	76 31%	160 47%	337 45%	185 46%	198 43%
Chronic pain	878 45%	423 45%	451 45%	251 50% H	166 49% H	161 50% H		157 35%	129 52% M	74 45%	81 52% M	74 46%	66 32%	119 49%	92 53% QR	80 48%	68 38%	91 38%	147 43%	354 47%	176 44%	200 43%
Anxiety	877 45%	423 46%	446 44%	268 53% H	166 48% H	172 54% H	156 46% H	114 25%	138 56% M	73 44% M	93 60% JM	75 47% M	45 22%	125 51% R	93 53% R	79 48% R	82 46% R	67 28%	155 46%	331 44%	183 46%	208 45%
PTSD (Post-Traumatic Stress Disorder)	744 38%	358 38%	380 38%	239 48% GH	143 42% H	138 43% H	125 37% H	98 22%	122 50% M	65 39% M	67 43% M	64 40% M	40 20%	113 46% R	78 45% R	71 42% R	61 34%	57 23%	130 38%	297 40%	145 36%	171 37%
Menstrual cramps/PMS	304 30%	1	304 30%	100 41% GH	72 41% GH	59 35% GH	35 19%	39 16%	Ξ	:	Ξ	:	Ξ	100 41% QR	72 41% QR	59 35% QR	35 19%	39 16%	46 28%	135 33%	64 27%	59 31%
ADD/ADHD	585 30%	313 34% C	271 27%	203 41% GH	129 38% GH	106 33% H	92 27% H	54 12%	114 46% LM	67 41% M	62 40% M	43 27% M	28 13%	89 36% R	62 36% R	44 26% R	49 27% R	27 11%	94 28%	232 31%	111 28%	148 32%
Low energy	535 27%	273 29%	258 26%	175 35% FH	129 38% FGH	84 26% H	93 28% H	54 12%	85 35% M	73 45% KMO	41 27% M	50 31% M	23 11%	88 36% QR	55 32% R	41 25% R	43 24% R	32 13%	88 26%	218 29%	94 23%	135 29%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

# Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Cannabis

Base: All Respondents Age 21+ (Variable Bases)

		Household Income					Education		Emplo	yed	Children	in HH	Parent of Under	Child 18	Home Ow	nership	Marital	Status	R	ace/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	( <b>B</b> )	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)
Stress	923 47%	286 49%	148 47%	120 48%	358 47%	295 50%	308 48%	319 44%	612 54% J	311 38%	380 56% L	542 43%	357 58% N	566 42%	635 46%	275 52%	437 45%	485 49%	146 46%	120 52%	582 47%
Sleeping difficulties/insomnia	881 45%	266 46%	150 47%	119 47%	337 44%	278 47%	279 44%	324 45%	569 50%	312 38%	365 54% L	516 41%	343 56% N	538 40%	598 43%	269 51% O	388 40%	493 50% Q	136 43%	99 43%	570 46%
Chronic pain	878 45%	257 44%	151 48%	112 44%	346 45%	274 46%	287 45%	317 44%	551 49% J	327 40%	340 50% L	538 42%	319 52% N	559 42%	621 45%	248 47%	421 44%	457 46%	132 42%	108 47%	558 45%
Anxiety	877 45%	276 47%	139 44%	111 44%	341 45%	281 47%	291 46%	304 42%	577 51% J	299 36%	359 53% L	518 41%	337 55% N	540 40%	595 43%	268 50% O	395 41%	482 49% Q	156 49%	110 48%	541 44%
PTSD (Post-Traumatic Stress Disorder)	744 38%	223 38%	124 39%	102 40%	286 37%	243 41%	237 37%	263 36%	491 44% J	253 31%	299 44% L	445 35%	288 47% N	455 34%	521 38%	211 40%	363 38%	381 39%	122 38%	94 41%	461 37%
Menstrual cramps/PMS	304 30%	102 30%	44 24%	36 29%	120 36% C	97 30%	117 29%	90 32%	194 38% J	110 22%	140 40% L	164 25%	132 40% N	172 25%	193 28%	106 35%	138 28%	165 32%	40 26%	42 38%	192 30%
ADD/ADHD	585 30%	189 33%	86 27%	78 31%	225 29%	210 35% GH	174 27%	201 28%	410 36%	175 21%	251 37% L	334 26%	238 38% N	347 26%	384 28%	189 36% O	256 27%	329 33% Q	107 34%	91 39% U	345 28%
Low energy	535 27%	167 29%	83 26%	62 24%	217 28%			204 28%	350 31% J	185 22%	250 37% L	285 22%	231 37% N	304 23%	374 27%	150 28%	235 24%	300 30% Q	87 27%	83 36% U	321 26%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base

# Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Cannabis

Base: All Respondents Age 21+ (Variable Bases)

		Cannabi	s Usage	Use Canr	abis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
	(A)	( <b>B</b> )	(C)	(D)	(E)
Stress	923 47%	693 65% C	208 25%	235 69%	448 64%
Sleeping difficulties/insomnia	881 45%	657 62% C	210 25%	226 67%	422 61%
Chronic pain	878 45%	619 58% C	246 30%	201 60%	408 59%
Anxiety	877 45%	655 62% C	199 24%	216 64%	430 62%
PTSD (Post-Traumatic Stress Disorder)	744 38%	573 54% C	157 19%	192 57%	371 53%
Menstrual cramps/PMS	304 30%	221 44% C	76 16%	88 54% E	129 40%
ADD/ADHD	585 30%	465 44% C	105 13%	153 45%	308 44%
Low energy	535 27%	415 39% C	109 13%	127 38%	284 41%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 64

# Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Pharmaceutical Solution

Base: All Respondents Age 21+ (Variable Bases)

		Gei	ıder			Age				1	Male Age				Fe	male Age	:			Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	( <b>B</b> )	(C)	(D)	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	( <b>T</b> )	(U)	(V)
Low energy	555 28%	280 30%	267 27%	146 29%	95 28%	98 30%	86 26%	129 29%	86 35% N	46 28%	48 31%	42 26%	58 29%	56 23%	46 26%	50 30%	45 25%	70 29%	88 26%	210 28%	103 26%	153 33%
ADD/ADHD	536 27%	243 26%	283 28%	164 33%	86 25%	84 26%	82 24%	120 27%	82 33%	41 25%	27 18%	43 27%	49 24%	74 30%	42 24%	56 34%	39 22%	71 29%	93 27%	203 27%	107 27%	134 29%
Menstrual cramps/PMS	262 26%	:	262 26%	63 26%	41 23%	52 32% G	33 19%	73 30% G	-	:	2	:	2	63 26%	41 23%	52 32% Q	33 19%	73 30% Q	40 24%	115 28%	60 26%	46 24%
Chronic pain	507 26%	260 28%	239 24%	120 24%	80 23%	73 23%	86 26%	148 33% DEF	57 23%	48 29% O	34 22%	44 28%	77 38% IK	58 24%	29 17%	38 23%	42 24%	71 29% O	76 22%	189 25%	96 24%	146 32% S
Anxiety	466 24%	219 24%	241 24%	117 23%	92 27% G	65 20%	62 18%	130 29% FG	56 23%	50 31% K	25 16%	30 19%	58 29% K	59 24%	38 22%	40 24%	33 18%	71 29%	76 22%	173 23%	92 23%	125 27%
Sleeping difficulties/insomnia	461 24%	233 25%	222 22%	110 22%	75 22%	72 22%	73 21%	131 29% D	55 22%	39 24%	40 26%	34 22%	64 31%	52 21%	33 19%	32 19%	38 22%	67 28%	65 19%	179 24%	78 20%	139 30% SU
PTSD (Post-Traumatic Stress Disorder)	460 24%	228 25%	227 23%	115 23%	87 26%	75 23%	69 21%	114 25%	53 22%	52 32% O	38 24%	35 22%	50 24%	59 24%	32 18%	38 23%	35 20%	64 26%	75 22%	175 23%	86 22%	124 27%
Stress	416 21%	203 22%	209 21%	96 19%	71 21%	66 21%	64 19%	120 27% D	50 20%	38 23%	27 17%	35 22%	54 26%	44 18%	30 17%	40 24%	29 16%	66 27% Q	66 20%	158 21%	74 18%	119 26%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

# Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Pharmaceutical Solution

Base: All Respondents Age 21+ (Variable Bases)

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under		Home Own	nership	Marital	Status	R	ace/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	( <b>B</b> )	(C)	( <b>D</b> )	(E)	( <b>F</b> )	(G)	( <b>H</b> )	(I)	( <b>J</b> )	( <b>K</b> )	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Low energy	555 28%	142 24%	76 24%	77 31%	256 33% BC	142 24%	184 29%	229 32% F	327 29%	228 28%	185 27%	370 29%	182 29%	373 28%	404 29%	143 27%	303 31% R	252 25%	109 34% T	45 20%	357 29% T
ADD/ADHD	536 27%	128 22%	85 27%	63 25%			171 27%	220 30%	304 27%	233 28%	200 29%	336 26%	188 30%	349 26%	402 29%	129 24%	303 31% R	234 24%	99 31%	52 23%	346 28%
Menstrual cramps/PMS	262 26%	84 25%	46 26%	30 24%	99 30%	90 27%	99 25%	72 26%	118 23%	144 29%	91 26%	171 26%	90 27%	172 25%	6 194 28% P	63 21%	141 29%	120 23%	59 38% U	35 31%	145 23%
Chronic pain	507 26%	141 24%	70 22%	67 27%	223 29%	139 23%	159 25%	209 29%	268 24%	239 29% I	160 24%	346 27%	151 24%	355 27%	372 27%	129 24%	271 28%	236 24%	99 31%	55 24%	315 26%
Anxiety	466 24%	122 21%	80 25%	57 23%	202 26%	139 23%	138 22%	189 26%	236 21%	229 28%	146 21%	319 25%	136 22%	330 25%	343 5%	113 21%	254 26%	212 21%	79 25%	46 20%	304 25%
Sleeping difficulties/insomnia	461 24%	130 22%	59 19%	61 24%	204 27%	126 21%	144 23%	191 26%	247 22%	214 26%	148 22%	313 25%	141 23%	320 24%	345 5%	110 21%	251 26%	209 21%	85 27%	50 22%	291 24%
PTSD (Post-Traumatic Stress Disorder)	460 24%	122 21%	57 18%	62 24%	215 28% BC	128 22%	137 22%	195 27%	246 22%	215 26%	165 24%	295 23%	155 25%	306 23%	347 5%	109 21%	242 25%	219 22%	88 28%	59 26%	282 23%
Stress	416 21%	108 19%	58 18%	64 25%		114 19%	133 21%	169 23%	208 18%	208 25% I	137 20%	279 22%	130 21%	287 21%	307 22%	103 19%	231 24% R	186 19%	83 26%	39 17%	258 21%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base

# Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Pharmaceutical Solution

Base: All Respondents Age 21+ (Variable Bases)

		Cannabi	s Usage	Use Canr	abis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
	(A)	( <b>B</b> )	(C)	(D)	(E)
Low energy	555 28%	254 24%	287 35% B	82 24%	167 24%
ADD/ADHD	536 27%	238 23%	292 36% B	72 21%	163 23%
Menstrual cramps/PMS	262 26%	85 17%	175 37% B	24 15%	57 18%
Chronic pain	507 26%	204 19%	284 34% B	49 14%	149 21% D
Anxiety	466 24%	178 17%	277 34% B	47 14%	125 18%
Sleeping difficulties/insomnia	461 24%	178 17%	265 32% B	51 15%	119 17%
PTSD (Post-Traumatic Stress Disorder)	460 24%	190 18%	258 31% B	46 14%	139 20% D
Stress	416 21%	152 14%	251 31% B	40 12%	106 15%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 67

# Q6\_1 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Chronic pain

## Base: All Respondents Age 21+

	-	Gen	der			Age				I	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	<b>(B)</b>	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	( <b>V</b> )
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Pharmaceutical solution	507 26%	260 28%	239 24%	120 24%	80 23%	73 23%	86 26%	148 33% DEF	57 23%	48 29% O	34 22%	44 28%	77 38% IK	58 24%	29 17%	38 23%	42 24%	71 29% O	76 22%	189 25%	96 24%	146 32% S
Cannabis	878 45%	423 45%	451 45%	251 50% H	166 49% H	161 50% H	142 42%	157 35%	129 52% M	74 45%	81 52% M	74 46%	66 32%	119 49%	92 53% QR	80 48%	68 38%	91 38%	147 43%	354 47%	176 44%	200 43%
No preference	288 15%	132 14%	154 15%	82 16%	64 19% H	49 15%	42 12%	50 11%	41 17%	28 17%	25 16%	17 11%	21 10%	41 17%	36 21%	24 15%	23 13%	29 12%	68 20% T	95 13%	56 14%	69 15%
Not at all sure	281 14%	114 12%	162 16%	49 10%	33 10%	39 12%	67 20% DEF	93 21% DEF	20 8%	15 9%	15 10%	24 15%	40 20% IJ	27 11%	17 10%	24 14%	44 25% NO	51 21% NO	50 15%	113 15%	71 18% V	48 10%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%		243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

# Q6\_1 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Chronic pain

## Base: All Respondents Age 21+

		Household Income				1	Education		Emplo	yed	Children	in HH	Parent of Under		Home Ow	nership	Marital	Status	R	ace/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	(C)	(D)	(E)	(F)	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	(R)	( <b>S</b> )	(T)	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Pharmaceutical solution	507 26%	141 24%	70 22%	67 27%	223 29%	139 23%	159 25%	209 29%	268 24%	239 29%	160 24%	346 27%	151 24%	355 27%	372 27%	129 24%	271 28%	236 24%	99 31%	55 24%	315 26%
Cannabis	878 45%	257 44%	151 48%	112 44%	346 45%	274 46%	287 45%	317 44%	551 49%	327 40%	340 50%	538 42%	319 52% N	559 42%	621 45%	248 47%	421 44%	457 46%	132 42%	108 47%	558 45%
No preference	288 15%	99 17%	50 16%	32 13%	100 13%	97 16%	89 14%	102 14%	179 16%	109 13%	106 16%	181 14%	95 15%	193 14%	186 5 13%	91 17%	130 13%	158 16%	41 13%	32 14%	188 15%
Not at all sure	281 14%	84 14%	45 14%	41 16%	96 13%	84 14%	100 16%	97 13%	129 11%	152 18%	73 11%	208 16% K	53 9%	228 17% M	208 6 15%	63 12%	142 5 15%	139 14%	46 15%	36 16%	169 14%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 6 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. Page 69

# Q6\_1 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Chronic pain

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Cann	abis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Pharmaceutical solution	507 26%	204 19%	284 34% B	49 14%	149 21% D
Cannabis	878 45%	619 58% C	246 30%	201 60%	408 59%
No preference	288 15%	159 15%	121 15%	49 14%	106 15%
Not at all sure	281 14%	77 7%	173 21% B	39 11% E	33 5%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 70

# Q6\_2 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Low energy

## Base: All Respondents Age 21+

		Gen	der			Age					Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	(B)	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	(V)
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Pharmaceutical solution	555 28%	280 30%	267 27%	146 29%	95 28%	98 30%	86 26%	129 29%	86 35% N	46 28%	48 31%	42 26%	58 29%	56 23%	46 26%	50 30%	45 25%	70 29%	88 26%	210 28%	103 26%	153 33%
Cannabis	535 27%	273 29%	258 26%	175 35% FH	129 38% FGH	84 26% H	93 28% H	54 12%	85 35% M	73 45% KMO	41 27% M	50 31% M	23 11%	88 36% QR	55 32% R	41 25% R	43 24% R	32 13%	88 26%	218 29%	94 23%	135 29%
No preference	407 21%	202 22%	201 20%	117 23%	63 18%	74 23%	65 19%	88 20%	50 20%	23 14%	39 25%	34 22%	55 27% JR	66 27% QR	39 22%	35 21%	30 17%	33 14%	81 24%	146 19%	93 23%	87 19%
Not at all sure	457 23%	174 19%	279 28% B	63 13%	56 16%	67 21% D	93 28% DE	177 39% DEFG	25 10%	21 13%	27 18%	33 21%	68 33% IJK			40 24%	60 34% NO	108 45% NOP	83 24%	177 24%	109 27% V	87 19%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%		246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

# Q6\_2 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Low energy

## Base: All Respondents Age 21+

	-	Household Income					Education		Emplo	yed	Children	in HH	Parent of Under	f Child r 18	Home Ow	nership	Marita	Status	R	ace/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Pharmaceutical solution	555 28%	142 24%	76 24%	77 31%	256 33% BC	142 24%	184 29%	229 32% F	327 29%	228 28%	185 27%	370 29%	182 29%	373 28%	404 29%	143 27%	303 31% R	252 25%	109 34% T	45 20%	357 29% T
Cannabis	535 27%	167 29%	83 26%	62 24%	217 28%	176 30%	155 24%	204 28%	350 31%	185 22%	250 37% L	285 22%	231 37% N	304 23%	374 27%	150 28%	235 24%	300 30% Q	87 27%	83 36% U	321 26%
No preference	407 21%	133 23%	69 22%	59 23%	138 5 18%	124 21%	136 21%	147 20%	258 23%	148 18%	139 20%	268 21%	121 20%	286 21%	272 20%	129 24%	186 19%	220 22%	57 18%	51 22%	255 21%
Not at all sure	457 23%	140 24%	89 28% E	54 22%	154 20%	151 25%	161 25%	145 20%	191 17%	265 32%	107 16%	350 27% K	84 14%	373 28% M	337 24%	110 21%	239 25%	218 22%	64 20%	52 22%	297 24%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

# Q6\_2 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Low energy

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Canı	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Pharmaceutical solution	555 28%	254 24%	287 35% B	82 24%	167 24%
Cannabis	535 27%	415 39% C	109 13%	127 38%	284 41%
No preference	407 21%	230 22%	165 20%	58 17%	168 24% D
Not at all sure	457 23%	160 15%	262 32% B	71 21% E	76 11%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 73

# Q6\_3 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Anxiety

### Base: All Respondents Age 21+

		Gen	der	Age						:	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	(B)	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	( <b>V</b> )
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Pharmaceutical solution	466 24%	219 24%	241 24%	117 23%	92 27% G	65 20%	62 18%	130 29% FG	56 23%	50 31% K	25 16%	30 19%	58 29% K	59 24%	38 22%	40 24%	33 18%	71 29%	76 22%	173 23%	92 23%	125 27%
Cannabis	877 45%	423 46%	446 44%	268 53% H	166 48% H	172 54% H	156 46% H	114 25%	138 56% M	73 44% M	93 60% JM	75 47% M	45 22%	125 51% R	93 53% R	79 48% R	82 46% R	67 28%	155 46%	331 44%	183 46%	208 45%
No preference	301 15%	154 17%	141 14%	81 16%	52 15%	47 15%	48 14%	72 16%	36 14%	27 17%	26 17%	23 14%	43 21%	41 17%	25 14%	21 13%	25 14%	29 12%	50 15%	116 15%	54 13%	81 18%
Not at all sure	310 16%	133 14%	177 18%	36 7%	32 9%	38 12%	70 21% DEF	133 30% DEFG	16 7%	14 9%	12 8%	32 20% IJK	58 29% IJK	20 8%	18 10%	26 16%	38 22% NO	75 31% NOP	59 17% V	131 17% V	71 18% V	49 11%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%		449 100%	246 100%	164 100%	155 100%	159 100%	204 100%		174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

# Q6\_3 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Anxiety

### Base: All Respondents Age 21+

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under	f Child r 18	Home Ow	nership	Marita	Status	F	Race/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	( <b>B</b> )	(C)	(D)	(E)	(F)	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	(R)	(S)	(T)	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Pharmaceutical solution	466 24%	122 21%	80 25%	57 23%	202 26%	139 23%	138 22%	189 26%	236 21%	229 28%	146 21%	319 25%	136 22%	330 25%	343 5%	113 21%	254 26%	212 21%	79 25%	46 20%	304 25%
Cannabis	877 45%	276 47%	139 44%	111 44%	341 45%	281 47%	291 46%	304 42%	577 51% J	299 36%	359 53% L	518 41%	337 55% N	540 40%	595 43%	268 50% O	395 41%	482 49% Q	156 49%	110 48%	541 44%
No preference	301 15%	89 15%	48 15%	44 18%	114 5 15%	82 14%	94 15%	125 17%	193 17%	108 13%	110 16%	191 15%	98 16%	203 15%	214 5%	83 16%	147 5 15%	153 15%	40 13%	37 16%	190 15%
Not at all sure	310 16%	95 16%	50 16%	39 16%	108 14%	91 15%	113 18%	106 15%	120 11%	189 23%	65 10%	245 19% K	47 8%	263 20% M	235 4 17%	67 13%	167 17%	143 14%	43 13%	38 16%	195 16%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%		531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

# Q6\_3 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Anxiety

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Canı	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Pharmaceutical solution	466 24%	178 17%	277 34% B	47 14%	125 18%
Cannabis	877 45%	655 62% C	199 24%	216 64%	430 62%
No preference	301 15%	146 14%	144 17%	40 12%	101 14%
Not at all sure	310 16%	80 8%	205 25% B	35 10% E	40 6%
Sigma	1953 100%	1059 100%	824 100%	338	695

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 76

## Q6\_4 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? ADD/ADHD

### Base: All Respondents Age 21+

		Gen	der			Age				:	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	(V)
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Pharmaceutical solution	536 27%	243 26%	283 28%	164 33%	86 25%	84 26%	82 24%	120 27%	82 33% K	41 25%	27 18%	43 27%	49 24%	74 30%	42 24%	56 34% K	39 22%	71 29%	93 27%	203 27%	107 27%	134 29%
Cannabis	585 30%	313 34% C	271 27%	203 41% GH	129 38% GH	106 33% H	92 27% H	54 12%	114 46% LM	67 41% M	62 40% M	43 27% M	28 13%	89 36% R	62 36% R	44 26% R	49 27% R	27 11%	94 28%	232 31%	111 28%	148 32%
No preference	317 16%	160 17%	154 15%	71 14%	71 21% D	58 18%	53 16%	64 14%	24 10%	37 23%	35 22%	25 15%	39 19% IR	45 18% RI	34 20% R	24 14%	28 16%	24 10%	55 16%	121 16%	68 17%	74 16%
Not at all sure	514 26%	214 23%	297 30% B	64 13%	56 16%	74 23% D	111 33% DEF	211 47% DEFG	26 10%	19 12%	32 20%	49 31% IJ	89 43% IJK	37 15%	36 21%	42 25% N	62 35% NO	120 50% NOPQ	99 29%	196 26%	113 28%	107 23%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%		340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

Page 77

## Q6\_4 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? ADD/ADHD

## Base: All Respondents Age 21+

		Household Income					Education		Emplo	yed	Children	in HH	Parent of Under		Home Own	nership	Marita	l Status	F	ace/Ethnic	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	(C)	(D)	(E)	(F)	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Pharmaceutical solution	536 27%	128 22%	85 27%	63 25%	257 34% B	146 25%	171 27%	220 30%	304 27%	233 28%	200 29%	336 26%	188 30%	349 26%	402 29%	129 24%	303 31% R	234 24%	99 31%	52 23%	346 28%
Cannabis	585 30%	189 33%	86 27%	78 31%	225 29%	210 35% GH	174 27%	201 28%	410 36%	175 21%	251 37% L	334 26%	238 38% N	347 26%	384 28%	189 36% O	256 27%	329 33% Q	107 34%	91 39% U	345 28%
No preference	317 16%	104 18%	54 17%	42 17%	114 15%	89 15%	100 16%	129 18%	191 17%	126 15%	106 16%	211 17%	97 16%	220 16%	218 16%	93 18%	144 5 15%	173 17%	40 13%	33 14%	212 17%
Not at all sure	514 26%	160 28%	92 29%	69 28%	169 22%	148 25%	191 30%	175 24%	221 20%	293 35%	122 18%	392 31% K	95 15%	419 31% M	383 28%	121 23%	260 27%	254 26%	72 23%	54 24%	327 27%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

## Q6\_4 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? ADD/ADHD

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Canı	nabis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Pharmaceutical solution	536 27%	238 23%	292 36% B	72 21%	163 23%
Cannabis	585 30%	465 44% C	105 13%	153 45%	308 44%
No preference	317 16%	174 16%	132 16%	47 14%	124 18%
Not at all sure	514 26%	181 17%	294 36% B	65 19%	101 15%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 79

# Q6\_5 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Stress

### Base: All Respondents Age 21+

		Gen	der			Age					Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	(B)	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	(V)
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Pharmaceutical solution	416 21%	203 22%	209 21%	96 19%	71 21%	66 21%	64 19%	120 27% D	50 20%	38 23%	27 17%	35 22%	54 26%	44 18%	30 17%	40 24%	29 16%	66 27% Q	66 20%	158 21%	74 18%	119 26%
Cannabis	923 47%	439 47%	475 47%	294 59% GH	190 56% GH	163 51% H	145 43% H	131 29%	147 60% LM	91 56% M	78 50% M	64 40%	59 29%	142 58% QR	99 57% R	84 50% R	81 46% R	71 29%	154 45%	354 47%	197 49%	218 47%
No preference	298 15%	138 15%	154 15%	77 15%	46 13%	47 15%	52 15%	76 17%	29 12%	18 11%	29 19%	25 16%	37 18%	45 18%	28 16%	18 11%	25 14%	38 16%	63 18%	115 15%	57 14%	63 14%
Not at all sure	316 16%	149 16%	167 17%	36 7%	36 10%	46 14% D	77 23% DEF	122 27% DEF	21 8%	18 11%	21 14%	34 21%	55 27% IJK	15 6%	17 10%	25 15% N	43 24% NO	68 28% NOP	58 17%	124 17%	72 18%	62 14%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%			246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

# Q6\_5 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Stress

### Base: All Respondents Age 21+

	-		Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Unde	f Child r 18	Home Ow	nership	Marita	Status	R	ace/Ethnici	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Pharmaceutical solution	416 21%	108 19%	58 18%	64 25%	182 24%	114 19%	133 21%	169 23%	208 18%	208 25%	137 20%	279 22%	130 21%	287 21%	307 6 22%	103 19%	231 24% R	186 19%	83 26%	39 17%	258 21%
Cannabis	923 47%	286 49%	148 47%	120 48%	358 47%	295 50%	308 48%	319 44%	612 54% J	311 38%	380 56% L	542 43%	357 58% N	566 42%	635 635 46%	275 52%	437 45%	485 49%	146 46%	120 52%	582 47%
No preference	298 15%	96 17%	52 16%	35 14%	109 14%	92 16%	86 14%	119 16%	175 16%	123 15%	93 14%	204 16%	83 13%	214 16%	205 6 15%	88 16%	122 13%	175 18%	35 11%	40 17%	189 15%
Not at all sure	316 16%	91 16%	60 19%	34 13%	115 15%	91 15%	108 17%	117 16%	132 12%	184 22%	69 10%	247 19% K	48 8%	269 20% M	6 242 6 17%	66 12%	173 18%	144 15%	54 17%	32 14%	201 16%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 6 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used.

# Q6\_5 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Stress

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Canr	abis For
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons
	(A)	( <b>B</b> )	(C)	(D)	(E)
Unweighted Base	1953	1095	795	341	731
Weighted Base	1953	1059	824	338	695
Pharmaceutical solution	416 21%	152 14%	251 31% B	40 12%	106 15%
Cannabis	923 47%	693 65% C	208 25%	235 69%	448 64%
No preference	298 15%	133 13%	155 19% B	35 10%	93 13%
Not at all sure	316 16%	82 8%	210 25% B	28 8%	48 7%
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 82

# Q6\_6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

PTSD (Post-Traumatic Stress Disorder)

### Base: All Respondents Age 21+

	_	Gen	der			Age				1	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	( <b>B</b> )	( <b>C</b> )	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	(V)
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Pharmaceutical solution	460 24%	228 25%	227 23%	115 23%	87 26%	75 23%	69 21%	114 25%	53 22%	52 32% O	38 24%	35 22%	50 24%	59 24%	32 18%	38 23%	35 20%	64 26%	75 22%	175 23%	86 22%	124 27%
Cannabis	744 38%	358 38%	380 38%	239 48% GH	143 42% H	138 43% H	125 37% H	98 22%	122 50% M	65 39% M	67 43% M	64 40% M	40 20%	113 46% R	78 45% R	71 42% R	61 34%	57 23%	130 38%	297 40%	145 36%	171 37%
No preference	308 16%	156 17%	145 14%	84 17%	61 18%	50 16%	52 15%	60 13%	43 18%	28 17%	28 18%	21 13%	36 18%	37 15%	33 19% R	22 13%	30 17%	24 10%	56 17%	113 15%	57 14%	81 17%
Not at all sure	441 23%	187 20%	253 25% B	64 13%	50 15%	58 18%	91 27% DEF	177 39% DEFG	27 11%	19 11%	23 15%	40 25% IJ	78 38% IJK	37 15%	31 18%	36 21%	51 29% NO	99 41% NOP	79 23%	165 22%	110 28% V	86 19%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%	340 100%	751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

## Q6\_6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? PTSD (Post-Traumatic Stress Disorder)

### Base: All Respondents Age 21+

			Househol	d Income		1	Education		Emplo	yed	Children	in HH	Parent of Under	Child 18	Home Ow	nership	Marita	Status	R	ace/Ethnic	ty
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	(R)	(S)	(T)	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Pharmaceutical solution	460 24%	122 21%	57 18%	62 24%	215 28% BC	128 22%	137 22%	195 27%	246 22%	215 26%	165 24%	295 23%	155 25%	306 23%	347 25%	109 21%	242 25%	219 22%	88 28%	59 26%	282 23%
Cannabis	744 38%	223 38%	124 39%	102 40%	286 37%	243 41%	237 37%	263 36%	491 44% J	253 31%	299 44% L	445 35%	288 47% N	455 34%	521 38%	211 40%	363 38%	381 39%	122 38%	94 41%	461 37%
No preference	308 16%	98 17%	65 20% DE	32 13%	109 14%	101 17%	86 13%	121 17%	192 17%	115 14%	111 16%	197 15%	93 15%	215 16%	203 15%	100 19%	122 13%	186 19% Q	46 14%	31 13%	200 16%
Not at all sure	441 23%	137 24%	71 23%	57 23%	155 20%	120 20%	176 28% FH	145 20%	198 18%	243 29%	105 15%	336 26% K	82 13%	359 27% M	317 23%	112 21%	237 25%	204 21%	63 20%	47 20%	286 23%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%			1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%	1388 100%	531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. Page 84

# Q6\_6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

PTSD (Post-Traumatic Stress Disorder)

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Cannabis For					
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons				
	(A)	( <b>B</b> )	(C)	(D)	(E)				
Unweighted Base	1953	1095	795	341	731				
Weighted Base	1953	1059	824	338	695				
Pharmaceutical solution	460 24%	190 18%	258 31% B	46 14%	139 20% D				
Cannabis	744 38%	573 54% C	157 19%	192 57%	371 53%				
No preference	308 16%	149 14%	148 18%	45 13%	100 14%				
Not at all sure	441 23%	147 14%	261 32% B	55 16%	86 12%				
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%				

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 85

# Q6\_7 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Sleeping difficulties/insomnia

### Base: All Respondents Age 21+

	-	Gen	der			Age				:	Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	( <b>B</b> )	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	(V)
Unweighted Base Weighted Base	1953 1953	787 929	1146 1005	548 502	392 342	307 322	286 337	420 449	203 246	149 164*	122 155*	117 159*	196 204	332 246	240 174	184 166*	168 177	222 243	387 340	864 751	393 399	309 462
Pharmaceutical solution	461 24%	233 25%	222 22%	110 22%	75 22%	72 22%	73 21%	131 29% D	55 22%	39 24%	40 26%	34 22%	64 31%	52 21%	33 19%	32 19%	38 22%	67 28%	65 19%	179 24%	78 20%	139 30% SU
Cannabis	881 45%	406 44%	469 47%	271 54% GH	185 54% GH	159 49% H	142 42% H	123 27%	141 57% LM	85 52% M	71 45% M	65 41% M	45 22%	128 52% R	100 57% QR	88 53% R	78 44% R	76 31%	160 47%	337 45%	185 46%	198 43%
No preference	302 15%	152 16%	148 15%	80 16%	50 15%	45 14%	53 16%	74 17%	33 13%	22 13%	26 17%	28 17%	43 21%	46 19%	28 16%	19 12%	25 14%	31 13%	63 19%	112 15%	55 14%	72 16%
Not at all sure	310 16%	138 15%	166 17%	41 8%	33 10%	47 14% D	69 21% DE	121 27% DEF	17 7%	18 11%	19 12%	32 20% I	52 25% IJK	19 8%	14 8%	28 17% NO	37 21% NO	69 28% NOP	52 15%	124 16%	81 20% V	54 12%
Sigma	1953 100%	929 100%	1005 100%	502 100%	342 100%	322 100%	337 100%	449 100%	246 100%	164 100%	155 100%	159 100%	204 100%	246 100%	174 100%	166 100%	177 100%	243 100%		751 100%	399 100%	462 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base

Page 86

## Q6\_7 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Sleeping difficulties/insomnia

### Base: All Respondents Age 21+

	-		Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under	f Child r 18	Home Ow	nership	Marita	Status	R	ace/Ethnic	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	<b>(B)</b>	( <b>C</b> )	( <b>D</b> )	(E)	( <b>F</b> )	(G)	(H)	(I)	( <b>J</b> )	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base Weighted Base	1953 1953	873 581	409 317	255 252	379 765	584 593	643 636	726 724	1120 1127	833 826	684 680	1269 1273	651 618	1302 1335	1269 1388	645 531	930 963	1023 990	245 318	265 231	1320 1230
Pharmaceutical solution	461 24%	130 22%	59 19%	61 24%	204 27%	126 21%	144 23%	191 26%	247 22%	214 26%	148 22%	313 25%	141 23%	320 24%	345 25%	110 21%	251 26%	209 21%	85 27%	50 22%	291 24%
Cannabis	881 45%	266 46%	150 47%	119 47%	337 44%	278 47%	279 44%	324 45%	569 50%	312 38%	365 54% L	516 41%	343 56% N	538 40%	598 43%	269 51%	388 40%	493 50%	136 43%	99 43%	570 46%
No preference	302 15%	96 17%	51 16%	39 15%	108 14%	98 17%	102 16%	101 14%	179 16%	122 15%	94 14%	208 16%	80 13%	222 17%	207 5 15%	91 17%	143 5 15%	159 16%	44 14%	48 21% U	169 14%
Not at all sure	310 16%	89 15%	57 18%	34 13%	115 15%	91 15%	111 17%	108 15%	132 12%	178 22%	73 11%	237 19% K	54 9%	256 19% M	238 17%	62 12%	181 5 19% R	129 13%	52 16%	34 15%	200 16%
Sigma	1953 100%	581 100%	317 100%	252 100%	765 100%	593 100%	636 100%	724 100%	1127 100%	826 100%	680 100%	1273 100%	618 100%	1335 100%		531 100%	963 100%	990 100%	318 100%	231 100%	1230 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. Page 87

## Q6\_7 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Sleeping difficulties/insomnia

Base: All Respondents Age 21+

		Cannabi	s Usage	Use Cannabis For					
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons				
	(A)	( <b>B</b> )	(C)	(D)	(E)				
Unweighted Base	1953	1095	795	341	731				
Weighted Base	1953	1059	824	338	695				
Pharmaceutical solution	461 24%	178 17%	265 32% B	51 15%	119 17%				
Cannabis	881 45%	657 62% C	210 25%	226 67%	422 61%				
No preference	302 15%	150 14%	137 17%	33 10%	113 16%				
Not at all sure	310 16%	73 7%	212 26% B	28 8%	41 6%				
Sigma	1953 100%	1059 100%	824 100%	338 100%	695 100%				

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 88

# Q6\_8 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions?

Menstrual cramps/PMS

### Base: All Women Age 21+

		Ge	nder			Age					Male Age				Fe	male Age				Reg	ion	
	Total	Male	Female	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	18-34	35-44	45-54	55-64	65+	North- east	South	Mid- west	West
	(A)	( <b>B</b> )	(C)	(D)	(E)	( <b>F</b> )	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)	( <b>V</b> )
Unweighted Base Weighted Base	1146 1005	- -**	1146 1005	332 246	240 174	184 166*	168 177	222 243	**	- _**	- _**	**	- _**	332 246	240 174	184 166*	168 177	222 243	215 165	529 415	250 236	152 190*
Pharmaceutical solution	262 26%	:	262 26%	63 26%	41 23%	52 32%	33 19%	73 30%	Ē	Ē	:	:	:	63 26%	41 23%	52 32% Q	33 19%	73 30% Q	40 24%	115 28%	60 26%	46 24%
Cannabis	304 30%	1	304 30%	100 41% GH	72 41% GH	59 35% GH	35 19%	39 16%	:	:	1	1	Ξ	100 41% QR	72 41% QR		35 19%	39 16%	46 28%	135 33%	64 27%	59 31%
No preference	199 20%	:	199 20%	55 23% H	39 22% H			28 12%	1	:	:	:	1	55 23% R	39 22% R		51 28% PR	28 12%	38 23%	76 18%	46 20%	39 20%
Not at all sure	241 24%	1	241 24%	28 11%			59 33% DEF	103 42% DEF	:	:	2	:	2	28 11%	22 13%	29 17%	59 33% NOP	103 42% NOP	41 25%	88 21%	66 28%	45 24%
Sigma	1005 100%	:	1005 100%	246 100%	174 100%	166 100%		243 100%	:	:	:	:	-	246 100%	174 100%	166 100%	177 100%		165 100%	415 100%	236 100%	190 100%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E/F/G/H - I/J/K/L/M - N/O/P/Q/R - I/N - J/O - K/P - L/Q - M/R - S/T/U/V Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

## Q6\_8 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Menstrual cramps/PMS

### Base: All Women Age 21+

			Househol	d Income			Education		Emplo	yed	Children	in HH	Parent of Under	f Child r 18	Home Ow	nership	Marita	Status	R	ace/Ethnici	ity
	Total	Less Than \$50K	\$50K \$74.9K	\$75K \$99.9K	\$100K+	HS or less	Some College	College Grad+	Yes	No	Yes	No	Yes	No	Homeowner	Renter	Married	Not married	Hispanic	Black (Not His- panic)	White (Not His- panic)
	(A)	( <b>B</b> )	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(0)	( <b>P</b> )	(Q)	( <b>R</b> )	(S)	(T)	(U)
Unweighted Base Weighted Base	1146 1005	550 343	258 180	141 127*	175 332	356 330	438 399	352 277	628 514	518 491	436 352	710 654	422 327	724 678	701 685	425 306	537 488	609 517	155 155*	151 111*	766 638
Pharmaceutical solution	262 26%	84 25%	46 26%	30 24%	99 30%	90 27%	99 25%	72 26%	118 23%	144 29%	91 26%	171 26%	90 27%	172 25%	6 194 6 28% P	63 21%	141 29%	120 23%	59 38% U	35 31%	145 23%
Cannabis	304 30%	102 30%	44 24%	36 29%	120 36%	97 30%	117 29%	90 32%	194 38% J	110 22%	140 40% L	164 25%	132 40% N	172 25%	193 6 28%	106 35%	138 28%	165 32%	40 26%	42 38%	192 30%
No preference	199 20%	76 22%	41 23%	24 19%	52 16%	62 19%	76 19%	60 22%	121 24%	78 16%	70 20%	129 20%	65 20%	134 20%	122 6 18%	73 24%	89 18%	110 21%	29 19%	13 12%	135 21% T
Not at all sure	241 24%	81 24%	48 27%	36 28%	61 18%	80 24%	107 27%	54 20%	81 16%	159 32%	51 14%	190 29% K	41 12%	200 30% M	475 6 26%	64 21%	119 24%	122 23%	27 17%	21 19%	166 26%
Sigma	1005 100%	343 100%	180 100%	127 100%	332 100%	330 100%	399 100%	277 100%	514 100%	491 100%	352 100%	654 100%	327 100%	678 100%	685 60%	306 100%	488 100%	517 100%	155 100%	111 100%	638 100%

Proportions/Means: Columns Tested (5% risk level) - B/C/D/E - F/G/H - I/J - K/L - M/N - O/P - Q/R - S/T/U Overlap formulae used. \* small base Page 90

## Q6\_8 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Menstrual cramps/PMS

Base: All Women Age 21+

		Cannabi	Use Cannabis For						
	Total	Ever Used	Never Used	Recreational Use Only	Health/Well- ness Reasons				
	(A)	( <b>B</b> )	(C)	(D)	(E)				
Unweighted Base	1146	609	507	183	409				
Weighted Base	1005	505	473	163	322				
Pharmaceutical solution	262 26%	85 17%	175 37% B	24 15%	57 18%				
Cannabis	304 30%	221 44% C	76 16%	88 54% E	129 40%				
No preference	199 20%	117 23% C	79 17%	28 17%	84 26%				
Not at all sure	241 24%	82 16%	143 30% B	24 14%	50 16%				
Sigma	1005 100%	505 100%	473 100%	163 100%	322 100%				

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E Overlap formulae used. Page 91

11	March	2022
----	-------	------

Fielding Period: March 8 - 10, 2022 Curaleaf

# Weighted To The U.S. General Adult Population - Propensity Page Table Title

- 1 QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? Summary Of Strongly/Somewhat Agree 1
- 2 QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? Summary Of Strongly/Somewhat Agree 2
- 3 QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? Summary Of Strongly/Somewhat Agree 3
- 4 QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? Summary Of Strongly/Somewhat Disagree 4
- 5 QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? Summary Of Strongly/Somewhat Disagree 5
- 6 QS1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? Summary Of Strongly/Somewhat Disagree 6
- QS1\_1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acoupuncture, supplements)? I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible. 7
- 8 QS1\_1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible. 8
- 9 QS1\_1 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would prefer holistic solutions to pharmaceuticals to treat a medical issue when possible. q
- QS1\_2 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., 10 10 aromatherapy, cannabis, acupuncture, supplements)? I would be more interested in using a holistic solution to treat pain than pharmaceuticals.
- 11 11 QS1\_2 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would be more interested in using a holistic solution to treat pain than pharmaceuticals.
- 12 QS1\_2 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would be more interested in using a holistic solution to treat pain than pharmaceuticals. 12
- 13 13 QS1\_3 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety.
- 14 QS1\_3 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety. 14
- 15 QS1\_3 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would give up my favorite food for a year if it meant finding a holistic solution to treat my anxiety. 15
- QS1\_4 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would like more education on how holistic solutions can be used in lieu of and in addition to 16 16 pharmaceuticals to treat medical issues.
- QS1\_4 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would like more education on how holistic solutions can be used in lieu of and in addition to 17 17 pharmaceuticals to treat medical issues.
- QS1\_4 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? I would like more education on how holistic solutions can be used in lieu of and in addition to 18 18 pharmaceuticals to treat medical issues.
- QS1\_5 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acoupuncture, supplements)? If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals. 19 19
- QS1\_5 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acupuncture, supplements)? If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals. 20 20
- QS1\_5 How much do you agree or disagree with each of the following statements about holistic solutions (e.g., aromatherapy, cannabis, acoupuncture, supplements)? If there were holistic solutions effective in treating my medical issues, I would not use pharmaceuticals. 21 21
- 22 Q1 In which of the following ways, if any, have you ever used cannabis? For the purposes of this survey, by cannabis, we mean marijuana products that contain THC. Please select all that apply. 22
- 23 23 Q1 In which of the following ways, if any, have you ever used cannabis? For the purposes of this survey, by cannabis, we mean marijuana products that contain THC. Please select all that apply.

Page	Table	vdult Population - Propensity <u>Title</u>
24	24	Q1 In which of the following ways, if any, have you ever used cannabis? For the purposes of this survey, by cannabis, we mean marijuana products that contain THC. Please select all that apply.
25		Q2 For which of the following health/wellness purposes would you ever consider using cannabis? Please select all that apply.
26	26	Q2 For which of the following health/wellness purposes would you ever consider using cannabis? Please select all that apply.
28	27	
29	28	
31 33	29 30	
35	31	
36	32	
37	33	
38	34	
39	35	
40	36	
41	37	Summary Of Strongly/Somewhat Disagree
42	38	Summary Of Strongly/Somewhat Disagree
43	39	Summary Of Strongly/Somewhat Disagree
44	40	l would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.
45		Q5_1 How much do you agree or disagree with each of the following statements about cannabis? I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.
46	42	I would prefer to use cannabis rather than pharmaceuticals to treat a medical issue when possible.
47 48	43 44	Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.
40	44	Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.
50	46	Using cannabis as an alternative/in addition to pharmaceuticals has improved my overall well-being.
51	47	I would recommend cannabis to a friend or family member for medical use.
52	48	
53	49	
54	50	
55	51	
56	52	Q5_5 How much do you agree or disagree with each of the following statements about cannabis? Using cannabis as part of my health/wellness routine has improved my overall well-being.
57	53	
58	54	Q5_5 How much do you agree or disagree with each of the following statements about cannabis? Using cannabis as part of my health/wellness routine has improved my overall well-being.
59	55	Q5.6 How much do you agree or disagree with each of the following statements about cannabis? I would be more likely to use cannabis as a health solution if it came in small, controlled doses.
60	56	l would be more likelý to uše cannabis as a health solution if it came in small, controlled doses.
61	57	Q5_6 How much do you agree or disagree with each of the following statements about cannabis? I would be more likely to use cannabis as a health solution if it came in small, controlled doses.

44 Marsh 2022	
11 March 2022 Fielding Pariad: March 8 10 2	2022
Fielding Period: March 8 - 10, 2 Curaleaf	
Weighted To The U.S. General Page Tab	le <u>Title</u>
62 5	58 Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Cannabis
	Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Cannabis
64 6	60 Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Cannabis
65 6	61 Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Pharmaceutical Solution
66 6	62 Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Pharmaceutical Solution
67 6	63 Q6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Summary Of Would Prefer Pharmaceutical Solution
68 6	64 Q6 1 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Chronic pain
69 6	65 Q6 1 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Chronic pain
70 6	66 Q6 1 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Chronic pain
71 6	67 Q6_2 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Low energy
72 6	68 Q6_2 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Low energy
73 6	69 OE 2 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Low energy
74 7	70 Q6_3 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Anxiety
75 7	71 Q6_3 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Anxiety
76 7	72 Q6_3 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Anxiety
77 7	73 Q6_4 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? ADD/ADHD
78 7	74 Q6_4 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? ADD/ADHD
79 7	75 Q6.4 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? ADD/ADHD
80 7	76 Q6_5 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Stress
81 7	77 Q6_5 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Stress
82 7	78 Q6_5 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Stress
83 7	79 Q6 6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? PTSD (Post-Traumatic Stress Disorder)
84 8	80 Q6_6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? PTSD (Post-Traumatic Stress Disorder)

#### 11 March 2022

Fielding Period: March 8 - 10, 2022 Curaleaf

Weighted To The U.S. General Adult Population - Propensity Page Table Title

- - 81 Q6\_6 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? PTSD (Post-Traumatic Stress Disorder) 85
  - 82 Q6\_7 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Sleeping difficulties/insomnia 86
  - 83 Q6\_7 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Sleeping difficulties/insomnia 87
  - 84 Q6\_7 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? 88 Sleeping difficulties/insomnia
  - 85 Q6\_8 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Menstrual cramps/PMS 89
  - 86 Q6\_8 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Menstrual cramps/PMS 90
  - 87 Q6\_8 Would you prefer to use cannabis or a pharmaceutical solution (e.g., over-the-counter medications, prescription medications) to relieve the following symptoms or conditions? Menstrual cramps/PMS 91