

# SAFETY DATA SHEET

# 1. IDENTIFICATION

Product Name Speedway Multi-purpose DM Automatic Transmission Fluid

Synonym Speedway Dexron-III Automatic Transmission Fluid; Speedway Dexron-III/Mercon

Automatic Transmission Fluid; Speedway Dexron ATF; Speedway Mercon ATF;

0130SPE012; 0138SPE012

Product code 0121SPE012 Chemical family Hydrocarbon Mixture

Recommended use Automatic transmission fluid.

Restrictions on use All others.

Manufacturer, Importer, or Responsible Party Name and

Address

Speedway LLC P.O. Box 1500 Enon, OH 45501

**SDS Information** 1-937-863-7727

**24 Hour Emergency Telephone** CHEMTREC: 1-800-424-9300

### 2. HAZARD IDENTIFICATION

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Classification

Based on available data, the classification criteria are not met.

### Hazards Not Otherwise Classified (HNOC)

Not applicable

### **Label Elements**

No known significant effects or critical hazards.

Appearance Red Liquid Physical State Liquid Odor Petroleum

**Precautionary Statements - Prevention** 

Not applicable

**Precautionary Statements - Response** 

Not applicable

**Precautionary Statements - Storage** 

Not applicable

SDS ID NO.: 0121SPE012 Product name: Speedway Multi-purpose DM Automatic Transmission Fluid Page 1 of 8

**Revision date** 05/01/2020

### **Precautionary Statements - Disposal**

Not applicable

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Composition Information**

Name	CAS Number	% Concentration
Petroleum Distillates, Hydrotreated Heavy Paraffinic	64742-54-7	10-30

Automatic Transmission Fluid (ATF) is a complex mixture of highly refined lubricating oil base stocks and additives. All concentrations are percent by weight unless material is a gas. Gas concentrations are in percent by volume.

# 4. FIRST AID MEASURES

First aid measures

General advice In case of accident or if you feel unwell, seek medical advice immediately (show directions

for use or safety data sheet if possible).

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms

occur get medical attention.

**Skin contact** Wash skin with plenty of soap and water. If irritation or other symptoms occur get medical

attention. Wash contaminated clothing and clean shoes before reuse. Any injection injury from high pressure equipment should be evaluated immediately by a physician as

potentially serious (See NOTES TO PHYSICIAN).

Eye contact Immediately flush eyes with plenty of water. Eyelids should be held away from the eyeball

to ensure thorough rinsing. Gently remove contacts while flushing. Get medical attention if

irritation persists.

Ingestion Rinse mouth out with water. If spontaneous vomiting occurs, keep head below hips, or if

patient is lying down, turn body and head to side to prevent aspiration and monitor for breathing difficulty. Never give anything by mouth to an unconscious person. Keep affected

person warm and at rest. If symptoms develop, seek medical attention.

Most important signs and symptoms, both short-term and delayed with overexposure

Adverse effects Repeated or prolonged skin contact may cause drying, reddening, itching and cracking.

Indication of any immediate medical attention and special treatment needed

Notes to physician SKIN: Leaks or accidents involving high-pressure equipment may inject a stream of material

through the skin and initially produce an injury that may not appear serious. Only a small puncture wound may appear on the skin surface but, without proper treatment and depending on the nature, original pressure, volume, and location of the injected material, can compromise blood supply to an affected body part. Prompt surgical debridement of the wound may be necessary to prevent irreversible loss of function and/or the affected body part. High pressure injection injuries may be SERIOUS SURGICAL EMERGENCIES.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media For small fires, Class B fire extinguishing media such as CO2, dry chemical, foam

(AFFF/ATC) or water spray can be used. For large fires, water spray, fog or foam (AFFF/ATC) can be used. Firefighting should be attempted only by those who are

adequately trained and equipped with proper protective equipment.

**Unsuitable extinguishing media**Do not use a solid water stream as it may scatter and spread fire.

SDS ID NO.: 0121SPE012 Product name: Speedway Multi-purpose DM Automatic Transmission Fluid Page 2 of 8

Specific hazards arising from the

chemical

The product is not combustible per the OSHA Hazard Communication Standard, but will ignite and burn at temperatures exceeding the flash point.

**Hazardous combustion products** 

Smoke, carbon monoxide, and other products of incomplete combustion.

**Explosion data** 

Sensitivity to mechanical

impact:

Sensitivity to static discharge: No.

No.

Special protective equipment and precautions for firefighters

Avoid using straight water streams. Water spray and foam (AFFF/ATC) must be applied carefully to avoid frothing and from as far a distance as possible. Avoid excessive water spray application. Use water spray to cool exposed surfaces from as far a distance as possible. Keep run-off water out of sewers and water sources.

Additional firefighting tactics

Not applicable

Health 1 **NFPA** 

Instability 0 Flammability 1

Special Hazard -

Page 3 of 8

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** Keep public away. Isolate and evacuate area. Shut off source if safe to do so.

Protective equipment Use personal protection measures as recommended in Section 8.

Advise authorities and National Response Center (800-424-8802) if the product has **Emergency procedures** 

entered a water course or sewer. Notify local health and pollution control agencies, if

appropriate.

Avoid release to the environment. Avoid subsoil penetration. **Environmental precautions** 

Methods and materials for

containment

Prevent further leakage or spillage if safe to do so.

up

Methods and materials for cleaning Use suitable absorbent materials such as vermiculite, sand, or clay to clean up residual liquids. Recover and return free product to proper containers.

### HANDLING AND STORAGE

Safe handling precautions

Avoid contact with skin, eyes and clothing. Do not swallow. Avoid breathing vapors or mists. Use good personal hygiene practices. Wash thoroughly after handling. Use personal protection measures as recommended in Section 8. Do not cut, drill, grind or weld on empty containers since explosive residues may remain. Refer to applicable EPA, OSHA, NFPA and consistent state and local requirements.

High-pressure injection of any material through the skin is a serious medical emergency even though the small entrance wound at the injection site may not initially appear serious. These injection injuries can occur from high-pressure equipment such as paint spray or grease or guns, fuel injectors, or pinhole leaks in hoses or hydraulic lines and should all be considered serious. High pressure injection injuries may be SERIOUS SURGICAL

EMERGENCIES (See First Aid Section 4).

Storage conditions Store in properly closed containers that are appropriately labeled and in a cool,

well-ventilated area. Containers that have been opened must be carefully resealed and kept

upright to prevent leakage. Store away from incompatible materials.

Incompatible materials Strong oxidizing agents.

**SDS ID NO.:** 0121SPE012 Product name: Speedway Multi-purpose DM Automatic Transmission Fluid

Revision date 05/01/2020

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

Name	ACGIH TLV	OSHA PELS	NIOSH IDLH
Petroleum Distillates, Hydrotreated Heavy Paraffinic 64742-54-7	Mineral oil, highly/severely refined, inhalable fraction 5 mg/m³ TWA	-	-

**Notes:** No further information available.

Engineering measures Local or general exhaust required when using at elevated temperatures that generate

vapors or mists.

Personal protective equipment

**Eye protection** Use goggles or face-shield if the potential for splashing exists.

**Skin and body protection**Use nitrile rubber, Viton® or PVA gloves for repeated or prolonged skin exposure. Glove

suitability is based on workplace conditions and usage. Contact the glove manufacturer for specific advice on glove selection and breakthrough times. Wear appropriate protective

clothing.

**Respiratory protection**Use a NIOSH approved organic vapor chemical cartridge or supplied air respirators when

there is the potential for airborne exposures to exceed permissible exposure limits or if excessive vapors are generated. Observe respirator assigned protection factors (APFs) criteria cited in federal OSHA 29 CFR 1910.134. Self-contained breathing apparatus should

be used for fire fighting.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes and clothing. Wash hands before breaks and immediately after handling the

product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Red Liquid
Physical State Liquid
Color Red
Odor Petroleum
Odor Threshold No data available.

PropertyValues (method)pHNo available data.Melting Point / Freezing PointNo data available.Initial Boiling Point / Boiling RangeNo data available.

Flash Point 180 °C / 356 °F (Cleveland Open-Cup)

Evaporation Rate No data available. Flammability (solid, gas) Not applicable.

Flammability Limit in Air (%):

Upper Flammability Limit:
Lower Flammability Limit:
No data available.
No data available.
Vapor Pressure
Vapor Density
No data available.
No data available.
No data available.

Specific Gravity / Relative Density 0.85

Water Solubility
Partition Coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity
No data available.
No data available.
No data available.
No data available.
Solution Temperature
No data available.
No data available.

SDS ID NO.: 0121SPE012 Product name: Speedway Multi-purpose DM Automatic Transmission Fluid Page 4 of 8

Revision date 05/01/2020

VOC Content (%) No data available.

10. STABILITY AND REACTIVITY

**Reactivity** The product is non-reactive under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization Will not occur.

**Conditions to avoid** Sources of heat or ignition.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products None known under normal conditions of use.

## 11. TOXICOLOGICAL INFORMATION

### Potential short-term adverse effects from overexposures

**Inhalation** Overheating may produce vapors which may cause respiratory irritation, dizziness and

nausea.

Exposure to vapor or contact with liquid may cause mild eye irritation, including tearing,

stinging, and redness.

**Skin contact** Prolonged or repeated contact may dry skin and cause irritation.

**Ingestion** May cause irritation of the mouth, throat and gastrointestinal tract.

#### Acute toxicological data

Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum Distillates, Hydrotreated Heavy Paraffinic 64742-54-7	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.5 mg/l (Rat) 4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

This product is considered to have a low order of acute and chronic toxicity under normal use and storage conditions

#### Adverse effects related to the physical, chemical and toxicological characteristics

Signs and symptoms Repeated or prolonged skin contact may cause drying, reddening, itching and cracking.

Acute toxicity None known.

**Skin corrosion/irritation** None known.

Serious eye damage/eye irritation None known.

**Sensitization** None known.

Mutagenic effects None known.

Carcinogenicity None known.

Name	ACGIH	IARC	NTP	OSHA
	(Class)	(Class)		

Petroleum Distillates,	Mineral oil, poorly/mildly	Mineral oil, untreated or	Mineral oil, poorly/mildly	Not Listed
Hydrotreated Heavy	refined	mildly treated	refined	
Paraffinic	Suspected Human	Carcinogenic to humans (1)	Known to be human	
64742-54-7	Carcinogen (A2)	Mineral oil, highly refined	carcinogen	
	Mineral oil, highly/severely	Not Classifiable (3)		
	refined, inhalable fraction			
	Not Classifiable (A4)			

Reproductive toxicity None known.

Specific Target Organ Toxicity (STOT) - single exposure

None known.

Specific Target Organ Toxicity (STOT) - repeated exposure

None known.

Aspiration hazard None known.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** This product is not expected to be harmful to aquatic organisms.

Name	Fish	Crustacea	Algae/aquatic plants
Petroleum Distillates, Hydrotreated	96-hr LC50 = 5000 mg/L	48-hr EC50 = 1000 mg/L	-
Heavy Paraffinic	Rainbow trout	Daphnia magna	
64742-54-7		, ,	

Persistence and degradability

Bioaccumulation

No information available.

Mobility in soil

Other adverse effects

No information available.

No information available.

# 13. DISPOSAL CONSIDERATIONS

**Description of waste residues**No information available.

Safe handling of wastes Handle in accordance with applicable local, state, and federal regulations. Use personal

protection measures as required.

Disposal of wastes / methods of

disposal

The user is responsible for determining if any discarded material is a hazardous waste (40 CEP 363 11). Dispense of in accordance with fodoral, state and lead requisitions.

CFR 262.11). Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging disposal** Empty containers should be completely drained and then discarded or recycled, if possible.

Do not cut, drill, grind or weld on empty containers since explosive residues may be

present. Dispose of in accordance with federal, state and local regulations.

### 14. TRANSPORT INFORMATION

DOT

UN/Identification No:Not applicableUN Proper Shipping Name:Not RegulatedTransport Hazard Class(es):Not applicablePacking Group:Not applicable

**IATA** 

UN/Identification No:
UN Proper Shipping Name:
Not applicable
Not Regulated

SDS ID NO.: 0121SPE012 Product name: Speedway Multi-purpose DM Automatic Transmission Fluid Page 6 of 8

Transport Hazard Class(es):

Packing Group:

Not applicable
Not applicable

**IMDG** 

UN/Identification No:
UN Proper Shipping Name:
Not Regulated
Transport Hazard Class(es):
Not applicable
Packing Group:
Not applicable

Marine Pollutant: No

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## 15. REGULATORY INFORMATION

Regulatory Information

US TSCA Chemical Inventory

This product and/or its components are listed on the TSCA Chemical Inventory or are

exempt.

Canada DSL/NDSL Inventory

This product and/or its components are listed either on the Domestic Substances List (DSL)

or are exempt.

EPA Superfund Amendment & Reauthorization Act (SARA)

SARA Section 302 This product does not contain any component(s) included on EPA's Extremely Hazardous

Substance (EHS) List above the de minimis threshold.

SARA Section 304 This product does not contain any component(s) identified as an EHS or a CERCLA

Hazardous substance above the de minimis threshold.

SARA Section 311/312 The following EPA hazard categories apply to this product:

None

SARA Section 313 This product does not contain components subject to the reporting requirements of SARA

TItle III Section 313 Toxic Release Inventory Reporting (Form R) above the de minimis

threshold.

U.S. State Regulations

California Proposition 65 This product can expose you to chemicals which are known to the State of California to

cause cancer, birth defects or other reproductive harm.

For more information, go to www.P65Warnings.ca.gov.

State Right-To-Know Regulations The following component(s) of this material are identified on the regulatory lists below:

Name	New Jersey Right-To-Know	Pennsylvania Right-To-Know	Massachusetts Right-To Know
Petroleum Distillates, Hydrotreated Heavy Paraffinic	Not Listed	Not Listed	Not Listed
64742-54-7			

# **16. OTHER INFORMATION**

Prepared by Toxicology & Product Safety

SDS ID NO.: 0121SPE012 Product name: Speedway Multi-purpose DM Automatic Transmission Fluid Page 7 of 8

### **NFPA**



#### **Revision Notes**

Revision date 05/01/2020 Previous publish date 03/23/2016

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is intended as guidance for safe handling, use, processing, storage, transportation, accidental release, clean-up and disposal and is not considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS ID NO.: 0121SPE012 Product name: Speedway Multi-purpose DM Automatic Transmission Fluid Page 8 of 8