+

Φ	
≌	
Ś	
0	
0	
š	
$\sigma$	
_	
ō	
Φ	
S	
⋾	
⊏	
ē	
~	
ᅕ	
Š	
-	
۵	
₽.	
ŭ	
a)	
Q	
Φ	
∄.	
nta	
≂	
σ	
Ε	
~	
a)	
ă	
ю	
동	
长	
등	
등	
등	
등	
ecord sh	
record sh	
al record sh	
cal record sh	
cal record sh	
dical record sh	
edical record sh	
edical record sh	
medical record sh	
medical record sh	
medical record sh	
medical record sh	
this medical record sh	
f this medical record sh	
this medical record sh	
f this medical record sh	
ty of this medical record sh	
ty of this medical record sh	
ty of this medical record sh	
ty of this medical record sh	
ty of this medical record sh	
entiality of this medical record sh	
dentiality of this medical record sh	
dentiality of this medical record sh	
dentiality of this medical record sh	
dentiality of this medical record sh	
onfidentiality of this medical record sh	
dentiality of this medical record sh	
onfidentiality of this medical record sh	
onfidentiality of this medical record sh	
onfidentiality of this medical record sh	
onfidentiality of this medical record sh	

SPECTRUM	•
SPECTRUM	HEALTH

## **Physician's Orders** IMPLANTABLE INTRATHECAL MEDICATION PUMP INTRA-PROCEDURE

	Patient Name
	DOB
-	MRN
	Physician
	EIN

	Planned	procedure date	Physician		
eight(cm) We	eight	_ (kg only)			
ttending Physician			FIN		
urgeon					
llergies/Sensitivities			See/Update Electronic Health Reco	rd Allergy Ir	nformation
iagnosis/Procedures					
LL DESIRED ORDERS MUST BE CI	HECKED OR COMPLE	TED.			
IMPLANTABLE INTRATHECAL MEDICATION PUMP:         □ IMPLANTABLE INTRATHECAL PUMP:       Size:       20 mL       40 mL         □ INITIAL PUMP IMPLANTATION       PUMP REPLACEMENT/PUMP REVISION:       You must send a copy of the pump telemetry strip with this Physician's         □ Continue existing medication, concentration, and dose:       Physician's Orders must be completed below.         □ Modification of current therapy:       Medication change       Concentration change       Infusion rate chan         □ Catheter replacement       PLACE CATHETER AT:       Lumbar       High thorax       Cervical       C7 junction       □			be completed below. e □ Infusion rate change		
MEDICATION:  MEDICATION CONCENTRATION		DOSE (CHOOSE ONE ONLY)		PUMP ROUTE	VOLUME
0.9% sodium chloride PF		☐ Minimum flow volume		Intrathecal	mL
☐ Morphine sulfate PF (Duramorph PF)	0.5 mg/mL	☐mg/24 hours <b>OR</b> ☐ Minimum	flow volume	Intrathecal	mL
☐ Morphine sulfate PF (Duramorph PF)	1 mg/mL	☐mg/24 hours <b>OR</b> ☐ Minimum	flow volume	Intrathecal	mL
☐ Morphine sulfate PF (Infumorph PF)	10 mg/mL	☐mg/24 hours <b>OR</b> ☐ Minimum	flow volume	Intrathecal	mL
☐ Morphine sulfate PF	25 mg/mL	☐ mg/24 hours <b>OR</b> ☐ Minimum	flow volume	Intrathecal	mL
(Infumorph PF)					
(Infumorph PF)  Hydromorphone hydrochloride PF (Dilaudid PF)	10 mg/mL	☐mg/24 hours <b>OR</b> ☐ Minimum	flow volume	Intrathecal	mL
Hydromorphone hydrochloride PF	10 mg/mL 500 mcg/mL (10 mg/20 mL kit)	Continuous infusion: mcg/24   Flex mode: Monday - Sunday   Basal rate mcg/hour	hours OR  Minimum flow volume  Bolus mcg every hour(s)	Intrathecal	mL
Hydromorphone hydrochloride PF (Dilaudid PF)	500 mcg/mL	Continuous infusion: mcg/24   Flex mode: Monday - Sunday Basal rate mcg/hour Bolus duration minute(s)  Continuous infusion: mcg/24   Flex mode: Monday - Sunday Basal rate mcg/hour	hours OR  Minimum flow volume  Bolus  mcg every hour(s) Total daily dose mcg/24 hours  hours OR  Minimum flow volume  Bolus mcg every hour(s)		mL
Hydromorphone hydrochloride PF (Dilaudid PF)  Baclofen PF	500 mcg/mL (10 mg/20 mL kit) 2,000 mcg/mL	Continuous infusion: mcg/24   Flex mode: Monday - Sunday Basal rate mcg/hour Bolus duration minute(s)  Continuous infusion: mcg/24   Flex mode: Monday - Sunday Basal rate mcg/hour	hours OR  Minimum flow volume  Bolus mcg every hour(s) Total daily dose mcg/24 hours  hours OR  Minimum flow volume  Bolus mcg every hour(s) Total daily dose mcg/24 hours	Intrathecal	mL

TRANSCRIBED:		VALIDATED:			ORDERED:		
TIME	DATE	TIME	DATE	TIME	DATE	Pager #	
		Sign	R.N. Sign		Physician Print		Physician

**CONFIDENTIAL NOTICE:** The content of this fax is intended only for the named recipient(s) and may contain information that is protected under applicable law. If you are not the intended recipient(s) or if you receive this fax in error, notify the sender at the address or telephone number above. Also destroy any copies. BARCODE ZONE DO NOT MARK BELOW THIS LINE DO NOT MARK BELOW THIS LINE

