



Physician's Orders
GYNECOLOGIC/ONCOLOGIC PRE-SCHEDULED SURGERY - PRE-PROCEDURE

Page 1 of 2

Patient Name

DOB

MRN

Physician

FIN

Date of Surgery

Surgeon/Physician

Patient name Date of birth

REQUIRED: Prepare consent (Consent to read)

REQUIRED: Weight kilograms (only) REQUIRED: Allergies

PENICILLIN ALLERGY? No Yes, reaction

- No anaphylaxis. May give Cephalosporin
Anaphylaxis. No Cephalosporin

REQUIRED (must choose one): A.M. Admit: Admit to Inpatient Outpatient

Potential extended recovery (patient remains outpatient status, but may require overnight stay. Final determination to be made post procedure)

ALL DESIRED ORDERS MUST BE CHECKED OR COMPLETED.

CONSULTS:

PHYSICIAN CONSULT:

- Reason: Medical clearance. Name
Reason: Consult surgical pain service for block

PT CARE/ACTIVITY:

- Hair clipping pre-procedure in Surgical Center as indicated. Site
Chlorhexidine cloth (CHG) skin cleansing pre-procedure Site

TEDs: Knee high Thigh high

Pneumatic compression device:
Comments: For surgical cases lasting greater than 60 minutes and/or high risk patients as defined by Anesthesia Guidelines.

NOTE: If patient does not meet the Spectrum Health criteria above and you still want them placed, then SCD's must be ordered below.

Pneumatic compression device:

- Knee high, bilaterally
Knee high, right leg
Knee high, left leg

Protocol - pre-procedure anesthesia orders: Pre-procedure - May initiate pre-operative anesthesia orders (include laboratory and diagnostic tests)

LABORATORY:

All labs will be completed using Anesthesia Guidelines. Any orders checked below will be completed on Admission Day of Surgery, in addition to prior lab testing required by the Anesthesia Guidelines.

- Basic metabolic panel CMP
CBC with diff. CBC without diff.
Protime (with INR) PTT
Urinalysis (UA) UA, culture if indicated
Lytes
Blood type, ABO/Rh typing
TYPE AND SCREEN: PRBC's number of units
Hemoglobin A1c level
POC pregnancy test urine (SH Grand Rapids)
Pregnancy qualitative urine (Other locations)

POC GLUCOSE TESTING:

For all patients with known diabetes
Obtain Glucose POC once, then every 2 hours

NOTIFY:

Anesthesia, if blood glucose is greater than 180 or less than 70

DIAGNOSTICS:

- Electrocardiogram (ECG)

IV SOLUTIONS:

- 1% lidocaine 0.25 to 2 mL ID for IV starts
Lactated ringers solution 1000 mL IV, 100 mL/hour
0.9% sodium chloride 1000 mL IV, 100 mL/hour

Telephone order/Verbal order documented and read-back completed. Practitioner's initials

CONTINUED ON PAGE 2

NOTE: Unless Order is written DAW (dispense as written), medication may be supplied which is a generic equivalent by nonproprietary name.

Table with 4 columns: TRANSCRIBED (TIME, DATE), VALIDATED (TIME, DATE), ORDERED (TIME, DATE), and Pager #. Includes Sign, R.N. Sign, Physician Print, and Physician fields.

CONFIDENTIAL NOTICE: The content of this fax is intended only for the named recipient(s) and may contain information that is protected under applicable law. If you are not the intended recipient(s) or if you receive this fax in error, notify the sender at the address or telephone number above. Also destroy any copies.

DO NOT MARK BELOW THIS LINE BARCODE ZONE DO NOT MARK BELOW THIS LINE



* X 1 3 1 6 0 *

Confidentiality of this medical record shall be maintained except when use or disclosure is required or permitted by law, regulation, or written authorization by the patient.



GYNECOLOGIC/ONCOLOGIC PRE-SCHEDULED SURGERY - PRE-PROCEDURE (CONTINUED)

Patient Name

DOB

MRN

Physician

FIN

ALL DESIRED ORDERS MUST BE CHECKED OR COMPLETED.

MEDICATIONS:

ANTIMICROBIALS (PROPHYLACTIC):

- Cefazolin 2 gram IV, if patient is less than 120 kg administered per anesthesia
Cefazolin 3 gram IV, if patient is greater than or equal to 120 kg administered per anesthesia
Ceftriaxone PLUS Metronidazole
Ceftriaxone 2 gram IV administered per anesthesia
Metronidazole 1 gram IV administered per anesthesia

PENICILLIN (PCN) ALLERGY:

FOR IMMEDIATE TYPE PENICILLIN ALLERGY:

- Ciprofloxacin PLUS Metronidazole
Ciprofloxacin 400 mg IV administered per anesthesia
Metronidazole 1 gram IV administered per anesthesia

FOR CURRENT OR HISTORY OF MRSA COLONIZATION, MRSA RISK FACTORS:

[residence in long- term healthcare facility (not assisted living), HD patient, tracheostomy or gastrostomy tube, chronic decubitus ulcer or wound, long term vascular access]:

- Vancomycin (start administration within 120 minutes before skin incision):
1 gram IV, if patient is less than 70 kg administered per anesthesia
1.5 gram IV, if patient is 70-100 kg administered per anesthesia
2 gram IV, if patient is greater than 100 kg administered per anesthesia

OTHER MEDICATIONS:

- Acetaminophen 1000 mg PO once, upon arrival to Outpatient Surgical Center
Gabapentin 600 mg PO once, upon arrival to Outpatient Surgical Center
Celecoxib 400 mg PO once, upon arrival to Outpatient Surgical Center
Aprepitant 40 mg PO once, upon arrival to Outpatient Surgical Center

For age 65 years or older or with renal/hepatic insufficiency:

- Gabapentin 300 mg PO once, upon arrival to Outpatient Surgical Center

MEDICATIONS: (CONTINUED)

PREPS:

- Enema: Type _____ Time _____
Douche: Type _____ Time _____

REQUIRED: CHEMICAL VTE PROPHYLAXIS: (MUST CHECK ONE)

- Enoxaparin 40 mg subQ upon arrival
NOTE: If spinal or epidural anesthesia, or peripheral nerve block are planned, DO NOT use enoxaparin. Use subQ heparin instead.
Heparin 5000 unit(s) subQ upon arrival
No chemical prophylaxis due to _____

RESPIRATORY:

- Incentive spirometer

BETA BLOCKER:

- Continue current therapy with sips of water in AM. Contact anesthesia for order if patient did not continue beta blocker therapy
Medication _____
Dose _____ Route _____ Frequency _____

OTHER:

NOTE: For any additional orders: handwritten clearly or type below. Must check the box for order to be processed.

- Five empty checkboxes for additional orders

NOTE:

If there is a frequent order that needs to be added to your form, contact Grand Rapids Spectrum Health Surgical Pre-procedure Planning Manager or Surgical Nurse Manager.

Confidentiality of this medical record shall be maintained except when use or disclosure is required or permitted by law, regulation, or written authorization by the patient.

Telephone order/Verbal order documented and read-back completed. Practitioner's initials _____

NOTE: Unless Order is written DAW (dispense as written), medication may be supplied which is a generic equivalent by nonproprietary name.

Table with 4 columns: TRANSCRIBED (TIME, DATE), VALIDATED (TIME, DATE), ORDERED (TIME, DATE), and Pager #. Includes Sign, R.N. Sign, Physician Print, and Physician fields.

CONFIDENTIAL NOTICE: The content of this fax is intended only for the named recipient(s) and may contain information that is protected under applicable law. If you are not the intended recipient(s) or if you receive this fax in error, notify the sender at the address or telephone number above. Also destroy any copies.