



Physician's Orders
LOWER GASTROINTESTINAL PRE-SCHEDULED - SURGERY - PRE-PROCEDURE

Page 1 of 2

Patient Name

DOB

MRN

Physician

FIN

Date of Surgery

Surgeon/Physician

Patient name Date of birth

REQUIRED: Prepare consent (Consent to read)

REQUIRED: Weight kilograms (only) REQUIRED: Allergies

PENICILLIN ALLERGY? No Yes, reaction

- No anaphylaxis. May give Cephalosporin
Anaphylaxis. No Cephalosporin

REQUIRED (must choose one): A.M. Admit: Admit to Inpatient Outpatient

- Potential extended recovery (patient remains outpatient status, but may require overnight stay. Final determination to be made post procedure)

ALL DESIRED ORDERS MUST BE CHECKED OR COMPLETED.

CONSULTS:

PHYSICIAN CONSULT:

- Reason: Medical clearance; Name
Reason: Consult surgical pain service for block

PT CARE/ACTIVITY:

- Chlorhexidine cloth skin cleansing to abdomen evening before surgery
Chlorhexidine cloth skin cleansing to abdomen upon arrival
Hair clipping pre-procedure in Surgical Center as indicated.
Site

TEDs: Knee high Thigh high

- Pneumatic compression device. Knee high bilaterally.
Comments: For surgical cases lasting greater than 60 minutes and/or high risk patients as defined by Anesthesia Guidelines.

NOTE: If your patient does not meet the Spectrum Health criteria above and you still want them placed, SCD's must be ordered below.

Pneumatic Compression Device:

- Knee high, bilaterally
Knee High, right leg
Knee high, left leg

- Protocol - Pre-procedure anesthesia orders: Pre-procedure - May initiate pre-operative anesthesia orders. (includes laboratory studies and diagnostic tests)

LABORATORY:

All labs will be completed using Anesthesia Guidelines. Any orders checked below will be completed on Admission Day of Surgery, in addition to prior lab testing required by the Anesthesia Guidelines.

- Basic metabolic panel CMP
CBC with diff. CBC without diff.
Mg blood level Protime (with INR)
PTT Urinalysis (UA)
UA, culture if indicated Lytes
Blood type, ABO/Rh typing
POC pregnancy test urine (SH Grand Rapids)
Pregnancy qualitative urine (other locations)
TYPE AND SCREEN: PRBC's number of units
Hemoglobin A1c level

POC GLUCOSE TESTING:

- For all patients with known diabetes
Obtain Glucose POC once, then every 2 hours

NOTIFY:

- Anesthesia, if blood glucose is greater than 180 or less than 70

DIAGNOSTICS:

- Electrocardiogram (ECG)

IV SOLUTIONS:

- Lidocaine 1% 0.25 to 2 mL ID for IV starts
Lactated ringers solution 1000 mL IV, 100 mL/hour
Sodium chloride 0.9% 1000 mL IV 100 mL/hour

Telephone order/Verbal order documented and read-back completed. Practitioner's initials

CONTINUED ON PAGE 2

NOTE: Unless Order is written DAW (dispense as written), medication may be supplied which is a generic equivalent by nonproprietary name.

Table with 4 columns: TRANSCRIBED (TIME, DATE), VALIDATED (TIME, DATE), ORDERED (TIME, DATE), and Pager #. Includes Sign, R.N. Sign, Physician Print, and Physician fields.

CONFIDENTIAL NOTICE: The content of this fax is intended only for the named recipient(s) and may contain information that is protected under applicable law. If you are not the intended recipient(s) or if you receive this fax in error, notify the sender at the address or telephone number above. Also destroy any copies.

DO NOT MARK BELOW THIS LINE BARCODE ZONE DO NOT MARK BELOW THIS LINE



* X 1 3 1 6 0 *

Confidentiality of this medical record shall be maintained except when use or disclosure is required or permitted by law, regulation, or written authorization by the patient.



LOWER GASTROINTESTINAL PRE-SCHEDULED - SURGERY - PRE-PROCEDURE (CONTINUED)

Page 2 of 2

Patient Name

DOB

MRN

Physician

FIN

ALL DESIRED ORDERS MUST BE CHECKED OR COMPLETED.

MEDICATIONS:

ANTIMICROBIALS (PROPHYLACTIC):

- Ceftriaxone PLUS Metronidazole:
- Ceftriaxone 2 grams IV administered per anesthesia
- Metronidazole 1 gram IV administered per anesthesia

OR

- Ertapenem 1 gram IV, administered per anesthesia (for colorectal only)

PENICILLIN (PCN) ALLERGY:

FOR IMMEDIATE TYPE PENICILLIN ALLERGY:

- Ciprofloxacin PLUS Metronidazole
- Ciprofloxacin 400 mg IV administered per anesthesia
- Metronidazole 1 gram IV administered per anesthesia

FOR CURRENT OR HISTORY OF MRSA COLONIZATION OR MRSA RISK FACTORS:

[residence in long- term healthcare facility (not assisted living), HD patient, tracheostomy or gastrostomy tube, chronic decubitus ulcer or wound, long term vascular access]:

- Vancomycin (start administration within 120 minutes before skin incision):
- 1 gram IV, if patient is less than 70 kg administered per anesthesia
- 1.5 grams IV, if patient is 70-100 kg administered per anesthesia
- 2 grams IV, if patient is greater than 100 kg administered per anesthesia

PREPS:

- Enema: Type _____ Time _____
Douche: Type _____ Time _____

VTE PROPHYLAXIS (pharmacologic):

- Enoxaparin 40 mg subQ upon arrival
NOTE: If spinal or epidural anesthesia, or peripheral nerve block are planned, DO NOT use enoxaparin. Use subQ heparin instead.
Heparin 5000 unit(s) subQ upon arrival

OTHER MEDICATIONS:

- Acetaminophen 1000 mg PO once upon arrival
Ibuprofen 600 mg PO once upon arrival
Alvimopan 12 mg PO once. Comment: Give in holding, pre-procedure

MEDICATIONS: (CONTINUED)

RESPIRATORY:

- Incentive spirometer

BETA BLOCKER:

- Continued current therapy with sips of water in AM. Contact anesthesia for order if patient did not continue beta blocker therapy

- Medication _____
Dose _____ Route _____ Frequency _____

VALIDATE WITH PATIENT/FAMILY, OUTPATIENT PREPS COMPLETED

(SH Grand Rapids only):

- Antibiotic night before procedure taken
Chlorhexidine gluconate (CHG) cleansing completed
Carbohydrate load taken
Impact nutrition drink taken

NOTE: For any additional orders: handwrite clearly or type below. You must check the box for order to be processed.

OTHER:

- _____

NOTE: If there is a frequent order that needs to be added to your form, contact Grand Rapids Spectrum Health Surgical Pre-procedure Planning Manager or Surgical Nurse Manager.

Confidentiality of this medical record shall be maintained except when use or disclosure is required or permitted by law, regulation, or written authorization by the patient.

Telephone order/Verbal order documented and read-back completed. Practitioner's initials _____

NOTE: Unless Order is written DAW (dispense as written), medication may be supplied which is a generic equivalent by nonproprietary name.

Table with 4 columns: TRANSCRIBED (TIME, DATE), VALIDATED (TIME, DATE), ORDERED (TIME, DATE), and Physician #. Includes Sign, R.N. Sign, Physician Print, and Physician fields.

CONFIDENTIAL NOTICE: The content of this fax is intended only for the named recipient(s) and may contain information that is protected under applicable law. If you are not the intended recipient(s) or if you receive this fax in error, notify the sender at the address or telephone number above. Also destroy any copies.