

Table 10. Parameters of bleeding risk scores. Adapted with permission from Wang et al. (308).

Parameter	CRUSADE	ACUITY	ACTION	GRACE	HAS-BLED
Sex	X	X	X		
Renal function	X	X	X	X	X
Haematocrit/Anaemia	X	X			
Heart rate	X		X	X	
Blood pressure	X		X	X	
Congestive heart failure	X				
Vascular disease	X				
Diabetes	X		X		
Age		X	X	X	X
Antithrombotic medicines		X	X		X
Presentation		X			
White blood cell count		X			
Weight			X		
Cardiac arrest				X	
ECG ST changes				X	
Abnormal biomarkers				X	
Killip class				X	
Stroke					X
Hypertension					X
Liver disease					X
Bleeding history					X
Labile INR					X
Alcohol use					X

Abbreviations: ACTION, Acute coronary treatment and intervention outcomes network; ACUITY, Acute catheterization and urgent intervention triage strategy; CRUSADE, Can rapid risk stratification of unstable angina patients suppress adverse outcomes with early implementation of the ACC/AHA guidelines; ECG, electrocardiogram; GRACE, Global Registry of Acute Coronary Events; HAS-BLED, Hypertension, abnormal renal/liver function, stroke, bleeding history or predisposition, labile INR, elderly, drugs/alcohol concomitantly; INR, international normalised ratio.