

LEVER-ACTION



MODEL 1854

LEVER-ACTION RIFLE • TRADITIONAL STYLING • OPTIC-READY

13812

SKU

44 REM MAG

CALIBER

19.25"

BARREL LENGTH

9+1

CAPACITY

FEATURE	BENEFIT
Flat Trigger Design	Allows for consistent trigger finger placement to aid in accuracy when firing.
Large Loop Lever	Increased surface area to allow for cycling the smooth action with or without gloves.
Removable Magazine Tube	Allows for easy and safe unloading of the firearm.

SPECIFICATIONS

Model	UPC	Manual Safety	Action	Rifling	
S&W® MODEL 1854	022188896862	Cross-bolt	Lever-action rifle	1:20" RH twist 8-Groove	
Front Sight	Rear Sight	Width	Operating Lever	Overall Length	Muzzle
Gold bead front sight	XS Sights® ghost ring (adjustable)	1.6" (4.1 cm)	Large loop	36" (91.4 cm)	1 1/16-24 threaded w/thread protector
Weight	Stock	Forend	Barrel	Receiver	Other
6.8 lbs. (3084.4 g)	Black synthetic with textured grip panels	M-LOK® synthetic forend with textured grip panels	19.25" (48.9 cm) 410 stainless steel	Forged 416 stainless steel	Accepts mounts compatible with Marlin® 1894 hole pattern; Picatinny rail

Smith & Wesson® MODEL 1854

Introducing the Model 1854 by Smith & Wesson, a triumph of over 170 years of craftsmanship. This lever-action rifle seamlessly melds precision engineering and timeless design with modern features, including M-LOK slots and a Picatinny rail for optics. Experience the perfect blend of heritage and innovation - experience **Smith & Wesson Smooth™**.

XS SIGHTS is a registered trademark of XS Sight Systems, Inc.
 M-LOK is a registered trademark of Magpul Industries Corp.
 Marlin is a registered trademark of Sturm, Ruger & Co., Inc.

Smith & Wesson Inc. is not affiliated, associated, endorsed, or in any way connected with Sturm, Ruger & Co., Inc. Any use of Sturm, Ruger's trademark, brand, or logo with the product or product packaging is solely for the purpose of identifying the product's capabilities and/or function.



SCAN THE CODE OR VISIT
 SMITH-WESSON.COM

SMITH-WESSON.COM | NASDAQ: SWBI
 © 2024 Smith & Wesson Inc.

