



CAPACITIES GUIDE

JANUARY 2025

YOU HAVE TO BE HERE  MGM RESORTS


HERE, MEETINGS ARE INSPIRING AND ENERGIZING.

Why do so many companies advertise here? Outstanding facilities, impeccable service and unbeatable value are only the beginning. This is three floors and more than 850,000 square feet of wow. We've increased recognition and enhanced the image of hundreds of brands just like yours. Ask about sponsorship opportunities and begin to boost your visibility, profitability and credibility today!



YOU HAVE TO BE HERE

CONFERENCE CENTER MAP






CONFERENCE CENTER



CONFERENCE CENTER - LEVEL 1



CONFERENCE CENTER - LEVEL 1

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
101	37.67	28.83	1086	11' 6" - 14'	101	60	35	22	77	60
102	37.67	29.75	1121	11' 6" - 14'	101	60	35	22	77	60
101-102	58.58	37.67	2207	11' 6" - 14'	192	116	56	40	153	140
103	37.17	29.5	1096	11' 6" - 14'	120	58	35	22	77	60
104	37.67	29.75	1121	11' 6" - 14'	101	60	35	22	77	60
105	37.67	28.83	1086	11' 6" - 14'	101	60	35	22	77	60
104-105	58.58	37.67	2207	11' 6" - 14'	192	116	56	40	153	140
106	37.67	28.83	1086	11' 6" - 14'	101	60	35	22	77	60
107	37.67	29.75	1121	11' 6" - 14'	101	60	35	22	77	60
106-107	58.58	37.67	2207	11' 6" - 14'	192	116	56	40	153	140
108	37.17	29.5	1096	11' 6" - 14'	120	58	35	22	77	60
109	37.67	29.75	1121	11' 6" - 14'	101	60	35	22	77	60
110	37.67	28.83	1086	11' 6" - 14'	101	60	35	22	77	60
109-110	58.58	37.67	2207	11' 6" - 14'	192	116	56	40	153	140
Grand Ballroom Prefunction	315	72	16,314	19'	N/A	N/A	N/A	N/A	1165	400
Grand Ballroom (111-124)	206.17	298.67	61,575	26' 6" - 28'	6120	3780	N/A	N/A	4398	4100
111	57.33	58.83	3373	26' 6" - 28'	338	198	64	52	238	200
112	57.33	45	2580	26' 6" - 28'	234	126	58	42	184	150
113	57.33	45	2580	26' 6" - 28'	234	126	58	42	184	150
114	57.33	57.33	3287	26' 6" - 28'	338	198	64	52	235	200
115	53.83	56.67	3051	26' 6" - 28'	312	180	57	50	215	180
116	53.83	90.5	4872	26' 6" - 28'	576	320	87	66	343	280
117	53.83	59	3176	26' 6" - 28'	312	180	57	50	224	180
118	68.92	58.92	4060	26' 6" - 28'	442	242	74	60	290	240
119	68.92	90	6203	26' 6" - 28'	720	414	93	66	443	420
120	68.92	57.33	3951	26' 6" - 28'	442	242	74	60	282	240
121	57.33	57.33	3287	26' 6" - 28'	338	198	64	52	233	200
122	57.33	45	2580	26' 6" - 28'	234	126	58	42	184	150
123	57.33	45	2580	26' 6" - 28'	234	126	58	42	184	150
124	57.33	58.53	3373	26' 6" - 28'	338	198	64	52	238	200
111-112	103.83	57.33	5953	26' 6" - 28'	618	350	104	76	425	380
111-113	148.83	57.33	8533	26' 6" - 28'	910	548	N/A	N/A	609	569
111-114	206.17	57.33	11,820	26' 6" - 28'	1352	788	N/A	N/A	844	780
111-114 + NH	2206.17	78.33	16,150	26' 6" - 28'	1728	960	N/A	N/A	1154	900
111-117	206.17	132.17	27,248	26' 6" - 28'	2670	1496	N/A	N/A	1946	1690
111-117 + CH	206.17	151.42	31,217	26' 6" - 28'	2870	1816	N/A	N/A	2230	2000
111-120	206.17	220.33	45,425	26' 6" - 28'	4197	2912	N/A	N/A	3245	3028
111-120 + SH	206.17	241.33	49,755	26' 6" - 28'	4680	3232	N/A	N/A	3549	3250
112-113	90	57.33	5160	26' 6" - 28'	494	260	86	64	369	330
112-114	147.33	57.33	8447	26' 6" - 28'	910	548	N/A	N/A	603	569
113-114	102.33	57.33	5867	26' 6" - 28'	618	350	104	76	418	380
115-116	143.17	53.83	7707	26' 6" - 28'	924	514	N/A	N/A	566	500
115-117	206.17	53.83	11,099	26' 6" - 28'	1364	740	N/A	N/A	793	680
115-117 + NH	206.17	74.83	15,428	26' 6" - 28'	1666	906	N/A	N/A	1102	960
115-117 + CH	206.17	73.08	15,067	26' 6" - 28'	1666	906	N/A	N/A	1076	960
115-120	206.17	142	29,276	26' 6" - 28'	3360	1816	N/A	N/A	2091	1950
115-120 + SH	206.17	163	33,605	26' 6" - 28'	3600	2136	N/A	N/A	2400	2200
115-124	206.17	220.33	45,425	26' 6" - 28'	4197	2912	N/A	N/A	3245	3028
115-124 + NH	206.17	241.33	49,755	26' 6" - 28'	3600	2136	N/A	N/A	2400	2200
116-117	149.5	53.83	8048	26' 6" - 28'	924	514	N/A	N/A	575	500
118-119	148.83	68.83	10,245	26' 6" - 28'	1240	669	N/A	N/A	733	680
118-120	206.17	68.92	14,208	26' 6" - 28'	1820	947	N/A	N/A	1015	940
118-120 + CH	206.17	88.17	18,177	26' 6" - 28'	2098	1151	N/A	N/A	1298	1210
118-120 + SH	206.17	89.92	18,538	26' 6" - 28'	2077	1151	N/A	N/A	1324	1230

CONFERENCE CENTER - LEVEL 1

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
118-124	206.17	147.25	30,358	26' 6" - 28'	2906	1816	N/A	N/A	2168	2020
119-120	147.33	68.33	10,068	26' 6" - 28'	1240	669	N/A	N/A	725	680
121-122	102.33	57.33	5867	26' 6" - 28'	618	350	104	76	419	380
121-123	147.33	57.33	8447	26' 6" - 28'	910	548	N/A	N/A	603	569
121-124	206.17	57.33	11,820	26' 6" - 28'	1352	788	N/A	N/A	844	780
121-124 + SH	206.17	78.33	16,150	26' 6" - 28'	1728	960	N/A	N/A	1154	900
122-123	90	57.33	5160	26' 6" - 28'	494	260	86	64	369	330
122-124	148.83	57.33	8553	26' 6" - 28'	910	548	N/A	N/A	603	569
123-124	108.83	57.33	6240	26' 6" - 28'	618	350	104	76	425	380
<u>Terrace Ballroom (150-153)</u>	86	72	12,672	15' -18'	1,364	640	288	240	904	600
150	42	72	3024	15' - 18'	341	160	72	60	216	150
151	45	72	3240	15' - 18'	341	160	72	60	216	150
152	45	72	3249	15' - 18'	341	160	72	60	216	150
153	44	72	3168	15' - 18'	341	160	72	60	216	150
154	33	27	891	15' - 17'	75	36	20	16	64	40
150 & 151	87	72	6,264	15' -18'	682	320	144	120	447	300
150-152	132	72	6,264	15' -18'	1,023	480	216	180	678	450
150-153	86	72	12,672	15' -18'	1,364	640	288	240	904	600
151-152	90	72	6,480	15' -18'	682	320	144	120	462	300
151-153	134	72	9,648	15' -18'	1,023	480	216	180	688	450
152-153	89	72	6,408	15' -18'	682	320	144	120	457	300
<u>Boulevard Ballroom 155-170</u>	200	146	29,200	27' - 28'	2,880	1,152	576	408	1,752	960
155	40	37	1480	27' - 28'	180	72	36	24	106	60
156	40	36	1440	27' - 28'	180	72	36	24	103	60
157	40	36	1440	27' - 28'	180	72	36	24	103	60
158	40	37	1480	27' - 28'	180	72	36	24	106	60
159	44	37	1628	27' - 28'	180	72	36	24	116	60
160	44	36	1584	27' - 28'	180	72	36	24	113	60
161	44	36	1584	27' - 28'	180	72	36	24	113	60
162	44	37	1628	27' - 28'	180	72	36	24	116	60
163	44	37	1628	27' - 28'	180	72	36	24	116	60
164	44	36	1584	27' - 28'	180	72	36	24	113	60
165	44	36	1584	27' - 28'	180	72	36	24	113	60
167	40	37	1480	27' - 28'	180	72	36	24	106	60
168	40	36	1440	27' - 28'	180	72	36	24	103	60
169	40	36	1440	27' - 28'	180	72	36	24	103	60
170	40	37	1480	27' - 28'	180	72	36	24	106	60
155 & NC	40	53	2,120	27' - 28'	180	72	36	24	106	60
155-156	80	72	2,920	27' - 28'	360	144	72	48	209	120
155-157	120	72	4,360	27' - 28'	540	216	108	72	312	180
155-158	160	72	5,840	27' - 28'	720	288	144	96	418	240
155-162	160	109	12,264	27' - 28'	1,440	576	288	192	876	480
155-166	128	146	18,688	27' - 28'	3,060	864	576	384	916	960
155-166 & NC & SC	160	146	23,360	27' - 28'	3,060	864	576	384	916	960
155 & 162 & NC	100	37	3,700	27' - 28'	1,080	144	72	48	222	120
155, 162, 163 & NC	144	37	5,328	27' - 28'	1,260	216	108	72	338	180
155, 162, 163, 170 & NC & SC	200	37	7,400	27' - 28'	1,440	288	144	120	444	240
155-156, 161-162, 163-164, 169-170 & NC & SC	200	72	14,400	27' - 28'	1,440	576	288	192	979	480
155-157, 160-165, 168-170 & NC & SC	200	109	21,800	27' - 28'	2,340	864	432	312	1,411	720
155-156, 161-162 & NC	100	73	7,300	27' - 28'	720	288	144	96	541	240
155-157, 160-162 & NC	100	109	10,900	27' - 28'	1,260	432	216	144	757	360
155-156, 161-164 & NC	144	73	10,512	27' - 28'	1,080	432	216	144	770	360
155-156, 161-164 & NC & SC	160	73	11,680	27' - 28'	1,080	432	216	144	770	360
155-157, 160-165 & NC	144	109	15,696	27' - 28'	1,800	648	324	216	1,099	540

CONFERENCE CENTER - LEVEL 1

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
155-157, 160-165 & NC & SC	160	109	17,440	27' - 28'	1,800	648	324	216	1,099	540
155, 162-163 & NC & SC	160	37	5,920	27' - 28'	540	216	108	72	338	180
155-156 & NC	56	73	4,088	27' - 28'	360	144	72	48	209	120
155-157 & NC	56	109	6,104	27' - 28'	720	216	108	72	312	180
155-158 & NC	56	255	14,280	27' - 28'	900	288	144	96	418	240
156 & NC	56	36	2,016	27' - 28'	180	72	36	24	106	60
156 & 161 & NC	100	36	3,600	27' - 28'	360	144	72	48	216	120
156-157	40	72	2,880	27' - 28'	360	144	72	48	206	120
156-157 & NC	40	72	4,032	27' - 28'	360	144	72	48	206	120
156-158	40	109	4,360	27' - 28'	540	216	108	72	312	180
156-158 & NC	56	109	6,104	27' - 28'	540	216	108	72	312	180
156, 161, 164 & NC	144	36	5,184	27' - 28'	540	216	108	72	329	180
156, 161, 164 & NC & SC	160	36	5,760	27' - 28'	540	216	108	72	329	180
156, 161, 164, 169 & NC & SC	200	36	7,200	27' - 28'	720	288	144	96	432	240
156-157, 160-161 & NC	100	72	7,200	27' - 28'	720	288	144	96	535	240
156-157, 160-161, 164-165 & NC	144	72	10,368	27' - 28'	1,080	432	216	144	761	360
156-157, 160-161, 164-165 & NC & SC	160	72	11,520	27' - 28'	1,080	432	216	144	761	360
156-157, 160-161, 164-165, 168-169 & NC & SC	200	72	14,400	27' - 28'	1,440	576	288	192	967	480
156-161 & NC	100	109	10,900	27' - 28'	720	288	144	96	535	240
156-161, 164-169 & NC & SC	200	109	21,800	27' - 28'	1,080	720	360	240	1,189	600
156-161, 164-166 & NC	144	109	15,696	27' - 28'	1,260	504	252	168	877	420
156-161, 164-166 & NC & SC	160	109	17,440	27' - 28'	1,260	504	252	168	877	420
157 & NC	56	36	2,016	27' - 28'	180	72	36	24	206	60
157-158	40	73	2,920	27' - 28'	360	144	72	48	312	120
157-158 & NC	40	80	4,088	27' - 28'	360	144	72	48	312	120
157 & 160 & NC	100	40	3,600	27' - 28'	360	144	72	48	319	120
157, 160, 165 & NC	144	40	5,184	27' - 28'	540	216	108	72	432	180
157, 160, 165 & NC & SC	160	40	5,760	27' - 28'	540	216	108	72	432	180
157, 160, 165, 168 & NC & SC	200	40	7,200	27' - 28'	720	288	144	96	535	240
157-160 & NC	100	36	7,300	27' - 28'	720	288	144	96	541	240
157-160, 165-168 & NC & SC	200	73	14,600	27' - 28'	1,440	576	288	192	979	480
157-160, 165-166 & NC	144	73	10,512	27' - 28'	1,080	432	216	144	770	360
157-160, 165-166 & NC & SC	160	73	11,680	27' - 28'	1,080	432	216	144	770	360
158 & NC	56	37	2,072	27' - 28'	180	72	36	24	106	60
158-159 & NC	100	37	3,700	27' - 28'	360	144	72	48	222	120
158-159, 166 & NC	144	37	5,328	27' - 28'	585	244	108	72	338	180
158-159, 166-167 & NC & SC	200	37	7,400	27' - 28'	720	344	168	120	524	300
158-159, 166 & NC & SC	160	37	5,920	27' - 28'	630	272	132	96	418	240
159 & NC	60	37	2,220	27' - 28'	225	100	48	36	156	90
159-160	44	73	3,212	27' - 28'	360	144	72	48	229	120
159 & 166	88	44	3,256	27' - 28'	360	144	72	48	232	120
159-161	44	109	4,796	27' - 28'	540	216	108	72	445	180
159-162	44	146	6,424	27' - 28'	720	288	144	96	561	240
159-166	88	146	12,848	27' - 28'	1,440	576	288	192	1,019	480
159, 166-167 & SC	144	37	5,328	27' - 28'	585	244	120	84	378	210
159-160, 165-166	88	73	6,424	27' - 28'	720	288	144	96	458	240
159-160, 165-166 & NC	104	73	7,592	27' - 28'	765	316	156	108	498	270
159-160, 165-166 & SC	104	73	7,592	27' - 28'	630	272	132	96	418	240
159-160, 165-168 & SC	144	73	10,512	27' - 28'	1,125	460	228	156	707	390
159-161, 164-166	88	109	9,592	27' - 28'	1,080	432	216	144	787	360
159-161, 164-166 & NC	104	109	10,760	27' - 28'	1,125	460	228	156	827	390
159-161, 164-166 & SC	104	109	10,760	27' - 28'	1,170	488	240	168	867	420
159-161, 164-166 & NC & SC	120	109	12,504	27' - 28'	1,170	488	240	168	867	420
159-161, 164-169 & SC	144	109	15,696	27' - 28'	1,665	676	336	228	1,139	570


CONFERENCE CENTER - LEVEL 1

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
159-161, 164-169 & NC & SC	160	109	17,440	27' - 28'	1,710	704	348	240	1,179	600
159-160 & NC	60	73	4,380	27' - 28'	405	172	84	60	269	150
159-161 & NC	60	109	6,540	27' - 28'	585	244	120	84	485	210
159-162 & NC	60	146	8,760	27' - 28'	765	316	156	108	601	270
159-166 & NC	104	146	15,184	27' - 28'	1,485	604	300	204	1,059	510
159-166 & NC & SC	120	146	17,520	27' - 28'	1,530	632	312	216	1,099	540
159,166 & NC & SC	120	37	4,440	27' - 28'	450	200	96	72	312	180
159-166 & SC	104	146	15,184	27' - 28'	1,485	604	300	204	1,059	510
159-170 & SC	144	146	21,024	27' - 28'	2,205	892	444	324	1,477	750
159-170 & NC & SC	160	146	23,360	27' - 28'	2,250	920	456	336	1,517	780
159 & 166 & NC	104	37	3,848	27' - 28'	405	172	84	60	272	150
159 & 166 & SC	104	37	3,848	27' - 28'	405	172	84	60	272	150
159 & 166 & NC & SC	120	37	4,440	27' - 28'	450	200	96	72	312	180
159-160, 165-168 & SC & NC	160	73	11,680	27' - 28'	1,170	488	240	168	747	420
160 & NC	60	36	2,160	27' - 28'	225	100	48	36	153	90
160-161	44	72	3,168	27' - 28'	360	144	72	48	329	120
160 & 165	88	36	3,168	27' - 28'	360	144	72	48	226	120
160-162	44	109	4,796	27' - 28'	540	216	108	72	445	180
160, 165, 168 & SC	144	36	5,184	27' - 28'	585	244	120	84	369	210
160-161, 164-165	88	72	6,336	27' - 28'	720	288	144	96	555	240
160-165	88	109	9,592	27' - 28'	1,080	432	216	144	787	360
160-161, 164-165, 168-169 & SC	144	72	10,368	27' - 28'	1,125	460	228	156	801	390
160-165, 168-170 & SC	144	109	15,696	27' - 28'	1,665	676	336	228	1,139	570
160, 165 & NC	104	36	3,744	27' - 28'	405	172	84	60	266	150
160, 165 & NC & SC	120	36	4,320	27' - 28'	450	200	96	72	306	180
160, 165, 168 & NC & SC	160	36	5,760	27' - 28'	630	272	132	96	409	240
160-161, 164-165 & NC	104	72	7,488	27' - 28'	765	316	156	108	595	270
160-161, 164-165 & NC & SC	120	72	8,640	27' - 28'	810	344	168	120	635	300
160-161, 164-165, 168-169 & NC & SC	160	72	11,520	27' - 28'	1,170	488	240	168	841	420
160-165, 168-170 & NC & SC	160	109	17,440	27' - 28'	1,710	704	348	240	1,179	600
160-165 & NC	104	109	11,336	27' - 28'	1,125	460	228	156	711	390
160-165 & NC & SC	120	109	13,080	27' - 28'	1,170	488	240	168	751	420
160, 165 & SC	104	36	3,744	27' - 28'	405	172	84	60	266	150
160-161 & NC	60	72	4,320	27' - 28'	405	172	84	60	369	150
160-161, 164-165 & SC	104	72	7,488	27' - 28'	765	316	156	108	595	270
160-165 & SC	104	109	11,336	27' - 28'	1,125	460	228	156	827	390
161 & NC	60	36	2,160	27' - 28'	225	100	48	36	256	90
161-162	44	73	3,212	27' - 28'	360	144	72	48	332	120
161 & 164	88	36	3,168	27' - 28'	360	144	72	48	329	120
161-164	88	73	6,424	27' - 28'	720	288	144	96	561	240
161, 164 & SC	104	36	3,744	27' - 28'	405	172	84	60	369	150
161-164, 169-170 & SC	144	36	5,184	27' - 28'	1,125	460	228	180	810	390
161-162 & NC	60	73	4,380	27' - 28'	405	172	84	60	372	150
161, 164 & NC	104	36	3,744	27' - 28'	405	172	84	60	369	150
161, 164 & NC & SC	120	36	4,320	27' - 28'	450	200	96	72	409	180
161-164 & NC	104	73	7,592	27' - 28'	765	316	156	108	601	270
161-164 & NC & SC	120	73	8,760	27' - 28'	810	344	168	120	641	300
161, 164, 169 & NC & SC	160	36	5,760	27' - 28'	540	216	108	72	432	180
161-164, 169-170 & NC & SC	160	73	11,680	27' - 28'	1,170	488	240	168	850	420
161, 164, 169 & SC	144	36	5,184	27' - 28'	585	244	120	84	472	210
161-164 & SC	104	73	7,592	27' - 28'	765	316	156	108	601	270
162 & NC	60	37	2,220	27' - 28'	225	100	48	36	156	90
162-163	88	37	3,256	27' - 28'	360	144	72	48	232	120
162-163, 170 & SC	144	37	5,328	27' - 28'	540	244	120	108	378	210

CONFERENCE CENTER - LEVEL 1

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
162-163 & SC	104	37	3,848	27' - 28'	405	172	84	60	272	150
162-163 & NC & SC	120	37	4,440	27' - 28'	450	200	96	72	312	180
162-163, 170 & SC & NC	160	37	5,920	27' - 28'	540	244	120	108	378	210
162-163 & NC	104	37	3,848	27' - 28'	405	172	84	60	272	150
163 & SC	60	37	2,220	27' - 28'	225	100	49	36	156	90
163-164	44	73	3,212	27' - 28'	360	144	72	48	229	120
163-165	44	109	4,796	27' - 28'	540	216	108	72	342	180
163-166	44	146	6,424	27' - 28'	720	288	144	96	458	240
163 & 170	84	37	3,108	27' - 28'	360	144	72	72	222	120
163-164, 169-170 & SC	100	73	7,300	27' - 28'	765	316	156	108	478	270
163-165, 168-170	84	109	9,156	27' - 28'	1,080	432	216	168	654	360
163-170 & SC	100	176	14,600	27' - 28'	1,485	604	300	204	916	510
163-164 & SC	60	73	4,380	27' - 28'	405	172	84	60	269	150
163-165 & SC	60	109	6,540	27' - 28'	585	244	120	84	382	210
163-166 & SC	60	146	8,760	27' - 28'	765	316	156	108	498	270
164 & SC	60	36	2,160	27' - 28'	225	100	48	36	153	90
164-165	44	72	3,168	27' - 28'	360	144	72	48	226	120
164-166	44	109	4,796	27' - 28'	540	216	108	72	342	180
164 & 169	84	36	3,024	27' - 28'	360	144	72	48	216	240
163-164, 167-168	84	72	6,048	27' - 28'	720	288	144	96	438	240
164-169	84	109	9,156	27' - 28'	1,080	432	216	144	654	360
164-165 & SC	60	72	4,320w	27' - 28'	405	172	84	60	266	150
164-166 & SC	60	109	6,540	27' - 28'	585	244	120	84	382	210
165 & SC	60	36	2,160	27' - 28'	225	100	48	36	153	90
165-166	44	73	3,212	27' - 28'	360	144	72	48	229	120
165 & 168	84	36	3,024	27' - 28'	360	144	72	48	216	120
165-168	84	36	6,132	27' - 28'	720	288	144	96	438	240
165-166 & SC	60	73	4,380	27' - 28'	405	172	84	60	269	150
166 & SC	60	37	2,220	27' - 28'	225	100	48	36	156	90
166-167	84	37	3,108	27' - 28'	360	144	72	48	222	120
167 & SC	56	37	2,072	27' - 28'	225	100	48	36	146	90
167-168	40	73	2,920	27' - 28'	360	144	72	48	209	120
167-169	40	109	4,360	27' - 28'	540	216	108	72	312	180
167-170	40	146	5,840	27' - 28'	720	288	144	96	418	240
167-168 & SC	56	80	4,088	27' - 28'	405	172	84	60	249	150
167-169 & SC	56	109	6,104	27' - 28'	585	244	120	84	352	210
167-170 & SC	56	146	8,176	27' - 28'	765	316	156	108	458	270
168 & SC	56	36	2,016	27' - 28'	225	100	48	36	143	90
168-169	40	72	2,880	27' - 28'	360	144	72	48	206	120
168-170	40	109	4,360	27' - 28'	540	216	108	72	312	180
168-169 & SC	56	72	4,032	27' - 28'	405	172	84	60	246	150
168-170 & SC	56	109	6,104	27' - 28'	585	244	120	84	352	210
169 & SC	56	36	2,016	27' - 28'	225	100	48	36	143	90
169-170	40	73	2,920	27' - 28'	360	144	72	48	209	120
169-170 & SC	56	73	4,088	27' - 28'	405	172	84	60	249	150
170 & SC	56	37	2,072	27' - 28'	225	100	48	36	146	90
MARQUEE										
Marquee Ballroom	428.75	237.08	92,434	23' - 27' 10"	6140	5500	N/A	N/A	6000	5819
Marquee Courtyard	N/A	N/A	10,000	N/A	N/A	N/A	N/A	N/A	N/A	N/A

CONFERENCE CENTER - LEVEL 2



CONFERENCE CENTER - LEVEL 2

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
201	37.67	28.83	1086	11' 6" - 14'	101	60	35	22	77	60
202	37.67	29.75	1121	11' 6" - 14'	101	60	35	22	77	60
201-202	58.58	37.67	2207	11' 6" - 14'	192	116	56	40	153	140
203	37.17	29.5	1096	11' 6" - 14'	120	58	35	22	77	60
204	37.67	29.75	1121	11' 6" - 14'	101	60	35	22	77	60
205	37.67	28.83	1086	11' 6" - 14'	101	60	35	22	77	60
204-205	58.58	37.67	2207	11' 6" - 14'	192	116	56	40	153	140
<u>Vista Ballroom (206-211)</u>	176.17	30.42	5224	11' 6" - 14'	N/A	N/A	N/A	N/A	328	270
206	27.58	18.92	624	11' 6" - 14'	37	16	16	10	44	30
207	30	30.42	922	11' 6" - 14'	85	46	23	16	66	40
208	30	36	1066	11' 6" - 14'	98	60	27	18	76	50
209	30	36	1066	11' 6" - 14'	98	60	27	18	76	50
210	30	30.42	922	11' 6" - 14'	85	46	23	16	66	40
211	27.58	18.92	624	11' 6" - 14'	37	16	16	10	44	30
206-207	57.58	30.42	1546	11' 6" - 14'	138	75	33	38	109	80
206-208	87.58	36	2612	11' 6" - 14'	N/A	N/A	N/A	N/A	186	150
206-209	117.58	36	3678	11' 6" - 14'	N/A	N/A	N/A	N/A	262	220
206-210	147.58	30.42	4600	11' 6" - 14'	N/A	N/A	N/A	N/A	328	270
207-208	60	36	1988	11' 6" - 14'	205	111	40	42	142	110
207-209	90	36	3054	11' 6" - 14'	N/A	N/A	N/A	N/A	218	190
207-210	120	36	3976	11' 6" - 14'	N/A	N/A	N/A	N/A	284	240
207-211	147.58	30.42	4600	11' 6" - 14'	N/A	N/A	N/A	N/A	328	270
208-209	60	36	2132	11' 6" - 14'	N/A	N/A	N/A	N/A	152	140
208-210	90	36	3054	11' 6" - 14'	N/A	N/A	N/A	N/A	218	190
208-211	117.58	36	3678	11' 6" - 14'	N/A	N/A	N/A	N/A	262	220
209-210	60	36	1988	11' 6" - 14'	205	111	40	42	142	110
209-211	87.58	36	2612	11' 6" - 14'	N/A	N/A	N/A	N/A	186	150
Director's Boardroom	29	17	510	11' 6" - 14'	N/A	N/A	N/A	12	N/A	N/A
Producer's Boardroom	29	17	510	11' 6" - 14'	N/A	N/A	N/A	12	N/A	N/A
<u>Cedar Ballroom (250-255)</u>	175	53	9,275	12' - 15'	1,056	500	N/A	N/A	663	480
250	27	53	1431	12' - 15'	132	81	42	36	102	80
251	30	53	1590	12' - 15'	132	81	42	36	114	80
252	30	53	1590	12' - 15'	132	81	42	36	114	80
253	30	53	1590	12' - 15'	132	81	42	36	114	80
254	30	53	1590	12' - 15'	132	81	42	36	114	80
255	29	53	1537	12' - 15'	132	81	42	36	110	80
250-255	175	53	9275	12' - 15'	1056	500	N/A	N/A	663	480
250-251	57	53	3,021	12' - 15'	264	162	84	72	216	160
250-252	87	53	4,611	12' - 15'	396	243	126	108	330	240
250-253	117	53	6,201	12' - 15'	528	324	168	144	444	320
250-254	147	53	7,791	12' - 15'	660	405	210	180	558	400
250-255	176	53	9,328	12' - 15'	800	500	N/A	N/A	663	480
251-252	60	53	3,180	12' - 15'	264	162	84	72	228	160
251-253	90	53	4,770	12' - 15'	396	243	126	108	342	240
251-254	120	53	6,360	12' - 15'	528	324	168	144	456	320
251-255	149	53	7,897	12' - 15'	660	405	210	180	566	400
252-253	60	53	3,180	12' - 15'	264	162	84	72	228	160
252-254	90	53	4,770	12' - 15'	396	243	126	108	342	240
252-255	119	53	6,307	12' - 15'	528	324	168	144	452	320
253-254	60	53	3,180	12' - 15'	264	162	84	72	228	160
253-255	89	53	4,717	12' - 15'	396	243	126	108	338	240
254-255	59	53	3,127	12' - 15'	264	162	84	72	224	160
256-260	32	152.4	4876.8	12' - 15'	462	300	N/A	N/A	348	220
256	29	29	841	12' - 15'	77	36	24	18	60	40

CONFERENCE CENTER - LEVEL 2

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
257	30	29	870	12' - 15'	77	36	24	18	62	40
258	30	29	870	12' - 15'	77	36	24	18	62	40
259	30	29	870	12' - 15'	77	36	24	18	62	40
260	31	29	899	12' - 15'	77	36	24	18	64	40
256-260	32	152.4	4876.8	12' - 15'	462	300	N/A	N/A	348	220
256-257	59	29	1,711	12' - 15'	154	72	48	36	122	80
256-258	89	29	2,581	12' - 15'	231	108	72	54	184	120
256-259	119	29	3,451	12' - 15'	308	144	96	72	246	160
256-260	150	29	4,350	12' - 15'	385	180	120	90	310	200
257-258	60	29	1,740	12' - 15'	154	72	48	36	124	80
257-259	90	29	2,610	12' - 15'	231	108	72	54	186	120
257-260	121	29	3,509	12' - 15'	308	144	96	72	250	160
258-259	60	29	1,740	12' - 15'	154	72	48	36	124	80
258-260	91	29	2,639	12' - 15'	231	108	72	54	188	120
259-260	61	29	1,769	12' - 15'	154	72	48	36	126	80
261-264	123	35	4305	12' - 15'	450	220	N/A	N/A	308	200
261	35	32	1120	12' - 15'	112	60	30	24	80	40
262	35	30	1050	12' - 15'	112	60	30	24	75	40
263	35	30	1050	12' - 15'	112	60	30	24	75	40
264	35	31	1085	12' - 15'	112	60	30	24	78	40
261-262	62	35	2,170	12' - 15'	224	120	60	48	155	80
261-263	92	35	3,220	12' - 15'	336	180	90	72	230	120
261-264	123	35	4,305	12' - 15'	448	240	120	96	308	160
262-263	60	35	2,100	12' - 15'	224	120	60	48	150	80
262-264	91	24	2,184	12' - 15'	336	180	90	72	228	120
263-264	61	35	2,135	12' - 15'	224	120	60	48	153	80
Cedar Boardroom 1	31.5	21.10	664	12' - 15'	N/A	N/A	N/A	16	N/A	N/A
Cedar Boardroom 2	31.5	22.6	711	12' - 15'	N/A	N/A	N/A	16	N/A	N/A

CONFERENCE CENTER - LEVEL 2



GRAND GARDEN ARENA




PREMIER PRE-FUNCTION



VISTA BALLROOM

CONFERENCE CENTER - LEVEL 3



CONFERENCE CENTER - LEVEL 3

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
Premier Ballroom Prefunction	253	72	14075	N/A	N/A	N/A	N/A	N/A	N/A	N/A
301	38.67	28.83	1115	11' - 14'	101	60	35	22	77	60
302	38.67	29.75	1150	11' - 14'	101	60	35	22	77	60
301-302	58.58	38.67	2265	11' - 14'	192	116	56	40	153	140
303	37.17	29.5	1096	11' - 14'	120	58	32	22	77	60
304	38.67	29.75	1150	11' - 14'	101	60	35	22	77	60
305	38.67	28.83	1115	11' - 14'	101	60	35	22	77	60
304-305	58.58	38.67	2265	11' - 14'	192	116	56	40	153	140
306	38.67	28.83	1115	11' - 14'	101	60	35	22	77	60
307	38.67	29.75	1150	11' - 14'	101	60	35	22	77	60
306-307	58.58	38.67	2265	11' - 14'	192	116	56	40	153	140
Premier Ballroom (309-320)	206.25	238.67	49,225	26' 6" - 28'	4344	3192	N/A	N/A	3516	3280
309	58.83	57.42	3378	26' 6" - 28'	338	198	64	52	241	200
310	90	57.42	5168	26' 6" - 28'	540	280	86	64	369	320
311	57.42	57.42	3297	26' 6" - 28'	338	198	64	52	236	200
312 & 317	78	57.42	4479	26' 6" - 28'	432	238	84	N/A	320	240
313 & 316	90	78	7020	26' 6" - 28'	1254	725	N/A	N/A	821	720
314 & 315	78	58.83	4589	26' 6" - 28'	432	238	84	N/A	328	240
318	57.42	57.42	3297	26' 6" - 28'	238	198	64	52	236	200
319	90	57.42	5168	26' 6" - 28'	540	280	86	64	369	320
320	58.83	57.42	3378	26' 6" - 28'	338	198	64	52	241	200
309-310	148.83	57.42	8546	26' 6" - 28'	932	502	N/A	N/A	610	520
309-311	206.25	57.42	11,842	26' 6" - 28'	1296	744	N/A	N/A	846	720
309-311 + NH	206.25	80.33	16,569	26' 6" - 28'	1728	960	N/A	N/A	1183	1080
309-314	206.25	119.33	24,613	26' 6" - 28'	2270	1248	N/A	N/A	1758	1560
309-317	206.25	158.33	32,656	26' 6" - 28'	3420	1932	N/A	N/A	2333	2177
309-317 + SH	206.25	181.25	37,383	26' 6" - 28'	N/A	2296	N/A	N/A	2670	2490
310-311	147.42	57.42	8464	26' 6" - 28'	932	502	N/A	N/A	605	520
312-313	147.42	39	5749	26' 6" - 28'	636	336	N/A	N/A	411	360
312-314	206.25	39	8044	26' 6" - 28'	812	468	N/A	N/A	575	510
312-314 + NH	206.25	63.08	13,011	26' 6" - 28'	N/A	850	N/A	N/A	912	810
312, 313, 316, 317	147.42	78	11,499	26' 6" - 28'	1254	725	N/A	N/A	821	720
312-317 + NH	206.25	100.92	20,814	26' 6" - 28'	2310	1242	N/A	N/A	1487	1388
312-317 + SH	206.25	100.92	20,814	26' 6" - 28'	2310	1242	N/A	N/A	1487	1388
312-317 + NH & SH	206.25	123.83	25,541	26' 6" - 28'	2211	1584	N/A	N/A	1824	1700
312-320	206.25	158.33	32,656	26' 6" - 28'	3420	1932	N/A	N/A	2333	2177
312-320 + NH	206.25	182.42	37,623	26' 6" - 28'	N/A	3396	N/A	N/A	2670	2490
313-314	148.83	39	5805	26' 6" - 28'	636	336	N/A	N/A	411	360
313-316	148.83	78	11,609	26' 6" - 28'	1254	725	N/A	N/A	821	720
315-317 + SH	206.25	61.92	12,770	26' 6" - 28'	N/A	850	N/A	N/A	912	810
315-320	206.25	119.33	24,613	26' 6" - 28'	2270	1248	N/A	N/A	1758	1560
318-319	147.42	57.42	8464	26' 6" - 28'	932	502	N/A	N/A	605	520
318-320	206.25	57.42	11,842	26' 6" - 28'	1296	744	N/A	N/A	846	720
318-320 + SH	206.25	80.33	16,569	26' 6" - 28'	1728	960	N/A	N/A	1183	1080
319-320	148.83	57.42	8546	26' 6" - 28'	932	502	N/A	N/A	1183	1080
350-354	146	47	6862	13' - 15'	648	364	N/A	N/A	490	330
350	27	47	1269	13' - 15'	100	60	36	30	91	60
351	30	47	1410	13' - 15'	100	60	36	30	101	60
352	30	47	1410	13' - 15'	100	60	36	30	101	60
353	30	47	1410	13' - 15'	100	60	36	30	101	60
354	29	47	1363	13' - 15'	100	60	36	30	97	60
350-351	57	47	2,679	13' - 15'	200	120	72	60	192	120
350-352	87	47	4,089	13' - 15'	300	180	108	90	293	180
350-353	117	47	5,499	13' - 15'	400	240	144	120	394	240

CONFERENCE CENTER - LEVEL 3

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
350-354	146	47	6,862	13' - 15'	580	320	180	150	490	320
351-352	60	47	2,820	13' - 15'	200	120	72	60	202	120
351-353	90	47	4,230	13' - 15'	300	180	108	90	303	180
351-354	119	47	5,593	13' - 15'	400	240	144	120	400	240
352-353	60	47	2,820	13' - 15'	200	120	72	60	192	120
352-354	89	47	4,183	13' - 15'	300	180	108	90	303	180
353-354	59	47	2,773	13' - 15'	200	120	72	60	198	120
Chairman's Ballroom (355-370)	260	180	46,800	22' - 28'	4000	2800	N/A	N/A	3343	2800
355	53	45	2385	22' - 28'	234	135	51	36	170	120
356	53	45	2385	22' - 28'	234	135	51	36	170	120
357	53	45	2385	22' - 28'	234	135	51	36	170	120
358	53	45	2385	22' - 28'	234	135	51	36	170	120
359	58	45	2610	22' - 28'	234	135	51	36	186	120
360	58	45	2610	22' - 28'	234	135	51	36	186	120
361	58	45	2610	22' - 28'	234	135	51	36	186	120
362	58	45	2610	22' - 28'	234	135	51	36	186	120
363	57	45	2565	22' - 28'	234	135	51	36	183	120
364	57	45	2565	22' - 28'	234	135	51	36	183	120
365	57	45	2565	22' - 28'	234	135	51	36	183	120
366	57	45	2565	22' - 28'	234	135	51	36	183	120
367	53	45	2385	22' - 28'	234	135	51	36	N/A	120
368	53	45	2385	22' - 28'	234	135	51	36	N/A	120
369	53	45	2385	22' - 28'	234	135	51	36	N/A	120
370	53	45	2385	22' - 28'	234	135	51	36	N/A	120
355 & NH	72	45	3,240	22' - 28'	314	169	63	48	230	160
355-356	53	90	4,770	22' - 28'	468	270	102	72	340	240
355-356 & NH	72	90	6,480	22' - 28'	548	304	114	84	400	280
355-357	53	135	7,155	22' - 28'	702	405	153	108	510	360
355-357 & NH	72	135	9,720	22' - 28'	782	439	165	120	570	400
355-358	53	180	9,540	22' - 28'	936	540	204	144	680	480
355-358 & NH	72	180	12,960	22' - 28'	1,016	574	216	156	740	520
355 & 362 & NH	130	45	5,850	22' - 28'	548	304	114	84	416	280
355-357 & 360-362 & NH	130	135	17,550	22' - 28'	1,484	844	318	228	1,080	760
355-362 & NH	130	180	23,400	22' - 28'	1,952	1,114	420	300	1,484	1,000
355-366 & NH	187	180	33,660	22' - 28'	2,888	1,650	624	444	2,216	1,480
355-366 & NH & SH	206	180	37,080	22' - 28'	2,968	1,684	636	456	2,276	1,520
355-356 & 361-364 & NH	187	90	16,830	22' - 28'	1,484	844	318	228	1,138	760
355-356 & 361-364 & NH & SH	206	90	18,540	22' - 28'	1,564	878	330	240	1,198	800
355-356 & 361-364 & 369-370 & NH & SH	259	90	23,310	22' - 28'	2,032	1,148	432	312	1,538	1,040
355-357 & 360-365 & NH	187	135	25,245	22' - 28'	2,186	1,249	471	336	1,677	1,120
355-357 & 360-365 & NH & SH	206	135	27,810	22' - 28'	2,266	1,283	483	348	1,737	1,160
355-357 & 360-365 & 368-370 & NH & SH	259	135	34,965	22' - 28'	2,968	1,688	636	456	2,247	1,520
355, 362-363 & NH	187	45	8,415	22' - 28'	782	439	165	120	599	400
355, 362-363 & NH & SH	206	45	9,270	22' - 28'	862	473	177	132	659	440
355, 362-363, 370 & NH & SH	259	45	11,655	22' - 28'	1,096	608	228	168	829	560
356 & NCH	72	45	3,240	22' - 28'	314	169	63	48	230	160
356-357	53	90	4,770	22' - 28'	468	270	102	72	340	240
356 & 357 & NH	72	90	6,480	22' - 28'	548	304	114	84	400	280
356-358	53	135	7,155	22' - 28'	702	405	153	108	510	360
356-358 & NH	72	135	9,720	22' - 28'	782	439	165	120	570	400
356 & 361 & NH	130	45	5,850	22' - 28'	548	304	114	84	416	280
356-357 & 360-361 & NH	130	90	11,700	22' - 28'	1,016	574	216	156	772	520
356-361 & NH	130	135	17,550	22' - 28'	1,484	844	318	228	1,128	760

CONFERENCE CENTER - LEVEL 3

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
356-361 & 364-366 & NH	187	130	24,310	22' - 28'	2,186	1,249	471	336	1,677	1,120
356-361 & 364-366 & NH & SH	206	130	26,780	22' - 28'	2,266	1,283	483	348	1,737	1,160
356-361 & 364-369 & NH & SH	259	130	33,670	22' - 28'	2,968	1,688	636	456	2,247	1,520
356, 361, 364 & NH	187	45	8,415	22' - 28'	782	439	165	120	599	400
356, 361, 364 & NH & SH	206	45	9,270	22' - 28'	862	473	177	132	659	440
356, 361, 364, 369 & NH & SH	259	45	11,655	22' - 28'	1,096	608	228	168	829	560
356-357 & 360-361 & 364-365 & NH	187	90	16,830	22' - 28'	1,484	844	318	228	1,138	760
356-357 & 360-361 & 364-365 & NH & SH	206	90	18,540	22' - 28'	1,564	878	330	240	1,198	800
356-357 & 360-361 & 364-365, 368-369 & NH & SH	259	90	23,310	22' - 28'	2,032	1,148	432	312	1,538	1,040
357 & NH	72	45	3,240	22' - 28'	314	169	63	48	230	160
357-358	53	90	4,770	22' - 28'	468	270	102	72	340	240
357-358 & NH	72	90	6,480	22' - 28'	548	304	114	84	400	280
357-360 & NH	130	90	11,700	22' - 28'	1,016	574	216	156	772	520
357-360 & 365-366 & NH	187	90	16,830	22' - 28'	1,484	844	318	228	1,138	760
357-360, 365-366 & NH & SH	206	90	18,540	22' - 28'	1,564	878	330	240	1,198	800
357-360, 365-368 & NH & SH	259	90	23,310	22' - 28'	2,032	1,148	432	312	1,538	1,040
357 & 360 & NH	130	45	5,850	22' - 28'	548	304	114	84	416	280
357, 360, 365 & NH	187	45	8,415	22' - 28'	782	439	165	120	599	400
357, 360, 365 & NH & SH	206	45	9,270	22' - 28'	862	473	177	132	659	440
357, 360, 365, 368 & NH & SH	259	45	11,655	22' - 28'	1,096	608	228	168	829	560
358 & NH	72	45	3,240	22' - 28'	314	169	63	48	230	160
358-359 & NH	130	45	5,850	22' - 28'	548	304	114	84	416	280
358-359,366 & NH	187	45	8,415	22' - 28'	782	439	165	120	599	400
358-359 & 366-367 & NH & SH	259	45	11,655	22' - 28'	1,096	608	228	168	829	560
359 & NH	77	45	3,465	22' - 28'	314	169	63	48	246	160
359 & 366	115	45	5,175	22' - 28'	468	270	102	72	369	240
359 & 366 & NH	134	45	6,030	22' - 28'	548	304	114	84	429	280
359 & 366 & SH	134	45	6,030	22' - 28'	548	304	114	84	429	280
359 & 366 & NH & SH	153	45	6,885	22' - 28'	628	338	126	96	489	320
359, 366, 367 & SH	187	45	8,415	22' - 28'	782	439	165	120	599	400
359, 366, 367 & NH & SH	206	45	9,270	22' - 28'	862	473	177	132	659	440
359-360	58	90	5,220	22' - 28'	468	270	102	72	372	240
359-360 & NH	77	90	6,930	22' - 28'	548	304	114	84	432	280
359-361	58	135	7,830	22' - 28'	702	405	153	108	558	360
359-361 & NH	77	135	10,395	22' - 28'	782	439	165	120	618	400
359-362	58	180	10,440	22' - 28'	936	540	204	144	744	480
359-362 & NH	77	180	13,860	22' - 28'	1,016	574	216	156	804	520
359-360 & 365-366	115	90	10,350	22' - 28'	936	540	204	144	738	480
359-360 & 365-366 & NH	134	90	12,060	22' - 28'	1016	580	236	156	750	540
359-360 & 365-366 & NH & SH	153	90	13,770	22' - 28'	1096	620	268	168	762	600
359-361 & 364-366	115	135	15,525	22' - 28'	1404	810	306	216	1107	720
359-361 & 364-366 & NH	134	135	18,090	22' - 28'	1484	850	338	228	1119	780
359-361 & 364-366 & NH & SH	153	135	20,655	22' - 28'	1564	890	370	240	1131	840
359-360 & 365-368 & SH	187	90	16,830	22' - 28'	1484	850	338	228	1090	780
359-360 & 365-368 & NH & SH	206	90	18,540	22' - 28'	1564	890	370	240	1102	840
359-361 & 364-369 & SH	187	135	25,245	22' - 28'	2186	1255	491	336	1632	1140
359-361 & 364-369 & NH & SH	206	135	27,810	22' - 28'	2266	1295	523	348	1644	1200
359-366	115	180	20,700	22' - 28'	1872	1080	408	288	1478	960
359-366 & NH	134	180	24,120	22' - 28'	1952	1120	440	300	1490	1020
359-366 & SH	134	180	24,120	22' - 28'	1952	1120	440	300	1490	1020
359-366 & NH & SH	153	180	27,540	22' - 28'	2032	1160	472	312	1502	1080
359-370 & SH	187	180	33,660	22' - 28'	2888	1660	644	444	2172	1500
359-370 & NH & SH	206	180	37,080	22' - 28'	2968	1700	676	456	2184	1560


CONFERENCE CENTER - LEVEL 3

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
360 & NH	77	45	3,465	22' - 28'	314	175	83	48	198	180
360 & 365	115	45	5,175	22' - 28'	468	270	102	72	370	240
360 & 365 & NH	134	45	6,030	22' - 28'	548	310	134	84	382	300
360 & 365 & SH	134	45	6,030	22' - 28'	548	310	134	84	382	300
360 & 365 & NH & SH	153	45	6,885	22' - 28'	628	350	166	96	394	360
360, 365, 368 & SH	187	45	8,415	22' - 28'	782	445	185	120	552	420
360, 365, 368 & NH & SH	206	45	9,270	22' - 28'	862	485	217	132	564	480
360-361 & 364-365 & 368-369 & SH	187	90	16,830	22' - 28'	1484	850	338	228	1092	780
360-361 & 364-365 & 368-369 & NH & SH	206	90	18,540	22' - 28'	1564	890	370	240	1104	840
360-361	58	90	5,220	22' - 28'	468	270	102	72	373	240
360-361 & NH	77	90	6,930	22' - 28'	548	310	134	84	385	300
360-362	58	135	7,830	22' - 28'	702	405	153	108	559	360
360-362 & NH	77	135	10,395	22' - 28'	782	445	185	120	571	420
360-361 & 364-365	115	90	10,350	22' - 28'	936	540	204	144	739	480
360-361 & 364-365 & NH	134	90	12,060	22' - 28'	1016	580	236	156	751	540
360-361 & 364-365 & SH	134	90	12,060	22' - 28'	1016	580	236	156	751	540
360-361 & 364-365 & NH & SH	153	90	13,770	22' - 28'	1096	620	268	168	763	600
360-365	115	135	15,525	22' - 28'	1404	810	306	216	1109	720
360-365 & NH	134	135	18,090	22' - 28'	1484	850	338	228	1121	780
360-365 & SH	134	135	18,090	22' - 28'	1484	850	338	228	1121	780
360-365 & NH & SH	153	135	20,655	22' - 28'	1564	890	370	240	1133	840
360-365 & 368-370 & SH	187	135	25,245	22' - 28'	2186	1255	491	336	1632	1140
360-365 & 368-370 & NH & SH	206	135	27,810	22' - 28'	2266	1295	523	348	1644	1200
361 & NH	77	45	3,465	22' - 28'	314	175	83	48	198	180
361 & 364	115	45	5,175	22' - 28'	468	270	102	72	370	240
361 & 364 & NH	134	45	6,030	22' - 28'	548	310	134	84	382	300
361 & 364 & SH	134	45	6,030	22' - 28'	548	310	134	84	382	300
361 & 364 & NH & SH	153	45	6,885	22' - 28'	628	350	166	96	394	360
361, 364, 369 & SH	187	45	8,415	22' - 28'	782	445	185	120	552	420
361, 364, 369 & NH & SH	206	45	9,270	22' - 28'	862	485	217	132	564	480
361-362	58	90	5,220	22' - 28'	468	270	102	72	373	240
361-362 & NH	77	90	6,930	22' - 28'	548	310	134	84	385	300
361-364	115	90	10,350	22' - 28'	936	540	204	144	739	480
361-364 & NH	134	90	12,060	22' - 28'	1016	580	236	156	751	540
361-364 & SH	134	90	12,060	22' - 28'	1016	580	236	156	751	540
361-364 & NH & SH	153	90	13,770	22' - 28'	1096	620	268	168	763	600
361-364 & 369-370 & SH	187	90	16,830	22' - 28'	1484	850	338	228	1092	780
361-364 & 369-370 & NH & SH	206	90	18,540	22' - 28'	1564	890	370	240	1104	840
362 & NH	77	45	3,465	22' - 28'	314	175	83	48	198	180
362-363	115	45	5,175	22' - 28'	468	270	102	72	370	240
362-363 & NH	134	45	6,030	22' - 28'	548	310	134	84	382	300
362-363 & SH	134	45	6,030	22' - 28'	548	310	134	84	382	300
362-363 & NH & SH	153	45	6,885	22' - 28'	628	350	166	96	394	360
362-363 & 370 & SH	187	45	8,415	22' - 28'	782	445	185	120	552	420
362-363 & 370 & NH & SH	206	45	9,270	22' - 28'	862	485	217	132	564	480
363 & SH	76	45	3,420	22' - 28'	314	175	83	48	195	180
363-364	57	90	5,130	22' - 28'	468	270	102	72	366	240
363-364 & SH	76	90	6,840	22' - 28'	548	310	134	84	378	300
363-365	57	135	7,695	22' - 28'	702	405	153	108	550	360
363-365 & SH	76	135	10,260	22' - 28'	782	445	185	120	562	420
363-366	57	180	10,260	22' - 28'	936	540	204	144	733	480
363-366 & SH	76	180	13,680	22' - 28'	1016	580	236	156	745	540
363 & 370 & SH	129	45	5,805	22' - 28'	548	310	134	84	366	300
363-364 & 369-370 & SH	129	90	11,610	22' - 28'	1016	580	236	156	719	540


CONFERENCE CENTER - LEVEL 3

ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
363-365 & 368-370 & SH	129	135	17,415	22' - 28'	1484	850	338	228	1073	780
363-370 & SH	129	180	23,220	22' - 28'	1952	1120	440	300	1426	1020
364 & SH	76	45	3,420	22' - 28'	314	175	83	48	195	180
364-365	57	90	5,130	22' - 28'	468	270	102	72	366	240
364-365 & SH	76	90	6,840	22' - 28'	548	310	134	84	378	300
364-366	57	135	7,695	22' - 28'	702	405	153	108	550	360
364-366 & SH	76	135	10,260	22' - 28'	782	445	185	120	562	420
364-365 & 368-369 & SH	129	90	11,610	22' - 28'	1016	580	236	156	719	540
364-366 & 367-369 & SH	129	135	17,415	22' - 28'	1484	850	338	228	1073	780
364-369 & SH	129	135	17,415	22' - 28'	1484	850	338	228	1073	780
364 & 369 & SH	129	45	5,805	22' - 28'	548	310	134	84	366	300
365 & SH	76	45	3,420	22' - 28'	314	175	83	48	195	180
365-366	57	90	5,130	22' - 28'	468	270	102	72	366	240
365-366 & SH	76	90	6,840	22' - 28'	548	310	134	84	378	300
365 & 368 & SH	129	45	5,805	22' - 28'	548	310	134	84	366	300
365-368 & SH	129	90	11,610	22' - 28'	1016	580	236	156	719	540
366 & SH	76	45	3,420	22' - 28'	314	175	83	48	195	180
366-367 & SH	129	45	5,805	22' - 28'	548	310	134	84	366	300
367 & SH	72	45	3,240	22' - 28'	314	175	83	48	182	180
367-368	53	90	4,770	22' - 28'	468	270	102	72	340	240
367-368 & SH	72	90	6,480	22' - 28'	548	310	134	84	352	300
367-369	53	135	7,155	22' - 28'	702	405	153	108	510	360
367-369 & SH	72	135	9,720	22' - 28'	782	445	185	120	522	420
367-370	53	180	9,540	22' - 28'	936	540	204	144	680	480
367-370 & SH	72	180	12,960	22' - 28'	1016	580	236	156	692	540
368 & SH	72	45	3,240	22' - 28'	314	175	83	48	182	180
368-369	53	90	4,770	22' - 28'	468	270	102	72	340	240
368-369 & SH	72	90	6,480	22' - 28'	548	310	134	84	352	300
368-370	53	135	7,155	22' - 28'	702	405	153	108	510	360
368-370 & SH	72	135	9,720	22' - 28'	782	445	185	120	522	420
369 & SH	72	45	3,240	22' - 28'	314	175	83	48	182	180
369-370	53	90	4,770	22' - 28'	468	270	102	72	340	240
369-370 & SH	72	90	6,480	22' - 28'	548	310	134	84	352	300
370 & SH	72	45	3,240	22' - 28'	314	175	83	48	182	180

GRAND GARDEN ARENA




GRAND GARDEN ARENA: EVENT LEVEL




ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
Studio 1	42.5	41.92	1781	14'	144	72	39	28	127	90
Studio 2	42.5	34	1445	14'	123	66	35	28	102	90
Studio 3	42.5	29.08	1236	14'	95	53	29	24	80	60
Studio 4	35.25	50.92	1795	14'	162	106	38	32	128	100
Studio 5	38.25	29.08	1112	14'	91	54	28	20	82	50
Studio 6	49.83	42.5	2118	12'	176	126	44	30	151	140
Studio 7	26.17	37.75	988	12'	74	38	26	22	71	50
Studio 8	47	31.58	1484	12'	108	70	38	30	106	80
Studio 9	27	32.5	894	12'	65	36	25	16	64	40
Studio 10	27.5	29.5	811	12'	61	33	23	16	57	40
Studio 1-2	42.5	75.92	3226	14'	262	144	68	58	227	170
Studio 1-3	42.5	105	4463	14'	388	216	N/A	N/A	308	250
Studio 2-3	42.5	63.08	2681	14'	192	108	56	40	187	130
Studio 9-10	27.5	62	1705	12'	144	74	48	44	122	90
Grand Garden Arena	N/A	N/A	49,481	N/A	N/A	N/A	N/A	N/A	N/A	N/A

STUDIO BALLROOM



ROOM NAME	LENGTH (FT.)	WIDTH (FT.)	SQUARE FEET	CEILING HEIGHT	THEATRE	CLASSROOM	U-SHAPE	CONFERENCE	RECEPTION	BANQUET
Studio Ballroom	110.33	91.67	10,114	18'	1008	600	N/A	N/A	722	630
Studio A	27.5	67.5	1856	18'	154	81	N/A	48	133	100
Foyer A	27.5	24.17	665	18'	N/A	N/A	N/A	N/A	47	N/A
Studio B	82.83	67.5	5591	18'	504	270	N/A	N/A	399	350
Foyer B	82.83	24.17	2002	18'	N/A	N/A	N/A	N/A	143	N/A
Studio A & B	67.5	110.33	7448	18'	720	400	N/A	N/A	532	450
Studio A & B Foyer	110.33	24.17	2666	18'	N/A	N/A	N/A	N/A	190	N/A

GRAND GARDEN ARENA: CONCOURSE LEVEL





MGM RESORTS

YOU HAVE TO BE HERE