

Appendix E – Fire department call out notes (2016)

Kamloops Fire Rescue INCIDENT REPORT

Incident Number: _____ Incident Date: 2016-07-04 18:34:44
Address: _____, Kamloops, BC
Cross Street: _____ Kamloops, BC Incident Duration: 0 Hrs 32 Mins 8 Secs
Incident Type: GAS, DANGEROUS GOODS GAS VAPOUR
Latitude: 50° 41' 1" N Longitude: 120° 19' 6" W
Task Number: _____ Forestry Number: _____
BCAS Number: _____ RCMP Number: _____
Hydrant Used: AED Downloaded: ESS Attended:
Crew Installed Rescue Rope Used: Safety Report Required:
Smoke Alarm: Secondary Suite: CISM:

LIST OF INCIDENT BENCHMARKS FROM CAD

Nothing Showing: 01-01 00:00:00 Under Control: 01-01 00:00:00
Smoke Showing: 01-01 00:00:00 Fire Struck: 01-01 00:00:00
Working Fire: 01-01 00:00:00 Loss Stop: 01-01 00:00:00
Primary Search 01-01 00:00:00 PAR: 01-01 00:00:00
All Clear:
RIT Established: 01-01 00:00:00 Secondary Egress Established: 01-01 00:00:00
Secondary Search 01-01 00:00:00 Completed:
RCMP Requested: 01-01 00:00:00 RCMP On Scene: 01-01 00:00:00
BCAS Requested: 01-01 00:00:00 BCAS On Scene: 01-01 00:00:00
Hydro Requested: 01-01 00:00:00 Hydro OnScene: 01-01 00:00:00
Fortis Requested: 01-01 00:00:00 Fortis OnScene: 01-01 00:00:00
ESS Notified: 01-01 00:00:00
BCAS Stood 01-01 00:00:00 Down: BCAS File number:
RCMP File Number:
Property Rep 01-01 00:00:00 Property Rep On Scene: 01-01 00:00:00
Notified:
MOF Notified: 01-01 00:00:00 MOF Requested: 01-01 00:00:00
MOF On Scene: 01-01 00:00:00 Mayday: 01-01 00:00:00

PROPERTY AND PROPERTY CONTACT INFORMATION

Building Name: _____ Building Phone: _____
Contact Name: S.22(1) Personal Information Phone Type: _____
Contact Type: UNKNOWN Number: _____ Local: _____

APPARATUS RESPONDING DETAILS

Apparatus: ENGINE 3, STATION 3, Kamloops, BC, KAMLOOPS FIRE RESCUE
Dispatch Time/Date: 07-04 18:36:18 On Route Time/Date: 07-04 18:37:23
Redeployed Time/Date: 01-01 00:00:00 Onscene Time/Date: 07-04 18:45:16
Available Onscene: 01-01 00:00:00 BCAS On Scene: 01-01 00:00:00
Return Service Time/Date: 07-04 18:55:17 Return Quarter Time/Date: 07-04 19:06:33
Total Time Deployed: 0 Hrs 18 Mins 59 Secs Cancelled On Route:

Apparatus: RESCUE 1, STATION 1, Kamloops, BC, KAMLOOPS FIRE RESCUE
Dispatch Time/Date: 07-04 18:36:18 On Route Time/Date: 07-04 18:37:54
Redeployed Time/Date: 01-01 00:00:00 Onscene Time/Date: 07-04 18:47:10
Available Onscene: 01-01 00:00:00 BCAS On Scene: 01-01 00:00:00
Return Service Time/Date: 07-04 18:47:16 Return Quarter Time/Date: 07-04 19:01:20
Total Time Deployed: 0 Hrs 10 Mins 58 Secs Cancelled On Route:

Apparatus: HAZMAT TRAILER, STATION 7, Kamloops, BC, KAMLOOPS FIRE RESCUE
Dispatch Time/Date: 07-04 18:37:34 On Route Time/Date: 07-04 18:42:01
Redeployed Time/Date: 01-01 00:00:00 Onscene Time/Date: 01-01 00:00:00
Available Onscene: 01-01 00:00:00 BCAS On Scene: 01-01 00:00:00
Return Service Time/Date: 07-04 18:47:38 Return Quarter Time/Date: 01-01 00:00:00
Total Time Deployed: 0 Hrs 10 Mins 4 Secs Cancelled On Route:

Apparatus: ENGINE 7, STATION 7, Kamloops, BC, KAMLOOPS FIRE RESCUE
Dispatch Time/Date: 07-04 18:37:38 On Route Time/Date: 07-04 18:38:40
Redeployed Time/Date: 01-01 00:00:00 Onscene Time/Date: 01-01 00:00:00
Available Onscene: 01-01 00:00:00 BCAS On Scene: 01-01 00:00:00
Return Service Time/Date: 07-04 18:47:34 Return Quarter Time/Date: 01-01 00:00:00
Total Time Deployed: 0 Hrs 9 Mins 56 Secs Cancelled On Route:

ATTENDEES RESPONDING DETAILS

Employee Name: [REDACTED]
SCBA:

Attended Patient:
SCBA Hours: 0
Off Duty:

SCBA Bottle
Number:

Employee Name: [REDACTED]
SCBA:

Attended Patient:
SCBA Hours: 0
Off Duty:

SCBA Bottle
Number:

Employee Name: [REDACTED]
SCBA:

Attended Patient:
SCBA Hours: 0
Off Duty:

SCBA Bottle
Number:

Employee Name: [REDACTED]
SCBA:

Attended Patient:
SCBA Hours: 0
Off Duty:

SCBA Bottle
Number:

Employee Name: [REDACTED]
SCBA:

Attended Patient:
SCBA Hours: 0
Off Duty:

SCBA Bottle
Number:

Employee Name: [REDACTED]
SCBA:

Attended Patient:
SCBA Hours: 0
Off Duty:

SCBA Bottle
Number:

INCIDENT NARRATIVE

Title: [REDACTED]

Remark:

E3 and R1 were dispatched to the above address for a strong smell of ammonia. En route E7 and the Haz-mat trailer were dispatched to the call. E3 arrived at [REDACTED] Ice plant and found [REDACTED] ^{S.22(1) Personal Information} working on some machinery. [REDACTED] ^{S.22(1) Personal Information} stated that they were de-commissioning the Ice plant and were venting the residual ammonia from the pipes. [REDACTED] ^{S.22(1) Personal Information} stated that it was not illegal to vent ammonia to the atmosphere, and because it was lighter than air it usually dissipates up [REDACTED] ^{S.22(1) Personal Information} thought it wouldn't bother anyone at that time of night. [REDACTED] ^{S.22(1) Personal Information} had located the vent on the roof of the ice plant. There was no smell in the area and [REDACTED] ^{S.22(1) Personal Information} stated he was not going to release any more vapors tonight. E3 returned to quarters.

Incident Commander: [REDACTED]

Incident Approver: [REDACTED]

FPO Required: No