

Pella® 350 Series VINYL



Distinctive vinyl windows with superior performance

Double-Hung



- **PREMIUM, LOW-MAINTENANCE VINYL**
Get the best of both worlds – with detailing once only found in wood windows and doors along with low-maintenance vinyl frames. Easy-care vinyl means no more painting, staining or refinishing.
- **EXCLUSIVE SMOOTHSEAM™ INTERIOR WELDED CORNERS**
Virtually invisible interior welded corners for a cleaner, more attractive look with Pella's exclusive SmoothSeam™ technology.
- **SUPERIOR STRENGTH AND OUTSTANDING DURABILITY**
Pella's exclusive, reinforced frame is 83% stronger than ordinary vinyl.¹
- **PELLA'S FADE-RESISTANT VINYL FORMULA**
Pella 350 Series products are made of high-grade vinyl that resist yellowing and never need painting. The solid-color throughout keeps minor dings and scratches virtually invisible. Solid-color frames are available in White and Almond.
- **ENERGY STAR® MOST EFFICIENT MARK IN 2019²**
Pella 350 Series products have been awarded the ENERGY STAR Most Efficient Mark for 2019.² Triple-pane glass for increased energy efficiency is available.
- **POPULAR FEATURES AND COLORS**
Upgraded options are available to fit your style. Choose from additional hardware finishes and styles, grilles-between-the-glass or Simulated-Divided-Light grilles and a variety of dual-color frames.
- **OPTIONAL FOAM INSULATION**
Pella's exclusive energy-saving system features up to 18 insulating air chambers. Add optional foam insulation for even better energy performance.
- **THE RIGHT FRAME**
A wide variety of frame types coupled with our exclusive reinforced frame meet the requirements of most any project.
- **LIMITED LIFETIME WARRANTY**
Pella products are backed by some of the strongest warranties in the business. See written limited warranty for details, including exceptions and limitations, at installpella.com/warranties.
- **TESTING BEYOND REQUIREMENTS**
At Pella, our products are tested beyond requirements to help ensure they have long-lasting performance and reduce call-backs for you.

AVAILABLE IN THESE WINDOW & PATIO DOOR STYLES:



Fixed and special shape windows also available.

^{1,2} See back cover for disclosures.

PRODUCT SPECIFICATIONS

| WINDOW & PATIO DOOR STYLES | MIN. WIDTH | MIN. HEIGHT | MAX. WIDTH | MAX. HEIGHT | PERFORMANCE CLASS & GRADE | PERFORMANCE VALUES | | | FRAME / INSTALL |
|--|------------|-------------|------------|-------------|---------------------------|--------------------|-----------|-------|--|
| | | | | | | U-FACTOR | SHGC | STC | |
| AWNING (DUAL-PANE) | 17-½" | 14-½" | 59-½" | 35-½" | LC40-LC60 | 0.25-0.31 | 0.14-0.43 | 30-33 | Block Frame Integral Fin Fin with J-Channel Flush Flange 5/8" Flange Frame Pocket Replacement |
| VENT AWNING (TRIPLE-PANE) | 17-½" | 14-½" | 59-½" | 35-½" | LC40-LC60 | 0.17-0.23 | 0.18-0.39 | 29 | |
| IMPACT AWNING | 17-½" | 14-½" | 59-½" | 35-½" | CW70 | 0.24-0.28 | 0.14-0.23 | 36-38 | |
| VENT CASEMENT (DUAL-PANE) | 13-½" | 17-½" | 35-½" | 71-½" | LC40-LC60 | 0.24-0.28 | 0.16-0.43 | 30-33 | |
| VENT CASEMENT (TRIPLE-PANE) | 13-½" | 17-½" | 35-½" | 71-½" | LC40-LC60 | 0.16-0.23 | 0.18-0.39 | 29 | |
| IMPACT CASEMENT | 13-½" | 17-½" | 35-½" | 71-½" | LC40-LC60 | 0.24-0.27 | 0.18-0.39 | 36-38 | |
| VENT SLIDING WINDOW (OX OR XO) (DUAL-PANE) | 21-½" | 11-½" | 76" | 72" | LC40 | 0.26-0.34 | 0.19-0.52 | 28-32 | |
| VENT SLIDING WINDOW (OX OR XO) (TRIPLE-PANE) | 21-½" | 11-½" | 76" | 72" | LC25-LC60 | 0.17-0.25 | 0.22-0.47 | 29 | |
| VENT DOUBLE-HUNG (DUAL-PANE) | 14-½" | 23-½" | 54" | 78" | LC30-LC60 | 0.26-0.35 | 0.19-0.52 | 28-32 | |
| VENT DOUBLE-HUNG (TRIPLE-PANE) | 14-½" | 23-½" | 54" | 78" | LC30-LC60 | 0.18-0.26 | 0.21-0.46 | 29 | |
| VENT SINGLE-HUNG (DUAL-PANE) | 14-½" | 23-½" | 54" | 78" | LC25-LC60 | 0.27-0.35 | 0.20-0.51 | 26-30 | |
| VENT SINGLE-HUNG (TRIPLE-PANE) | 14-½" | 23-½" | 54" | 78" | LC25-LC60 | 0.17-0.25 | 0.22-0.47 | 29 | |
| IMPACT SINGLE-HUNG | 14-½" | 23-½" | 54" | 78" | LC25-LC60 | 0.27-0.31 | 0.17-0.52 | 36 | |
| FIXED FRAME (DUAL-PANE) | 11-½" | 11-½" | 112" | 96" | R30-C60 | 0.25-0.33 | 0.21-0.58 | 26-30 | Block Frame Integral Fin Flush Flange |
| FIXED FRAME (TRIPLE-PANE) | 11-½" | 11-½" | 112" | 96" | R30-C60 | 0.15-0.23 | 0.24-0.53 | 27 | |
| IMPACT FIXED FRAME | 11-½" | 11-½" | 112" | 96" | R30-C60 | 0.25-0.32 | 0.19-0.28 | 35-36 | |
| SLIDING PATIO DOOR (OX OR XO) (DUAL-PANE) | 46-½" | 70-½" | 95-½" | 100" | R50 | 0.29-0.37 | 0.18-0.48 | 29-33 | |
| SLIDING PATIO DOOR (OX OR XO) (TRIPLE-PANE) | 46-½" | 70-½" | 95-½" | 100" | R50 | 0.19-0.26 | 0.20-0.41 | 32 | |
| IMPACT SLIDING PATIO DOOR | 46-½" | 70-½" | 95-½" | 100" | R50 | 0.30-0.79 | 0.17-0.54 | 34 | |


WINDOW SIZES AVAILABLE IN 1/8" INCREMENTS

Special shapes available. For more information regarding performance, visit installpella.com/performance. Visit PellaADM.com for specific sizes and glazings tested and for more information regarding frame and installation types.


GRILLES

GRILLES


Grilles are color-matched to the window or patio door interior and exterior frame color.



**COLOR-MATCHED
SIMULATED-DIVIDED-
LIGHT CONTOUR 7/8"³**



**GRILLES-BETWEEN-
THE-GLASS
CONTOUR 3/4"⁴**



**GRILLES-BETWEEN-
THE-GLASS
CONTOUR 1"⁴**

^{3,4} See back cover for disclosures.

WINDOW HARDWARE

CASEMENT & AWNING

Folds neatly out of the way so it won't interfere with roomside window treatments. Finishes complement frame colors.



FOLD-AWAY
CRANK

COLOR-MATCHED FINISHES:



ADDITIONAL FINISHES:



SLIDING, SINGLE- & DOUBLE-HUNG

Pella's cam-action locks push the sashes against the weatherstripping for a tighter seal. Optional AutoLock hardware automatically locks the window when it is shut, simply close the sash and confirm it latches.



CAM-ACTION
LOCK



AUTOLOCK

COLOR-MATCHED FINISHES:



ADDITIONAL FINISHES:



INTEGRATED SASH LIFT

Make raising and lowering single- and double-hung window sashes easy with a standard, integrated sash lift.



WINDOW INTEGRATED
SASH LIFT

COLOR-MATCHED FINISHES:



SURFACE-MOUNTED SASH LIFT

Raise and lower single- and double-hung window sashes easily with an optional, surface-mounted sash lift.



WINDOW SURFACE-
MOUNTED SASH LIFT

COLOR-MATCHED FINISHES:



ADDITIONAL FINISHES:



PATIO DOOR HARDWARE

SLIDING PATIO DOOR

Match the door's exterior color with a color-matched, corrosion-resistant handle, or upgrade the interior finish to add a touch of style.



SLIDING PATIO
DOOR HANDLE
Standard Multipoint
Locking System

COLOR-MATCHED FINISHES:



ADDITIONAL FINISHES:



COLORS


FRAME COLORS

Create a signature look with solid-color and dual-color frames. Dual-color frames allow you to choose a different color for the exterior with a white interior.

SOLID-COLOR:



DUAL-COLOR FRAMES:



¹ Based on the force required to bend a window frame profile.

² Some Pella products may not meet ENERGY STAR[®] guidelines in Canada. For more information, contact your local Pella sales representative or go to energystar.gc.ca.

³ Available on windows only and not available with triple-pane glass.

⁴ Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.