

2025 Masters Championship

Master's 30 - 39 Trio Free Final

Shawnee Mission School District Aquatic Center Overland Park, KS

25 OCT 2025

Code	Rank	Draw	Swimmer	%	J1	J2	J3	J4	J5	Avg.	Pen.	Total	Routine
Referee: Eugenia GILLIAN													
Asst. Referee: Irene HAWES													
			Execution 30%									Artistic Impression 40%	Difficulty 30%
J1			Erin KING									Erin KING	Erin KING
J2			Betty HAZLE									Betty HAZLE	Betty HAZLE
J3			Ginny JASONTEK									Ginny JASONTEK	Ginny JASONTEK
J4			Gail EMERY									Gail EMERY	Gail EMERY
J5			Debbie LATCHFORD									Debbie LATCHFORD	Debbie LATCHFORD
Code	Rank	Draw	Swimmer	%	J1	J2	J3	J4	J5	Avg.	Pen.	Total	Routine
1.	(2)		AAS - ARIZONA AQUA STARS										
			BOIVIN Georgia / VATTUONE Kathryn / KNIGHT Melissa										
			EXE 30%	7.3	7.4	7.2	7.0	7.3	7.2667		21.8000	73.8000	
			A/I 40%	7.5	7.4	7.5	7.5	7.5	7.5000		30.0000		
			DIF 30%	7.4	7.3	7.4	7.3	7.3	7.3333		22.0000		
2.	(6)		MNP - MINNESOTA NORTHERN PIKES										
			HORII Rina / SCHMIT Juliet / BODIN Ali										
			EXE 30%	7.2	7.2	7.3	7.2	7.2	7.2000		21.6000	72.5333	
			A/I 40%	7.3	7.2	7.4	7.3	7.4	7.3333		29.3333		
			DIF 30%	7.1	7.0	7.3	7.2	7.3	7.2000		21.6000		
3.	(1)		DCM - DC SYNCHROMASTERS										
			BELL Rosemary / HARVEY-WHITE Vercera / TRINKLEIN Rebecca										
			EXE 30%	7.0	6.8	6.9	6.7	6.8	6.8333		20.5000	69.1000	
			A/I 40%	7.1	6.5	7.0	7.0	7.0	7.0000		28.0000		
			DIF 30%	7.2	6.7	7.0	6.7	6.9	6.8667		20.6000		
4.	(4)		AAS - ARIZONA AQUA STARS										
			SLINKER Haleigh / TRUMPINSKI Kathryn / BARBA Sarah										
			EXE 30%	6.7	6.4	7.0	6.7	6.8	6.7333		20.2000	68.6667	
			A/I 40%	6.8	6.6	7.1	7.0	7.4	6.9667		27.8667		
			DIF 30%	6.9	6.6	7.0	6.7	7.0	6.8667		20.6000		
5.	(5)		MCS - MAC SYNCHRO										
			KINZ Michelle / MONTEJANO Felicia / MONTEJANO Marissa										
			EXE 30%	6.5	6.8	7.1	6.7	6.6	6.7000		20.1000	68.3667	
			A/I 40%	6.8	6.8	7.2	7.0	7.1	6.9667		27.8667		
			DIF 30%	6.8	6.8	7.1	6.8	6.8	6.8000		20.4000		
6.	(3)		LSS - LONE STAR SYNCHRO										
			COLLINS Eryn / MCKAY Sarah / DESJARDINS Desiree										
			EXE 30%	6.6	6.5	6.8	6.8	6.7	6.7000		20.1000	67.9000	
			A/I 40%	6.7	6.8	6.8	7.1	7.3	6.9000		27.6000		
			DIF 30%	6.7	6.7	6.7	7.0	6.8	6.7333		20.2000		