

2025 Masters Championship

Master's 60 - 69 Women Duet Free Final

Shawnee Mission School District Aquatic Center Overland Park, KS

25 OCT 2025

Code	Rank	Draw	Swimmer	%	J1	J2	J3	J4	J5	Avg.	Pen.	Total	Routine		
Referee: Gail EMERY															
Asst. Referee: Debbie LATCHFORD															
				Execution	30%	Artistic Impression				40%	Difficulty				30%
J1			Eugenia GILLIAN		Eugenia GILLIAN					Eugenia GILLIAN					
J2			Shannon KORPELA		Shannon KORPELA					Shannon KORPELA					
J3			Irene HAWES		Irene HAWES					Irene HAWES					
J4			Ginny JASONTEK		Ginny JASONTEK					Ginny JASONTEK					
J5			Betty HAZLE		Betty HAZLE					Betty HAZLE					
Code	Rank	Draw	Swimmer	%	J1	J2	J3	J4	J5	Avg.	Pen.	Total	Routine		
1.	(3)		RES - REDWOOD EMPIRE												
			WOOD Cynthia / CLAHAN Carey												
			EXE 30%	6.4	7.0	6.0	6.4	7.3	6.6000		19.8000	66.2333			
			A/I 40%	6.6	6.8	6.5	6.5	7.2	6.6333		26.5333				
			DIF 30%	6.7	6.7	6.2	6.5	7.4	6.6333		19.9000				
2.	(6)		WWL - WISCONSIN WATERLOONS												
			LURENZ Heidi / JAMES Amy												
			EXE 30%	6.3	6.4	5.9	6.5	6.3	6.3333		19.0000	64.2667			
			A/I 40%	6.2	6.5	6.3	6.6	6.3	6.3667		25.4667				
			DIF 30%	6.6	6.4	6.6	6.6	6.6	6.6000		19.8000				
3.	(5)		UNS - UNSYNCABLES OF LA MIRADA												
			BECKWITH Vickie / NOVAK Deborah												
			EXE 30%	6.2	5.4	5.3	6.1	5.1	5.6000		16.8000	57.0333			
			A/I 40%	6.4	5.4	5.4	6.4	5.2	5.7333		22.9333				
			DIF 30%	6.4	5.4	5.6	6.3	5.4	5.7667		17.3000				
4.	(1)		PYS - PHOENIXVILLE AREA YMCA SYNCHRO												
			MCBRIDE Elyse / MACDONALD Debbie												
			EXE 30%	5.3	5.7	5.8	5.9	5.0	5.6000		16.8000	56.6667			
			A/I 40%	5.4	5.9	5.7	6.0	4.9	5.6667		22.6667				
			DIF 30%	5.6	5.7	5.9	6.1	5.2	5.7333		17.2000				
5.	(4)		SDS - SAN DIEGO SEA STARS												
			GRADY Dani / BLAIR Nancy												
			EXE 30%	6.0	5.5	4.9	6.1	5.2	5.5667		16.7000	55.6000			
			A/I 40%	5.9	5.6	5.3	6.2	5.0	5.6000		22.4000				
			DIF 30%	5.7	5.6	5.1	6.1	5.2	5.5000		16.5000				
6.	(2)		MSM - MICHIGAN SYNCHRO MASTERS												
			WAGNER Robin / SCHERER Gail												
			EXE 30%	4.8	5.3	4.7	5.7	5.0	5.0333		15.1000	51.6667			
			A/I 40%	5.0	5.5	5.1	6.0	5.2	5.2667		21.0667				
			DIF 30%	5.0	5.5	5.0	5.9	4.7	5.1667		15.5000				