

SIGN NAME	SIGN 1	QTY	SIGN NUMBER	STATION(S)	
PANEL	BORDER			none	
WIDTH	9'-0"	WIDTH			
HEIGHT	2'-0"	RADII			
LEGEND	White	COLOR			
COLOR	Green				
SYMBOL(S)	ANGLE	X	Y	WID	HT
AR_Type D	90	6	14	6	9
AR_Type D	270	93	4	6	9
SIGN NUMBER	NUMBER OF POSTS	CLEARANCE Edge Of Lane	COLUMN SIZE	AVERAGE LENGTH	

USE WHERE THE STREET NAMES CHANGE ON EITHER SIDE OF THE INTERSECTION. NO BLOCK NUMBERS.

NO. OF LIGHT FIXTURES	FIXTURE SPACING	PHOTOMETRIC CURVE	WATT	VOLTAGE

COPY	SPACE	S	t	a	r	w	o	o	d	A	v	e	L								
21	6.1	4.5	6.4	3.8	7.3	5.4	5.4	4	6	6.8	5.8	4	21.5	65.5							
COPY	SPACE	B	l	o	o	m	i	n	g	d	a	l	e	S	q	u	a	r	e	L	
6	5.8	2	4.6	4.7	7.3	2.2	4.6	4.6	4.6	4.7	2	3.7	6	5.6	4.7	4.6	4.7	3.2	3.7	18.8	83.2
COPY	SPACE																				
COPY	SPACE																				
COPY	SPACE																				
COPY	SPACE																				

SIGN NAME	SIGN 2	QTY	SIGN NUMBER	STATION(S)	
PANEL	BORDER			none	
WIDTH	8'-0"	WIDTH			
HEIGHT	2'-0"	RADII			
LEGEND	White	COLOR			
COLOR	Green				
SYMBOL(S)	ANGLE	X	Y	WID	HT
SIGN NUMBER	NUMBER OF POSTS	CLEARANCE Edge Of Lane	COLUMN SIZE	AVERAGE LENGTH	

USE FOR STANDARD STREET NAME SIGN WHERE THE 8" EM AND THE 6" E SIZE LETTERING DOES NOT EXCEED 9'.

NO. OF LIGHT FIXTURES	FIXTURE SPACING	PHOTOMETRIC CURVE	WATT	VOLTAGE

COPY	SPACE	B	e	l	l	S	h	o	a	l	s	L		
11	8	7.8	4.8	1.6	10.2	9	7.8	7.2	8.5	3.9	5.3	11	74	
COPY	SPACE	4	4	0	0	R	D	4	3	0	0	L		
11	6.5	6.8	6.2	5	7.3	6.1	4.9	7.3	6.7	5.9	6.2	5	11	74
COPY	SPACE													
COPY	SPACE													
COPY	SPACE													
COPY	SPACE													

SIGN NAME	SIGN 3	QTY	SIGN NUMBER	STATION(S)	
PANEL	BORDER			none	
WIDTH	9'-0"	WIDTH			
HEIGHT	2'-0"	RADII			
LEGEND	White	COLOR			
COLOR	Green				
SYMBOL(S)	ANGLE	X	Y	WID	HT
SIGN NUMBER	NUMBER OF POSTS	CLEARANCE Edge Of Lane	COLUMN SIZE	AVERAGE LENGTH	

USE 8" C FOR STREET NAMES AND 6" C FOR BLOCK NUMBERS FOR LONG STREET NAMES TO FIT WITHIN THE 9' WIDTH MAXIMUM.

NO. OF LIGHT FIXTURES	FIXTURE SPACING	PHOTOMETRIC CURVE	WATT	VOLTAGE

SIGN NAME	SIGN 4	QTY	SIGN NUMBER	STATION(S)	
PANEL	BORDER			none	
WIDTH	9'-0"	WIDTH			
HEIGHT	2'-0"	RADII			
LEGEND	White	COLOR			
COLOR	Green				
SYMBOL(S)	ANGLE	X	Y	WID	HT
AR_Type D	270	85	13	8	12
SIGN NUMBER	NUMBER OF POSTS	CLEARANCE Edge Of Lane	COLUMN SIZE	AVERAGE LENGTH	

USE AT "T" INTERSECTIONS ONLY.

NO. OF LIGHT FIXTURES	FIXTURE SPACING	PHOTOMETRIC CURVE	WATT	VOLTAGE

COPY	SPACE	B	l	o	o	m	i	n	g	d	a	l	e	S	q	u	a	r	e	L	
7	5.7	2.3	5	5.3	8.1	2.6	5.2	5.3	5.1	5.2	2.3	4.1	9.3	5.4	5.4	5.1	5.2	3.3	4.1	7	94
COPY	SPACE	5	2	0	0	B	L	V	D	5	1	0	0	L							
7	4.1	4.3	4.6	3.5	23.4	4.4	3.4	4.6	3.4	23.4	4.3	2.5	4.6	3.5	7	94					
COPY	SPACE																				
COPY	SPACE																				
COPY	SPACE																				

COPY	SPACE	G	l	e	n	h	a	v	e	n	L
11	9	4.3	7.9	8.7	7.9	7.8	7.9	7.9	5.3	30.3	66.7
COPY	SPACE	D	R	1	0	0	0	L			
38.4	6.2	4.9	24	3.2	6.2	6.2	5	13.8	55.8		
COPY	SPACE										
COPY	SPACE										
COPY	SPACE										

NOTE:
† ALL SIGN PANELS LENGTH MUST BE WHOLE NUMBER FROM 4 FEET TO 9 FEET.

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

